

Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

Water table refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

Water Features—Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AdC—Alluvial land, sloping										
Alluvial land	—	—	Jan-Dec	—	—	—	—	—	—	—
AwA—Avonburg-Urban land complex, nearly level										
Avonburg	C/D	Medium	January	0.5-1.5	1.5-3.0	—	—	None	—	None
			February	0.5-1.5	1.5-3.0	—	—	None	—	None
			March	0.5-1.5	1.5-3.0	—	—	None	—	None
			April	0.5-1.5	1.5-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BoD2--Bonnell silt loam, 15 to 25 percent slopes, eroded										
Bonnell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BoE--Bonnell silt loam, 25 to 40 percent slopes										
Bonnell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BoF--Bonnell silt loam, 40 to 60 percent slopes										
Bonnell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BrD3--Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded										
Bonnell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcB—Cincinnati silt loam, 2 to 6 percent slopes										
Cincinnati	D	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcB2--Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded										
Cincinnati	D	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcC2--Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded										
Cincinnati	D	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcD2--Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded										
Cincinnati	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CkD3--Cincinnati and Hickory soils, 12 to 25 percent slopes, severely eroded										
Cincinnati	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Hickory	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cle1A--Clermont silt loam, 0 to 1 percent slopes										
Clermont	C/D	—	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CnC2—Cincinnati silt loam, 6 to 12 percent slopes, eroded										
Cincinnati	C	Medium	January	2.5-4.0	3.0-6.0	—	—	None	—	None
			February	2.5-4.0	3.0-6.0	—	—	None	—	None
			March	2.5-4.0	3.0-6.0	—	—	None	—	None
			April	2.5-4.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Cu—Cut and fill land										
Cut and fill land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EaD2—Eden flaggy silty clay loam, 12 to 18 percent slopes, moderately eroded										
Eden	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EaE--Eden flaggy silt loam, 25 to 40 percent slopes										
Eden	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EaE2—Eden flaggy silty clay loam, 18 to 25 percent slopes, moderately eroded										
Eden	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EaF—Eden flaggy silt loam, 40 to 70 percent slopes										
Eden	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EaF2—Eden flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded										
Eden	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EbC2—Edenton loam, 6 to 12 percent slopes, moderately eroded										
Edenton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EbD2--Edenton loam, 12 to 18 percent slopes, moderately eroded										
Edenton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EbE2—Edenton loam, 18 to 25 percent slopes, moderately eroded										
Edenton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EbG2—Edenton loam, 25 to 50 percent slopes, moderately eroded										
Edenton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EcE3—Edenton clay loam, 12 to 25 percent slopes, severely eroded										
Edenton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EdG3—Edenton and Fairmount soils, 25 to 50 percent slopes, severely eroded										
Edenton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Fairmount	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ee--Eel silt loam										
Eel	C	Negligible	January	1.5-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	1.5-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	1.5-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	1.5-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EkB--Elkinsville silt loam, 2 to 6 percent slopes										
Elkinsville	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaE2--Fairmount very flaggy silty clay loam, 18 to 25 percent slopes, moderately eroded										
Fairmount	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaG2--Fairmount very flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded										
Fairmount	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FdD2--Faywood silt loam, 15 to 25 percent slopes, eroded										
Faywood	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FnB--Fox silt loam, 2 to 6 percent slopes										
Fox	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FnC2--Fox silt loam, 6 to 12 percent slopes, moderately eroded										
Fox	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FuB--Fox-Urban land complex, gently sloping										
Fox	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Gn--Genesee silt loam										
Genesee	B	Negligible	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			October	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GpB--Glenford silt loam, 2 to 6 percent slopes										
Glenford	C	Low	January	1.5-2.5	>6.0	—	—	None	—	None
			February	1.5-2.5	>6.0	—	—	None	—	None
			March	1.5-2.5	>6.0	—	—	None	—	None
			April	1.5-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	>6.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GpC2--Glenford silt loam, 6 to 12 percent slopes, moderately eroded										
Glenford	C	Medium	January	1.5-2.5	>6.0	—	—	None	—	None
			February	1.5-2.5	>6.0	—	—	None	—	None
			March	1.5-2.5	>6.0	—	—	None	—	None
			April	1.5-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	>6.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GpE2--Glenford silt loam, 18 to 25 percent slopes, moderately eroded										
Glenford	C	Medium	January	1.5-2.5	>6.0	—	—	None	—	None
			February	1.5-2.5	>6.0	—	—	None	—	None
			March	1.5-2.5	>6.0	—	—	None	—	None
			April	1.5-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	>6.0	—	—	None	—	None
Gr--Gravel pits										
Gravel pits	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HkD2--Hickory loam, 12 to 18 percent slopes, moderately eroded										
Hickory	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HkF2--Hickory loam, 18 to 35 percent slopes, moderately eroded										
Hickory	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HIG3--Hickory clay loam, 25 to 50 percent slopes, severely eroded										
Hickory	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Hu--Huntington silt loam										
Huntington	B	Negligible	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional
JeC2--Jessup silt loam, 8 to 15 percent slopes, eroded										
Jessup	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JoR1A1--Jonesboro-Rossmoyne silt loams, 0 to 2 percent slopes										
Jonesboro	C	—	January	1.5-3.0	2.4-4.0	—	—	None	—	None
			February	1.5-3.0	2.4-4.0	—	—	None	—	None
			March	1.5-3.0	2.4-4.0	—	—	None	—	None
			April	1.5-3.0	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rossmoyne	D	—	January	1.6-2.5	2.4-4.0	—	—	None	—	None
			February	1.6-2.5	2.4-4.0	—	—	None	—	None
			March	1.6-2.5	2.4-4.0	—	—	None	—	None
			April	1.6-2.5	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JoR1B1--Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes										
Jonesboro	C	—	January	1.5-3.0	2.4-4.0	—	—	None	—	None
			February	1.5-3.0	2.4-4.0	—	—	None	—	None
			March	1.5-3.0	2.4-4.0	—	—	None	—	None
			April	1.5-3.0	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rossmoyne	D	—	January	1.5-2.5	2.4-4.0	—	—	None	—	None
			February	1.5-2.5	2.4-4.0	—	—	None	—	None
			March	1.5-2.5	2.4-4.0	—	—	None	—	None
			April	1.5-2.5	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JoR1B2--Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes, eroded										
Jonesboro, eroded	D	—	January	1.5-3.0	2.4-4.0	—	—	None	—	None
			February	1.5-3.0	2.4-4.0	—	—	None	—	None
			March	1.5-3.0	2.4-4.0	—	—	None	—	None
			April	1.5-3.0	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rossmoyne, eroded	D	—	January	1.5-2.5	2.4-4.0	—	—	None	—	None
			February	1.5-2.5	2.4-4.0	—	—	None	—	None
			March	1.5-2.5	2.4-4.0	—	—	None	—	None
			April	1.5-2.5	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lg--Lanier sandy loam										
Lanier	A	Negligible	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional
Ln--Lindside silt loam										
Lindside	C	Negligible	January	1.5-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	1.5-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	1.5-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	1.5-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	1.5-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Mb--Mahalasville silty clay loam										
Mahalasville	B/D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	—	—	—	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MdB--Markland silt loam, 2 to 6 percent slopes										
Markland	D	Medium	January	2.0-3.0	>6.0	—	—	None	—	None
			February	2.0-3.0	>6.0	—	—	None	—	None
			March	2.0-3.0	>6.0	—	—	None	—	None
			April	2.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.0	>6.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MgA--McGary silt loam, 0 to 2 percent slopes										
Mcgary	C/D	Negligible	January	0.5-1.5	>6.0	—	—	None	—	None
			February	0.5-1.5	>6.0	—	—	None	—	None
			March	0.5-1.5	>6.0	—	—	None	—	None
			April	0.5-1.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Mh--Medway silt loam, overwash										
Medway	B/D	Negligible	January	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ne--Newark silt loam, 0 to 2 percent slopes, occasionally flooded										
Newark, occasionally flooded	B/D	Negligible	January	0.5-1.6	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	0.5-1.6	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	0.5-1.6	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	0.5-1.6	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	0.5-1.6	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			November	0.5-1.6	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	0.5-1.6	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
No--Nolin silt loam, occasionally flooded										
Nolin			February	3.0-6.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			March	3.0-6.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			April	—	—	—	—	None	Long (7 to 30 days)	Occasional
			May	—	—	—	—	None	Long (7 to 30 days)	Occasional

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OcA—Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes										
Ockley	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OcB--Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes										
Ockley	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OdA--Ockley-Urban land complex, nearly level										
Ockley	B	Negligible	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PbD2--Pate silty clay, 15 to 25 percent slopes, eroded										
Pate	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Rh--Riverwash										
Riverwash	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RkD2--Rodman and Casco loams, 12 to 18 percent slopes, moderately eroded										
Rodman	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Casco	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RkE2--Rodman and Casco loams, 18 to 25 percent slopes, moderately eroded										
Rodman	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Casco	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Rn--Ross silt loam										
Ross	B	Negligible	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RpC2--Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded										
Rossmoyne	D	Medium	January	1.5-2.5	2.0-3.0	—	—	None	—	None
			February	1.5-2.5	2.0-3.0	—	—	None	—	None
			March	1.5-2.5	2.0-3.0	—	—	None	—	None
			April	1.5-2.5	2.0-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	2.0-3.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsC3--Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded										
Rossmoyne	D	Medium	January	1.5-2.5	2.0-3.0	—	—	None	—	None
			February	1.5-2.5	2.0-3.0	—	—	None	—	None
			March	1.5-2.5	2.0-3.0	—	—	None	—	None
			April	1.5-2.5	2.0-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	2.0-3.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RtB--Rossmoyne-Urban land complex, gently sloping										
Rossmoyne	D	Low	January	1.5-2.5	2.0-3.0	—	—	None	—	None
			February	1.5-2.5	2.0-3.0	—	—	None	—	None
			March	1.5-2.5	2.0-3.0	—	—	None	—	None
			April	1.5-2.5	2.0-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	2.0-3.0	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RtC--Rossmoyne-Urban land complex, sloping										
Rossmoyne	D	Medium	January	1.5-2.5	2.0-3.0	—	—	None	—	None
			February	1.5-2.5	2.0-3.0	—	—	None	—	None
			March	1.5-2.5	2.0-3.0	—	—	None	—	None
			April	1.5-2.5	2.0-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	2.0-3.0	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RwC3--Rossmoyne-Bonnell complex, 6 to 12 percent slopes, severely eroded										
Rossmoyne	D	High	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Bonnell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SaA--Sardinia silt loam, 0 to 2 percent slopes										
Sardinia	C	Negligible	January	1.5-2.5	>6.0	—	—	None	—	None
			February	1.5-2.5	>6.0	—	—	None	—	None
			March	1.5-2.5	>6.0	—	—	None	—	None
			April	1.5-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	>6.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SaB--Sardinia silt loam, 2 to 6 percent slopes										
Sardinia	C	Medium	January	1.5-2.5	>6.0	—	—	None	—	None
			February	1.5-2.5	>6.0	—	—	None	—	None
			March	1.5-2.5	>6.0	—	—	None	—	None
			April	1.5-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	>6.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ScA--Sciotoville silt loam, 0 to 2 percent slopes										
Sciotoville	C	Low	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None
			December	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SeC2—Sees silty clay loam, 4 to 12 percent slopes, moderately eroded										
Sees	D	High	January	1.5-2.5	>6.0	—	—	None	—	None
			February	1.5-2.5	>6.0	—	—	None	—	None
			March	1.5-2.5	>6.0	—	—	None	—	None
			April	1.5-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	>6.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SeD2—Sees silty clay loam, 12 to 18 percent slopes, moderately eroded										
Sees	D	Very high	January	1.5-2.5	>6.0	—	—	None	—	None
			February	1.5-2.5	>6.0	—	—	None	—	None
			March	1.5-2.5	>6.0	—	—	None	—	None
			April	1.5-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-2.5	>6.0	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sg—Shoals silt loam, frequently flooded										
Shoals	B/D	Low	January	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			June	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			October	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sh—Shoals silt loam										
Shoals	B/D	Negligible	January	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			October	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
St--Stonelick sandy loam										
Stonelick	A	Negligible	January	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			February	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			March	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			April	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			May	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			June	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			November	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			December	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
Ud--Udorthents										
Udorthents	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
W--Water										
Water	—	—	January	—	—	—	—	—	—	None
			February	—	—	—	—	—	—	None
			March	—	—	—	—	—	—	None
			April	—	—	—	—	—	—	None
			May	—	—	—	—	—	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	—	—	—	—	—	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WsS1A1--Westboro-Schaffer silt loams, 0 to 2 percent slopes										
Westboro	C/D	Low	January	0.5-1.5	1.5-3.5	—	—	None	—	None
			February	0.5-1.5	1.5-3.5	—	—	None	—	None
			March	0.5-1.5	1.5-3.5	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Schaffer	D	High	January	0.5-1.5	1.5-3.5	—	—	None	—	None
			February	0.5-1.5	1.5-3.5	—	—	None	—	None
			March	0.5-1.5	1.5-3.5	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WsS1B1--Westboro-Schaffer silt loams, 2 to 4 percent slopes										
Westboro	C/D	Low	January	0.5-1.5	1.5-3.5	—	—	None	—	None
			February	0.5-1.5	1.5-3.5	—	—	None	—	None
			March	0.5-1.5	1.5-3.5	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Schaffer	D	High	January	0.5-1.5	1.5-3.5	—	—	None	—	None
			February	0.5-1.5	1.5-3.5	—	—	None	—	None
			March	0.5-1.5	1.5-3.5	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WvB--Williamsburg and Martinsville silt loams, 2 to 6 percent slopes										
Williamsburg	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Martinsville	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WvC2--Williamsburg and Martinsville silt loams, 6 to 12 percent slopes, moderately eroded										
Williamsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Martinsville	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WvD2--Williamsburg and Martinsville silt loams, 12 to 18 percent slopes, moderately eroded										
Williamsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Clermont County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Martinsville	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Data Source Information

Soil Survey Area: Clermont County, Ohio
 Survey Area Data: Version 13, Sep 18, 2014