

Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

Water table refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

Water Features—Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AmF—Amanda loam, 35 to 70 percent slopes										
Amanda	C	High	January	5.0-6.7	>6.0	—	—	None	—	None
			February	5.0-6.7	>6.0	—	—	None	—	None
			March	5.0-6.7	>6.0	—	—	None	—	None
			April	5.0-6.7	>6.0	—	—	None	—	None
			May	5.0-6.7	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	5.0-6.7	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BkB--Berks channery silt loam, 3 to 8 percent slopes										
Berks	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BkC--Berks channery silt loam, 8 to 15 percent slopes										
Berks	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BkD--Berks channery silt loam, 15 to 25 percent slopes										
Berks	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BkE--Berks channery silt loam, 25 to 35 percent slopes										
Berks	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmB--Berks-Urban land complex, 2 to 6 percent slopes										
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	Very high	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmC—Berks-Urban land complex, 6 to 15 percent slopes										
Berks	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	Very high	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmD--Berks-Urban land complex, 15 to 25 percent slopes										
Berks	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	Very high	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BpF--Bethesda very channery silt loam, 25 to 70 percent slopes										
Bethesda	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BsC2--Bogart loam, 6 to 12 percent slopes, eroded										
Bogart	B/D	Medium	January	1.0-2.0	>6.0	—	—	None	—	None
			February	1.0-2.0	>6.0	—	—	None	—	None
			March	1.0-2.0	>6.0	—	—	None	—	None
			April	1.0-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	>6.0	—	—	None	—	None
			December	1.0-2.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BtA--Bogart silt loam, 0 to 2 percent slopes										
Bogart	B/D	Low	January	1.0-2.0	>6.0	—	—	None	—	None
			February	1.0-2.0	>6.0	—	—	None	—	None
			March	1.0-2.0	>6.0	—	—	None	—	None
			April	1.0-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	>6.0	—	—	None	—	None
			December	1.0-2.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BtB--Bogart silt loam, 2 to 6 percent slopes										
Bogart	B/D	Low	January	1.0-2.0	>6.0	—	—	None	—	None
			February	1.0-2.0	>6.0	—	—	None	—	None
			March	1.0-2.0	>6.0	—	—	None	—	None
			April	1.0-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	>6.0	—	—	None	—	None
			December	1.0-2.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BtC—Bogart silt loam, 6 to 12 percent slopes										
Bogart	B/D	Medium	January	1.0-2.0	>6.0	—	—	None	—	None
			February	1.0-2.0	>6.0	—	—	None	—	None
			March	1.0-2.0	>6.0	—	—	None	—	None
			April	1.0-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	>6.0	—	—	None	—	None
			December	1.0-2.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BtF4F1--Bethesda and Fairpoint channery silt loams, 25 to 70 percent slopes										
Bethesda, unreclaimed	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Fairpoint, reclaimed	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CaA--Calcutta silt loam, 0 to 3 percent slopes										
Calcutta	C/D	Medium	January	0.5-1.0	1.7-2.5	—	—	None	—	None
			February	0.5-1.0	1.7-2.5	—	—	None	—	None
			March	0.5-1.0	1.7-2.5	—	—	None	—	None
			April	0.5-1.0	1.7-2.5	—	—	None	—	None
			May	0.5-1.0	1.7-2.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	1.7-2.5	—	—	None	—	None
			December	0.5-1.0	1.7-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcB--Canfield silt loam, 2 to 6 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcC--Canfield silt loam, 6 to 12 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcD--Canfield silt loam, 12 to 20 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-2.3	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcE--Canfield silt loam, 20 to 35 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-2.3	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CeA--Carlisle muck, 0 to 1 percent slopes										
Carlisle	A/D	Negligible	January	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	None
			June	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	0.0-1.0	>6.0	—	—	—	—	None
			October	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	None
			November	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	None
			December	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CfD2--Chili loam, 12 to 20 percent slopes, eroded										
Chili	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ChA—Chili silt loam, 0 to 2 percent slopes										
Chili	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ChB—Chili silt loam, 2 to 6 percent slopes										
Chili	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ChC—Chili silt loam, 6 to 12 percent slopes										
Chili	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CmB—Conotton gravelly loam, 2 to 6 percent slopes										
Conotton	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CmC—Conotton gravelly loam, 6 to 12 percent slopes										
Conotton	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoB--Coshocton silt loam, 2 to 6 percent slopes										
Coshocton	C/D	Low	January	1.5-2.5	2.5-4.2	—	—	None	—	None
			February	1.5-2.5	2.5-4.2	—	—	None	—	None
			March	1.5-2.5	2.5-4.2	—	—	None	—	None
			April	1.5-2.5	2.5-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoC--Coshocton silt loam, 6 to 15 percent slopes										
Coshocton	C/D	Medium	January	1.5-2.5	2.5-4.2	—	—	None	—	None
			February	1.5-2.5	2.5-4.2	—	—	None	—	None
			March	1.5-2.5	2.5-4.2	—	—	None	—	None
			April	1.5-2.5	2.5-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoD--Coshocton silt loam, 15 to 25 percent slopes										
Coshocton	C/D	High	January	1.5-2.5	2.5-4.2	—	—	None	—	None
			February	1.5-2.5	2.5-4.2	—	—	None	—	None
			March	1.5-2.5	2.5-4.2	—	—	None	—	None
			April	1.5-2.5	2.5-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
DAM--Dam										
Dam	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DgA—Doles silt loam, 0 to 3 percent slopes										
Doles	C/D	Medium	January	0.5-1.0	1.7-2.5	—	—	None	—	None
			February	0.5-1.0	1.7-2.5	—	—	None	—	None
			March	0.5-1.0	1.7-2.5	—	—	None	—	None
			April	0.5-1.0	1.7-2.5	—	—	None	—	None
			May	0.5-1.0	1.7-2.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	1.7-2.5	—	—	None	—	None
			December	0.5-1.0	1.7-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ErC—Ernest silt loam, 6 to 15 percent slopes										
Ernest	C/D	Medium	January	1.0-2.0	1.7-3.0	—	—	None	—	None
			February	1.0-2.0	1.7-3.0	—	—	None	—	None
			March	1.0-2.0	1.7-3.0	—	—	None	—	None
			April	1.0-2.0	1.7-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	1.7-3.0	—	—	None	—	None
			December	1.0-2.0	1.7-3.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ErD—Ernest silt loam, 15 to 25 percent slopes										
Ernest	C/D	High	January	1.0-2.0	1.7-3.0	—	—	None	—	None
			February	1.0-2.0	1.7-3.0	—	—	None	—	None
			March	1.0-2.0	1.7-3.0	—	—	None	—	None
			April	1.0-2.0	1.7-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	1.7-3.0	—	—	None	—	None
			December	1.0-2.0	1.7-3.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FbB--Fairpoint very channery silt loam, 0 to 8 percent slopes										
Fairpoint	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FbD—Fairpoint very channery silt loam, 8 to 25 percent slopes										
Fairpoint	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FbF--Fairpoint very channery silt loam, 25 to 70 percent slopes										
Fairpoint	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcB--Fairpoint silty clay loam, 0 to 8 percent slopes										
Fairpoint	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcD--Fairpoint silty clay loam, 8 to 25 percent slopes										
Fairpoint	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FdA--Fitchville silt loam, 0 to 2 percent slopes										
Fitchville	C/D	Low	January	0.5-1.0	>6.0	—	—	None	—	None
			February	0.5-1.0	>6.0	—	—	None	—	None
			March	0.5-1.0	>6.0	—	—	None	—	None
			April	0.5-1.0	>6.0	—	—	None	—	None
			May	0.5-1.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	>6.0	—	—	None	—	None
			December	0.5-1.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FdB—Fitchville silt loam, 2 to 6 percent slopes										
Fitchville	C/D	Medium	January	0.5-1.0	>6.0	—	—	None	—	None
			February	0.5-1.0	>6.0	—	—	None	—	None
			March	0.5-1.0	>6.0	—	—	None	—	None
			April	0.5-1.0	>6.0	—	—	None	—	None
			May	0.5-1.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	>6.0	—	—	None	—	None
			December	0.5-1.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FeA—Fluvaquents, silty, 0 to 1 percent slopes, frequently flooded										
Fluvaquents, silty	B/D	Negligible	January	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			February	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			March	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			April	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			May	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			June	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			July	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	—
			August	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	—
			September	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	—
			October	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			November	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			December	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
FnC2--Fredericktown gravelly loam, 6 to 15 percent slopes, eroded										
Fredericktown	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FnD2--Fredericktown gravelly loam, 15 to 25 percent slopes, eroded										
Fredericktown	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FoB--Fredericktown silt loam, 2 to 6 percent slopes										
Fredericktown	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Fpt4B1—Fairpoint channery silt loam, 0 to 8 percent slopes										
Fairpoint, reclaimed	D	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Fpt4D1--Fairpoint channery silt loam, 8 to 25 percent slopes										
Fairpoint, reclaimed	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FrA--Frenchtown silt loam, 0 to 2 percent slopes										
Frenchtown	C/D	Low	January	0.0-0.5	1.7-3.2	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	1.7-3.2	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	1.7-3.2	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	1.7-3.2	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	1.7-3.2	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	0.0-0.5	1.7-3.2	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			November	0.0-0.5	1.7-3.2	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	1.7-3.2	0.0-1.0	Long (7 to 30 days)	Frequent	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GaB—Gavers silt loam, 2 to 6 percent slopes										
Gavers	C/D	Low	January	0.5-1.0	>6.0	—	—	None	—	None
			February	0.5-1.0	>6.0	—	—	None	—	None
			March	0.5-1.0	>6.0	—	—	None	—	None
			April	0.5-1.0	>6.0	—	—	None	—	None
			May	0.5-1.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GeC—Germano fine sandy loam, 6 to 15 percent slopes										
Germano	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GeD—Germano fine sandy loam, 15 to 25 percent slopes										
Germano	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GnB--Gilpin silt loam, 3 to 8 percent slopes										
Gilpin	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GnC—Gilpin silt loam, 8 to 15 percent slopes										
Gilpin	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GnD—Gilpin silt loam, 15 to 25 percent slopes										
Gilpin	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GoC—Gilpin-Coshocton silt loams, 6 to 15 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Coshocton	C/D	Medium	January	1.5-2.5	2.5-4.2	—	—	None	—	None
			February	1.5-2.5	2.5-4.2	—	—	None	—	None
			March	1.5-2.5	2.5-4.2	—	—	None	—	None
			April	1.5-2.5	2.5-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GoD—Gilpin-Coshocton silt loams, 15 to 25 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Coshocton	C/D	High	January	1.5-2.5	2.5-4.2	—	—	None	—	None
			February	1.5-2.5	2.5-4.2	—	—	None	—	None
			March	1.5-2.5	2.5-4.2	—	—	None	—	None
			April	1.5-2.5	2.5-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GpC—Gilpin-Coshocton-Urban land complex, 6 to 15 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Coshocton	C/D	Medium	January	1.5-2.5	2.5-4.2	—	—	None	—	None
			February	1.5-2.5	2.5-4.2	—	—	None	—	None
			March	1.5-2.5	2.5-4.2	—	—	None	—	None
			April	1.5-2.5	2.5-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	Very high	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GrB—Glenford silt loam, 2 to 6 percent slopes										
Glenford	C/D	Low	January	1.0-2.0	>6.0	—	—	None	—	None
			February	1.0-2.0	>6.0	—	—	None	—	None
			March	1.0-2.0	>6.0	—	—	None	—	None
			April	1.0-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GrC—Glenford silt loam, 6 to 12 percent slopes										
Glenford	C/D	Medium	January	1.0-2.0	>6.0	—	—	None	—	None
			February	1.0-2.0	>6.0	—	—	None	—	None
			March	1.0-2.0	>6.0	—	—	None	—	None
			April	1.0-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GuC—Guernsey silt loam, 6 to 15 percent slopes										
Guernsey	C/D	High	January	0.8-2.0	>6.0	—	—	None	—	None
			February	0.8-2.0	>6.0	—	—	None	—	None
			March	0.8-2.0	>6.0	—	—	None	—	None
			April	0.8-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.8-2.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GuC2--Guernsey silt loam, 6 to 15 percent slopes, eroded										
Guernsey	C/D	High	January	0.8-2.0	>6.0	—	—	None	—	None
			February	0.8-2.0	>6.0	—	—	None	—	None
			March	0.8-2.0	>6.0	—	—	None	—	None
			April	0.8-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.8-2.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GuD—Guernsey silt loam, 15 to 25 percent slopes										
Guernsey	C/D	Very high	January	0.8-2.0	>6.0	—	—	None	—	None
			February	0.8-2.0	>6.0	—	—	None	—	None
			March	0.8-2.0	>6.0	—	—	None	—	None
			April	0.8-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.8-2.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HeB--Hazleton channery loam, 2 to 6 percent slopes										
Hazleton	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HeC--Hazleton channery loam, 6 to 15 percent slopes										
Hazleton	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HeD--Hazleton channery loam, 15 to 25 percent slopes										
Hazleton	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HeE--Hazleton channery loam, 25 to 40 percent slopes										
Hazleton	A	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HfF--Hazleton-Rock outcrop complex, 40 to 70 percent slopes										
Hazleton	A	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Rock outcrop	—	Very high	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HgF--Hazleton- Westmoreland channery loams, 40 to 70 percent slopes										
Hazleton	A	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HkA--Holly silt loam, 0 to 2 percent slopes, frequently flooded										
Holly	B/D	Negligible	January	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			February	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			March	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			April	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			May	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			June	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			October	0.0-0.5	>6.0	—	—	None	—	—
			November	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			December	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
H1B--Homewood silt loam, 2 to 6 percent slopes										
Homewood	D	Medium	January	1.5-2.3	1.7-2.5	—	—	None	—	None
			February	1.5-2.3	1.7-2.5	—	—	None	—	None
			March	1.5-2.3	1.7-2.5	—	—	None	—	None
			April	1.5-2.3	1.7-2.5	—	—	None	—	None
			May	1.5-2.3	1.7-2.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-2.3	1.7-2.5	—	—	None	—	None
			December	1.5-2.3	1.7-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HmA—Homeworth loam, 0 to 2 percent slopes										
Homeworth	B/D	Negligible	January	0.5-1.0	2.5-4.2	—	—	None	—	None
			February	0.5-1.0	2.5-4.2	—	—	None	—	None
			March	0.5-1.0	2.5-4.2	—	—	None	—	None
			April	0.5-1.0	2.5-4.2	—	—	None	—	None
			May	0.5-1.0	2.5-4.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.0	2.5-4.2	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HmB—Homeworth loam, 2 to 6 percent slopes										
Homeworth	D	Low	January	0.5-1.0	2.5-4.2	—	—	None	—	None
			February	0.5-1.0	2.5-4.2	—	—	None	—	None
			March	0.5-1.0	2.5-4.2	—	—	None	—	None
			April	0.5-1.0	2.5-4.2	—	—	None	—	None
			May	0.5-1.0	2.5-4.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.0	2.5-4.2	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HoA--Homeworth silt loam, 0 to 2 percent slopes										
Homeworth	B/D	Negligible	January	0.5-1.0	2.5-4.2	—	—	None	—	None
			February	0.5-1.0	2.5-4.2	—	—	None	—	None
			March	0.5-1.0	2.5-4.2	—	—	None	—	None
			April	0.5-1.0	2.5-4.2	—	—	None	—	None
			May	0.5-1.0	2.5-4.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.0	2.5-4.2	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HoB--Homeworth silt loam, 2 to 6 percent slopes										
Homeworth	D	Low	January	0.5-1.0	2.5-4.2	—	—	None	—	None
			February	0.5-1.0	2.5-4.2	—	—	None	—	None
			March	0.5-1.0	2.5-4.2	—	—	None	—	None
			April	0.5-1.0	2.5-4.2	—	—	None	—	None
			May	0.5-1.0	2.5-4.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.0	2.5-4.2	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JwA—Jimtown silt loam, 0 to 2 percent slopes										
Jimtown	B/D	Low	January	0.5-1.0	>6.0	—	—	None	—	None
			February	0.5-1.0	>6.0	—	—	None	—	None
			March	0.5-1.0	>6.0	—	—	None	—	None
			April	0.5-1.0	>6.0	—	—	None	—	None
			May	0.5-1.0	>6.0	—	—	None	—	None
			June	0.5-1.0	>6.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	0.5-1.0	>6.0	—	—	None	—	None
			November	0.5-1.0	>6.0	—	—	None	—	None
			December	0.5-1.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JwB—Jimtown silt loam, 2 to 6 percent slopes										
Jimtown	B/D	Low	January	0.5-1.0	>6.0	—	—	None	—	None
			February	0.5-1.0	>6.0	—	—	None	—	None
			March	0.5-1.0	>6.0	—	—	None	—	None
			April	0.5-1.0	>6.0	—	—	None	—	None
			May	0.5-1.0	>6.0	—	—	None	—	None
			June	0.5-1.0	>6.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	0.5-1.0	>6.0	—	—	None	—	None
			November	0.5-1.0	>6.0	—	—	None	—	None
			December	0.5-1.0	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KeB—Keene silt loam, 3 to 8 percent slopes										
Keene	C/D	—	January	0.8-1.7	3.7-6.7	—	—	None	—	None
			February	0.8-1.7	3.7-6.7	—	—	None	—	None
			March	0.8-1.7	3.7-6.7	—	—	None	—	None
			April	0.8-1.7	3.7-6.7	—	—	None	—	None
			May	1.7-2.6	3.7-6.7	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.7-2.6	3.7-6.7	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KnB--Kensington silt loam, 2 to 6 percent slopes										
Kensington	B/D	Medium	January	1.5-3.5	3.3-5.0	—	—	None	—	None
			February	1.5-3.5	3.3-5.0	—	—	None	—	None
			March	1.5-3.5	3.3-5.0	—	—	None	—	None
			April	1.5-3.5	3.3-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.5	3.3-5.0	—	—	None	—	None
			December	1.5-3.5	3.3-5.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KnC--Kensington silt loam, 6 to 15 percent slopes										
Kensington	C	Medium	January	1.5-3.5	3.3-5.0	—	—	None	—	None
			February	1.5-3.5	3.3-5.0	—	—	None	—	None
			March	1.5-3.5	3.3-5.0	—	—	None	—	None
			April	1.5-3.5	3.3-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.5	3.3-5.0	—	—	None	—	None
			December	1.5-3.5	3.3-5.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KnD—Kensington silt loam, 15 to 25 percent slopes										
Kensington	C	High	January	1.5-3.5	3.3-5.0	—	—	None	—	None
			February	1.5-3.5	3.3-5.0	—	—	None	—	None
			March	1.5-3.5	3.3-5.0	—	—	None	—	None
			April	1.5-3.5	3.3-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.5	3.3-5.0	—	—	None	—	None
			December	1.5-3.5	3.3-5.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LbA—Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded										
Lobdell	B/D	—	January	1.3-2.5	5.0-7.1	—	—	None	Brief (2 to 7 days)	Occasional
			February	1.3-2.5	5.0-7.1	—	—	None	Brief (2 to 7 days)	Occasional
			March	1.3-2.5	5.0-7.1	—	—	None	Brief (2 to 7 days)	Occasional
			April	1.3-2.5	5.0-7.1	—	—	None	Brief (2 to 7 days)	Occasional
			May	2.2-4.0	5.0-7.1	—	—	None	Brief (2 to 7 days)	Occasional
			June	2.2-4.0	5.0-7.1	—	—	None	Brief (2 to 7 days)	Occasional
			July	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			August	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			September	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			October	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	2.2-4.0	5.0-7.1	—	—	None	Brief (2 to 7 days)	Occasional
			December	2.2-4.0	5.0-7.1	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LnA--Lorain silt loam, 0 to 2 percent slopes										
Lorain	D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
McB--Mechanicsburg silt loam, 2 to 6 percent slopes										
Mechanicsburg	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
McC--Mechanicsburg silt loam, 6 to 15 percent slopes										
Mechanicsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MnB--Morristown silty clay loam, 0 to 8 percent slopes										
Morristown	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MnD--Morristown silty clay loam, 8 to 25 percent slopes										
Morristown	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MoB--Morristown channery silty clay loam, 0 to 8 percent slopes										
Morristown	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MoD--Morristown channery silty clay loam, 8 to 25 percent slopes										
Morristown	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OdA—Olmsted and Valley soils, 0 to 2 percent slopes										
Olmsted	B/D	Negligible	January	0.0-0.5	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			June	0.0-0.5	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.0-0.5	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
Valley	C/D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OmB--Omulga silt loam, 2 to 6 percent slopes										
Omulga	C/D	Medium	January	1.0-2.5	1.5-3.0	—	—	None	—	None
			February	1.0-2.5	1.5-3.0	—	—	None	—	None
			March	1.0-2.5	1.5-3.0	—	—	None	—	None
			April	1.0-2.5	1.5-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	1.5-3.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OmC—Omulga silt loam, 6 to 12 percent slopes										
Omulga	D	High	January	1.0-2.5	1.5-3.0	—	—	None	—	None
			February	1.0-2.5	1.5-3.0	—	—	None	—	None
			March	1.0-2.5	1.5-3.0	—	—	None	—	None
			April	1.0-2.5	1.5-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	1.5-3.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OrA--Orrville silt loam, 0 to 2 percent slopes, occasionally flooded										
Orrville	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
Pg--Pits, gravel										
Pits, gravel	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RaB--Rainsboro silt loam, 2 to 6 percent slopes										
Rainsboro	C/D	Medium	January	1.5-2.5	1.7-2.5	—	—	None	—	None
			February	1.5-2.5	1.7-2.5	—	—	None	—	None
			March	1.5-2.5	1.7-2.5	—	—	None	—	None
			April	1.5-2.5	1.7-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RaC2--Rainsboro silt loam, 6 to 12 percent slopes, eroded										
Rainsboro	C/D	High	January	1.5-2.5	1.7-2.5	—	—	None	—	None
			February	1.5-2.5	1.7-2.5	—	—	None	—	None
			March	1.5-2.5	1.7-2.5	—	—	None	—	None
			April	1.5-2.5	1.7-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RbC—Rainsboro silt loam, 6 to 12 percent slopes, stony										
Rainsboro	D	High	January	1.5-2.5	1.7-2.5	—	—	None	—	None
			February	1.5-2.5	1.7-2.5	—	—	None	—	None
			March	1.5-2.5	1.7-2.5	—	—	None	—	None
			April	1.5-2.5	1.7-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ReA--Ravenna silt loam, 0 to 2 percent slopes										
Ravenna	C/D	Low	January	0.5-1.0	1.2-2.5	—	—	None	—	None
			February	0.5-1.0	1.2-2.5	—	—	None	—	None
			March	0.5-1.0	1.2-2.5	—	—	None	—	None
			April	0.5-1.0	1.2-2.5	—	—	None	—	None
			May	0.5-1.0	1.2-2.5	—	—	None	—	None
			June	0.5-1.0	1.2-2.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	1.2-2.5	—	—	None	—	None
			December	0.5-1.0	1.2-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ReB--Ravenna silt loam, 2 to 6 percent slopes										
Ravenna	C/D	Medium	January	0.5-1.0	1.2-2.5	—	—	None	—	None
			February	0.5-1.0	1.2-2.5	—	—	None	—	None
			March	0.5-1.0	1.2-2.5	—	—	None	—	None
			April	0.5-1.0	1.2-2.5	—	—	None	—	None
			May	0.5-1.0	1.2-2.5	—	—	None	—	None
			June	0.5-1.0	1.2-2.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	1.2-2.5	—	—	None	—	None
			December	0.5-1.0	1.2-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RhD—Richland silt loam, 15 to 25 percent slopes, stony										
Richland	C	Medium	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	>6.0	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RhE—Richland silt loam, 25 to 40 percent slopes, stony										
Richland	C	High	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	>6.0	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsB--Rittman silt loam, 2 to 6 percent slopes										
Rittman	D	Medium	January	1.0-2.0	1.5-3.0	—	—	None	—	None
			February	1.0-2.0	1.5-3.0	—	—	None	—	None
			March	1.0-2.0	1.5-3.0	—	—	None	—	None
			April	1.0-2.0	1.5-3.0	—	—	None	—	None
			May	1.0-2.0	1.5-3.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.0	1.5-3.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsC--Rittman silt loam, 6 to 12 percent slopes										
Rittman	C/D	High	January	1.0-2.0	1.5-3.0	—	—	None	—	None
			February	1.0-2.0	1.5-3.0	—	—	None	—	None
			March	1.0-2.0	1.5-3.0	—	—	None	—	None
			April	1.0-2.0	1.5-3.0	—	—	None	—	None
			May	1.0-2.0	1.5-3.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.0	1.5-3.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsD2--Rittman silt loam, 12 to 20 percent slopes, eroded										
Rittman	D	High	January	1.0-2.0	1.5-3.0	—	—	None	—	None
			February	1.0-2.0	1.5-3.0	—	—	None	—	None
			March	1.0-2.0	1.5-3.0	—	—	None	—	None
			April	1.0-2.0	1.5-3.0	—	—	None	—	None
			May	1.0-2.0	1.5-3.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.0	1.5-3.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TeB—Teegarden silt loam, 2 to 6 percent slopes										
Teegarden	D	Medium	January	1.0-2.0	1.5-2.5	—	—	None	—	None
			February	1.0-2.0	1.5-2.5	—	—	None	—	None
			March	1.0-2.0	1.5-2.5	—	—	None	—	None
			April	1.0-2.0	1.5-2.5	—	—	None	—	None
			May	1.0-2.0	1.5-2.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.0	1.5-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TeC--Teegarden silt loam, 6 to 15 percent slopes										
Teegarden	C/D	High	January	1.0-2.0	1.5-2.5	—	—	None	—	None
			February	1.0-2.0	1.5-2.5	—	—	None	—	None
			March	1.0-2.0	1.5-2.5	—	—	None	—	None
			April	1.0-2.0	1.5-2.5	—	—	None	—	None
			May	1.0-2.0	1.5-2.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.0	1.5-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TeC2--Teegarden silt loam, 6 to 15 percent slopes, eroded										
Teegarden	C/D	High	January	1.0-2.0	1.5-2.5	—	—	None	—	None
			February	1.0-2.0	1.5-2.5	—	—	None	—	None
			March	1.0-2.0	1.5-2.5	—	—	None	—	None
			April	1.0-2.0	1.5-2.5	—	—	None	—	None
			May	1.0-2.0	1.5-2.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.0	1.5-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ToA—Tioga loam, 0 to 2 percent slopes, occasionally flooded										
Tioga	A	Negligible	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ua—Udorthents, loamy, 2 to 25 percent slopes										
Udorthents, loamy	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ub—Udorthents, refuse substratum, 2 to 25 percent slopes										
Udorthents, refuse substratum	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Uc--Udorthents-Pits complex, 0 to 70 percent slopes										
Udorthents	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Pits	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UkC2--Upshur-Berks complex, 6 to 15 percent slopes, eroded										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Berks	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UkD2--Upshur-Berks complex, 15 to 25 percent slopes, eroded										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Berks	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UkE2--Upshur-Berks complex, 25 to 40 percent slopes, eroded										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Berks	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Ur—Urban land, 0 to 15 percent slopes										
Urban land	—	Very high	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UtB—Urban land-Canfield complex, 2 to 6 percent slopes										
Urban land	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UtC—Urban land-Canfield complex, 6 to 12 percent slopes										
Urban land	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UvB--Urban land-Chili complex, 2 to 6 percent slopes										
Urban land	—	Very high	Jan-Dec	—	—	—	—	—	—	—
Chili	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
VaA--Valley silt loam, 0 to 2 percent slopes										
Valley	C/D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
VbA--Valley silty clay loam, 0 to 2 percent slopes										
Valley	C/D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
VcA--Valley-Lorain silt loams, 0 to 2 percent slopes										
Valley	C/D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
Lorain	D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
VnB--Vandergrift silt loam, 2 to 6 percent slopes										
Vandergrift	C/D	High	January	1.0-2.0	2.9-5.0	—	—	None	—	None
			February	1.0-2.0	2.9-5.0	—	—	None	—	None
			March	1.0-2.0	2.9-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	2.9-5.0	—	—	None	—	None
			December	1.0-2.0	2.9-5.0	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
VnC--Vandergrift silt loam, 6 to 15 percent slopes										
Vandergrift	C/D	Very high	January	1.0-2.0	2.9-5.0	—	—	None	—	None
			February	1.0-2.0	2.9-5.0	—	—	None	—	None
			March	1.0-2.0	2.9-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	2.9-5.0	—	—	None	—	None
			December	1.0-2.0	2.9-5.0	—	—	None	—	None
W--Water										
Water	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WaA--Wadsworth silt loam, 0 to 2 percent slopes										
Wadsworth	C/D	Low	January	0.5-1.0	1.5-2.5	—	—	None	—	None
			February	0.5-1.0	1.5-2.5	—	—	None	—	None
			March	0.5-1.0	1.5-2.5	—	—	None	—	None
			April	0.5-1.0	1.5-2.5	—	—	None	—	None
			May	0.5-1.0	1.5-2.5	—	—	None	—	None
			June	0.5-1.0	1.5-2.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	1.5-2.5	—	—	None	—	None
			December	0.5-1.0	1.5-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WaB--Wadsworth silt loam, 2 to 6 percent slopes										
Wadsworth	C/D	Medium	January	0.5-1.0	1.5-2.5	—	—	None	—	None
			February	0.5-1.0	1.5-2.5	—	—	None	—	None
			March	0.5-1.0	1.5-2.5	—	—	None	—	None
			April	0.5-1.0	1.5-2.5	—	—	None	—	None
			May	0.5-1.0	1.5-2.5	—	—	None	—	None
			June	0.5-1.0	1.5-2.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	1.5-2.5	—	—	None	—	None
			December	0.5-1.0	1.5-2.5	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WkE--Westmoreland-Berks complex, 25 to 40 percent slopes										
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Berks	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WkF--Westmoreland-Berks complex, 40 to 70 percent slopes										
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Berks	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WmC--Westmoreland-Coshocton silt loams, 8 to 15 percent slopes										
Westmoreland	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Coshocton	B/D	Medium	January	1.5-2.5	2.5-4.2	—	—	None	—	None
			February	1.5-2.5	2.5-4.2	—	—	None	—	None
			March	1.5-2.5	2.5-4.2	—	—	None	—	None
			April	1.5-2.5	2.5-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WmD--Westmoreland-Coshocton silt loams, 15 to 25 percent slopes										
Westmoreland	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Coshocton	C/D	High	January	1.5-2.5	2.5-4.2	—	—	None	—	None
			February	1.5-2.5	2.5-4.2	—	—	None	—	None
			March	1.5-2.5	2.5-4.2	—	—	None	—	None
			April	1.5-2.5	2.5-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WoA--Wick silt loam, 0 to 2 percent slopes, frequently flooded										
Wick	B/D	Low	January	0.0	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			February	0.0	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			March	0.0	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			April	0.0	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			May	0.0	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			June	0.0	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			October	—	—	—	—	None	Long (7 to 30 days)	Frequent
			November	0.0	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			December	0.0	>6.0	—	—	None	Long (7 to 30 days)	Frequent

Water Features--Columbiana County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ZeA--Zepernick silt loam, 0 to 2 percent slopes, occasionally flooded										
Zepernick	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			June	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional

Data Source Information

Soil Survey Area: Columbiana County, Ohio
 Survey Area Data: Version 12, Sep 18, 2014