

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AdB—Alexandria silt loam, 2 to 6 percent slopes			
Alexandria	97	A-1	
		A-1	0.01
AdC2—Alexandria silt loam, 6 to 12 percent slopes, moderately eroded			
Alexandria	93	A-1	
		A-1	0.01
AdD2—Alexandria silt loam, 12 to 18 percent slopes, moderately eroded			
Alexandria	92	A-1	
		A-1	0.01
Ag—Algiers silt loam			
Algiers	90	C-3	
		C-3	0.13
BeA—Bennington silt loam, 0 to 3 percent slopes			
Bennington	85	C-1	
		C-1	0.11
BgA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	85	C-1	
		C-1	0.11
BgB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	95	C-1	
		C-1	0.11

Selected Soil Interpretations--Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BgB2--Bennington silt loam, 2 to 6 percent slopes, eroded			
Bennington	90	C-1	
		C-1	0.11
BhB--Bennington-Urban land complex, undulating			
Bennington	55	Not assigned	
Urban land	40	Not rated	
BkB--Bennington-Fitchville silt loams, 2 to 6 percent slopes			
Bennington	55	C-1	
		C-1	0.11
Fitchville	35	C-1	
		C-1	0.11
Ble1A1--Blount silt loam, end moraine, 0 to 2 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Ble1B1--Blount silt loam, end moraine, 2 to 4 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Blg1A1--Blount silt loam, ground moraine, 0 to 2 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
Blg1B1--Blount silt loam, ground moraine, 2 to 4 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
BtA--Bogart loam, 0 to 2 percent slopes			
Bogart	90	A-6	
		A-6	0.06
BtB--Bogart loam, 2 to 6 percent slopes			
Bogart	100	A-6	
		A-6	0.06
Bw--Bono silty clay loam			
Bono	100	C-2	
		C-2	0.12

Selected Soil Interpretations--Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CdB—Cardington silt loam, 2 to 6 percent slopes			
Cardington	92	A-6	
		A-6	0.06
CdB2—Cardington silt loam, 2 to 6 percent slopes, moderately eroded			
Cardington	92	A-6	
		A-6	0.06
CdC—Cardington silt loam, 6 to 12 percent slopes			
Cardington	85	A-6	
		A-6	0.06
CdC2—Cardington silt loam, 6 to 12 percent slopes, moderately eroded			
Cardington	93	A-6	
		A-6	0.06
CdD2—Cardington silt loam, 12 to 18 percent slopes, moderately eroded			
Cardington	100	A-6	
		A-6	0.06
CeC—Cardington-Urban land complex, rolling			
Cardington	55	Not assigned	
Urban land	40	Not rated	
CfB—Centerburg silt loam, 1 to 4 percent slopes			
Centerburg	85	A-6	
		A-6	0.06
Ck—Carlisle muck			
Carlisle	100	D-1	
		D-1	0.30
CmB—Centerburg silt loam, 2 to 6 percent slopes			
Centerburg	85	A-6	
		A-6	0.06
CmC2—Centerburg silt loam, 6 to 12 percent slopes, eroded			
Centerburg	85	A-6	
		A-6	0.06
CnA—Chili loam, 0 to 2 percent slopes			
Chili	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CnB—Chili loam, 2 to 6 percent slopes			
Chili	100	A-1	
		A-1	0.01
CnC2—Chili loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	A-1	
		A-1	0.01
CnD2—Chili loam, 12 to 18 percent slopes, moderately eroded			
Chili	100	A-1	
		A-1	0.01
Co—Colwood silt loam			
Colwood	100	C-1	
		C-1	0.11
Cp—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
Cr—Condit-Bennington silt loams			
Condit	50	C-1	
		C-1	0.11
Bennington	30	C-1	
		C-1	0.11
Ct—Condit silty clay loam			
Condit	90	C-1	
		C-1	0.11
DeA—Del Rey silt loam, 0 to 2 percent slopes			
Del rey	100	C-1	
		C-1	0.11
Du—Dumps			
Dumps	100	Not rated	
EtA—Elliott silt loam, 0 to 3 percent slopes			
Elliott	92	C-1	
		C-1	0.11
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	92	C-1	
		C-1	0.11

Selected Soil Interpretations--Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	92	C-1	
		C-1	0.11
GaA—Gallman silt loam, 0 to 2 percent slopes			
Gallman	100	A-1	
		A-1	0.01
GaB—Gallman silt loam, 2 to 6 percent slopes			
Gallman	100	A-1	
		A-1	0.01
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	95	A-6	
		A-6	0.06
GwD2—Glynwood silt loam, 12 to 18 percent slopes, moderately eroded			
Glynwood	100	A-6	
		A-6	0.06
Gwd5C2—Glynwood clay loam, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
Gwe1B1—Glynwood silt loam, end moraine, 2 to 6 percent slopes			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwe1B2—Glynwood silt loam, end moraine, 2 to 6 percent slopes, eroded			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
Gwg1B2—Glynwood silt loam, ground moraine, 2 to 6 percent slopes, eroded			
Glynwood, ground moraine	85	F-5	
		F-5	0.55

Selected Soil Interpretations--Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Gwg5C2—Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
HpE—Hennepin-Alexandria silt loams, 18 to 50 percent slopes			
Alexandria	50	A-3	
		A-3	0.03
Hennepin	50	A-3	
		A-3	0.03
JtA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	94	C-1	
		C-1	0.11
JtB—Jimtown loam, 2 to 6 percent slopes			
Jimtown	97	C-1	
		C-1	0.11
KaA—Kibbie loam, 0 to 2 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
KbA—Kibbie fine sandy loam, 0 to 2 percent slopes			
Kibbie	100	C-1	
		C-1	0.11
KcB—Kibbie-Bennington complex, 2 to 6 percent slopes			
Kibbie	50	C-1	
		C-1	0.11
Bennington	40	C-1	
		C-1	0.11
Le—Lenawee silty clay loam			
Lenawee	100	C-1	
		C-1	0.11
Lg—Lenawee silt loam, overwash			
Lenawee	100	C-3	
		C-3	0.13
Lh—Lenawee Variant silty clay loam			
Lenawee variant	100	C-2	
		C-2	0.12

Selected Soil Interpretations--Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Lk—Lindside silt loam, occasionally flooded			
Lindside	76	A-5	
		A-5	0.05
Lm—Linwood muck			
Linwood	90	G-1	
		G-1	0.61
		D-1	0.30
Lo—Lobdell silt loam			
Lobdell	96	A-5	
		A-5	0.05
Lu—Luray silty clay loam			
Luray	100	C-1	
		C-1	0.11
Lw—Luray-Urban land complex			
Luray	50	Not assigned	
Urban land	35	Not rated	
LzB—Lykens silt loam, 2 to 6 percent slopes			
Lykens	100	A-6	
		A-6	0.06
Mb—Marengo silty clay loam			
Marengo	100	C-1	
		C-1	0.11
Md—Medway silt loam			
Medway	95	A-5	
		A-5	0.05
Mf—Milford silty clay loam			
Milford	85	C-1	
		C-1	0.11
MkA—Mitiwanga silt loam, 0 to 3 percent slopes			
Mitiwanga	100	C-1	
		C-1	0.11
MrD2—Morley silt loam, 12 to 18 percent slopes, eroded			
Morley	76	A-1	
		A-1	0.01

Selected Soil Interpretations--Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MrF2—Morley silt loam, 18 to 50 percent slopes, eroded			
Morley	85	A-3	
		A-3	0.03
Mu—Muskego muck			
Muskego	100	D-1	
		D-1	0.30
Ne—Newark silt loam, occasionally flooded			
Newark	85	C-3	
		C-3	0.13
On—Olentangy mucky silt loam			
Olentangy	100	C-1	
		C-1	0.11
Os—Olmsted silty clay loam			
Olmsted	100	C-1	
		C-1	0.11
OtC2—Oshtemo fine sandy loam, 6 to 18 percent slopes, eroded			
Oshtemo	82	A-1	
		A-1	0.01
Pa—Pandora silt loam			
Pandora	85	C-1	
		C-1	0.11
Pb—Pandora silty clay loam			
Pandora	90	C-1	
		C-1	0.11
Pm—Pewamo silty clay loam			
Pewamo	100	C-1	
		C-1	0.11
Po—Pits, gravel			
Gravel pit	100	Not rated	
Pp—Pits, quarry			
Quarries	100	Not rated	
RsB—Rittman silt loam, 2 to 6 percent slopes			
Rittman	95	F-3	
		F-3	0.53

Selected Soil Interpretations--Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RsC2—Rittman silt loam, 6 to 12 percent slopes, moderately eroded			
Rittman	85	F-3	
		F-3	0.53
Sb—Sebring silt loam			
Sebring	100	C-1	
		C-1	0.11
Sg—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
Sh—Shoals silt loam, 0 to 2 percent slopes, frequently flooded			
Shoals	85	C-3	
		C-3	0.13
So—Sloan silt loam			
Sloan	100	C-3	
		C-3	0.13
Sp—Sloan silty clay loam, occasionally flooded			
Sloan	85	C-3	
		C-3	0.13
TrA—Tiro silt loam, 0 to 2 percent slopes			
Tiro	94	C-1	
		C-1	0.11
TrB—Tiro silt loam, 2 to 6 percent slopes			
Tiro	94	C-1	
		C-1	0.11
TsB—Tuscola fine sandy loam, 2 to 6 percent slopes			
Tuscola	100	A-6	
		A-6	0.06
TuB—Tuscola-Bennington complex, 2 to 6 percent slopes			
Bennington	30	C-1	
		C-1	0.11
Tuscola	30	A-6	
		A-6	0.06
Ud—Udorthents, loamy			
Udorthents	100	Not rated	

Selected Soil Interpretations--Crawford County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ur—Urban land			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	
WaA—Wadsworth silt loam, 0 to 2 percent slopes			
Wadsworth	96	C-1	
		C-1	0.11
WaB—Wadsworth silt loam, 2 to 6 percent slopes			
Wadsworth	92	C-1	
		C-1	0.11
Wb—Walkkill silt loam			
Walkkill	100	C-3	
		C-3	0.13
Wc—Walkkill silt loam, lacustrine substratum, occasionally flooded			
Walkkill	90	C-3	
		C-3	0.13
We—Westland clay loam			
Westland	90	C-1	
		C-1	0.11
WIA—Wilmer Variant silt loam, 0 to 2 percent slopes			
Wilmer variant	95	A-6	
		A-6	0.06
WIB—Wilmer Variant silt loam, 2 to 6 percent slopes			
Wilmer variant	97	A-6	
		A-6	0.06

Data Source Information

Soil Survey Area: Crawford County, Ohio
 Survey Area Data: Version 14, Sep 18, 2014