

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BhA—Bixler loamy sand, clayey substratum, 0 to 2 percent slopes			
Bixler	92	C-1	
		C-1	0.11
BkB—Blount loam, 2 to 6 percent slopes			
Blount	85	C-1	
		C-1	0.11
BmB—Belmore loam, 2 to 6 percent slopes			
Belmore	85	A-1	
		A-1	0.01
BnA—Blount loam, 0 to 2 percent slopes			
Blount	85	C-1	
		C-1	0.11
Bp—Bono silty clay loam			
Bono	95	C-2	
		C-2	0.12
BrB—Bronson sandy loam, 1 to 6 percent slopes			
Bronson	85	A-6	
		A-6	0.06
BsB—Boyer loamy sand, 1 to 6 percent slopes			
Boyer	85	B-1	
		B-1	0.07

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BsC—Boyer loamy sand, 6 to 12 percent slopes			
Boyer	85	B-1	
		B-1	0.07
BuE2—Broughton silty clay loam, 18 to 35 percent slopes, eroded			
Broughton	95	F-5	
		F-5	0.55
BvE—Broughton silt loam, 12 to 35 percent slopes			
Broughton	85	F-5	
		F-5	0.55
BwC3—Broughton clay, 6 to 12 percent slopes, severely eroded			
Broughton	85	F-5	
		F-5	0.55
BwD2—Broughton clay, 12 to 18 percent slopes, moderately eroded			
Broughton	100	F-5	
		F-5	0.55
		A-1	0.01
BxC3—Broughton silty clay, 6 to 12 percent slopes, severely eroded			
Broughton	95	F-5	
		F-5	0.55
Ca—Carlisle muck			
Carlisle	85	D-1	
		D-1	0.30
Cm—Colwood loam			
Colwood	90	C-1	
		C-1	0.11
Db—Defiance silty clay loam, frequently flooded			
Defiance	90	C-3	
		C-3	0.13
DdA—Del Rey loam, 0 to 2 percent slopes			
Del rey	100	C-1	
		C-1	0.11
DeA—Del Rey silt loam, 0 to 2 percent slopes			
Del rey	100	C-1	
		C-1	0.11

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DfA—Del Rey silt loam, 0 to 3 percent slopes			
Del rey	90	C-1	
		C-1	0.11
DgA—Del Rey Variant silt loam, 0 to 3 percent slopes			
Del rey variant	90	C-1	
		C-1	0.11
DmA—Digby loam, 0 to 3 percent slopes			
Digby	92	C-1	
		C-1	0.11
Ee—Eel loam			
Eel	95	A-5	
		A-5	0.05
Fc—Flatrock silt loam, frequently flooded			
Flatrock	97	A-5	
		A-5	0.05
FrA—Fulton loam, 0 to 2 percent slopes			
Fulton	94	C-2	
		C-2	0.12
FsA—Fulton loam, 0 to 3 percent slopes			
Fulton	90	C-2	
		C-2	0.12
FtA—Fulton silty clay loam, 0 to 3 percent slopes			
Fulton	90	C-2	
		C-2	0.12
FuA—Fulton silty clay loam, 0 to 2 percent slopes			
Fulton	94	C-2	
		C-2	0.12
FuB—Fulton silty clay loam, 2 to 6 percent slopes			
Fulton	90	C-2	
		C-2	0.12
FvA—Fulton silty clay loam, loamy substratum, 0 to 2 percent slopes			
Fulton	95	C-2	
		C-2	0.12

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ge—Genesee loam, occasionally flooded			
Genesee	85	A-5	
		A-5	0.05
Gf—Gilford fine sandy loam			
Gilford	85	C-1	
		C-1	0.11
GwB—Glynwood loam, 2 to 6 percent slopes			
Glynwood	85	F-5	
		F-5	0.55
		A-1	0.01
GwB2—Glynwood loam, 2 to 6 percent slopes, eroded			
Glynwood	85	F-5	
		F-5	0.55
GwC2—Glynwood loam, 6 to 12 percent slopes, eroded			
Glynwood	90	A-6	
		A-6	0.06
GwD2—Glynwood loam, 12 to 18 percent slopes, moderately eroded			
Glynwood	100	A-6	
		A-6	0.06
Gx—Granby loamy sand, clayey substratum			
Granby	92	C-1	
		C-1	0.11
HaB—Haney loam, 1 to 6 percent slopes			
Haney	95	A-6	
		A-6	0.06
HbA—Haney loam, 0 to 2 percent slopes			
Haney	95	A-6	
		A-6	0.06
HcA—Hoytville silty clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HhA—Haskins loamy sand, 0 to 2 percent slopes			
Haskins	88	C-2	
		C-2	0.12

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HkA—Haskins fine sandy loam, 0 to 2 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HmA—Haskins sandy loam, 0 to 3 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HnA—Haskins loam, 0 to 3 percent slopes			
Haskins	90	C-1	
		C-1	0.11
HoA—Hoytville clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HpA—Haskins loam, 0 to 2 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HvA—Hoytville clay, 0 to 1 percent slopes			
Hoytville	88	C-1	
		C-1	0.11
KfA—Kibbie loam, 0 to 3 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
Kn—Knoxdale silt loam, occasionally flooded			
Knoxdale	97	A-5	
		A-5	0.05
Lb—Landes fine sandy loam, occasionally flooded			
Landes	90	A-5	
		A-5	0.05
Lc—Latty silty clay			
Latty	90	C-2	
		C-2	0.12
Lf—Lenawee silty clay loam			
Lenawee	95	C-1	
		C-1	0.11

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LwB—Lucas silty clay loam, 2 to 6 percent slopes			
Lucas	100	F-5	
		F-5	0.55
LwC2—Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded			
Lucas	100	F-5	
		F-5	0.55
LwD2—Lucas silty clay loam, 12 to 18 percent slopes, moderately eroded			
Lucas	100	F-5	
		F-5	0.55
Mc—Medway silt loam			
Medway	100	A-5	
		A-5	0.05
Md—Mermill loam			
Mermill	90	C-2	
		C-2	0.12
Me—Mermill clay loam			
Mermill	95	C-1	
		C-1	0.11
Mg—Millgrove clay loam			
Millgrove	95	C-1	
		C-1	0.11
Mh—Millgrove loam			
Millgrove	90	C-1	
		C-1	0.11
MrD2—Morley clay loam, 12 to 18 percent slopes, eroded			
Morley	85	A-1	
		A-1	0.01
NmA—Nappanee loam, 0 to 2 percent slopes			
Nappanee	100	C-2	
		C-2	0.12
NmB—Nappanee loam, 2 to 6 percent slopes			
Nappanee	100	C-2	
		C-2	0.12

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
NnA—Nappanee loam, 0 to 3 percent slopes			
Nappanee	85	C-2	
		C-2	0.12
NpA—Nappanee silty clay loam, 0 to 3 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NrA—Nappanee silty clay loam, 0 to 2 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
OrC—Oshtemo loamy sand, 6 to 12 percent slopes			
Oshtemo	100	A-1	
		A-1	0.01
OsB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	80	A-1	
		A-1	0.01
OtB—Ottokee loamy fine sand, 1 to 6 percent slopes			
Ottokee	85	B-1	
		B-1	0.07
Pa—Paulding clay, 0 to 1 percent slopes			
Paulding	93	F-7	
		F-7	0.57
Pm—Pewamo silty clay loam			
Pewamo	85	C-1	
		C-1	0.11
Pt—Pits, gravel			
Pits	100	Not rated	
RkC—Rawson loam, 6 to 12 percent slopes			
Rawson	100	F-5	
		F-5	0.55
		A-1	0.01

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RmB—Rawson sandy loam, 2 to 6 percent slopes			
Rawson	90	F-5	
		F-5	0.55
		A-1	0.01
RmC—Rawson sandy loam, 6 to 12 percent slopes			
Rawson	100	F-5	
		F-5	0.55
		A-1	0.01
RnA—Rimer loamy fine sand, 0 to 3 percent slopes			
Rimer	85	C-1	
		C-1	0.11
RoA—Rimer loamy sand, 0 to 2 percent slopes			
Rimer	96	C-2	
		C-2	0.12
RpA—Rimer loamy fine sand, 0 to 2 percent slopes			
Rimer	95	C-2	
		C-2	0.12
RrA—Roselms loam, 0 to 3 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RsA—Roselms silty clay, 0 to 3 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RtA—Roselms silty clay loam, 0 to 2 percent slopes			
Roselms	97	F-7	
		F-7	0.57
RtB—Roselms silty clay loam, 2 to 6 percent slopes			
Roselms	95	F-7	
		F-7	0.57
Ru—Ross silt loam, occasionally flooded			
Ross	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RvA—Roselms loam, 0 to 2 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RwA—Roselms silty clay, 0 to 2 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RwB—Roselms silty clay, 2 to 6 percent slopes			
Roselms	95	F-7	
		F-7	0.57
SaB—St. Clair loam, 2 to 6 percent slopes			
St. clair	90	F-5	
		F-5	0.55
SbB2—St. Clair silty clay loam, 2 to 6 percent slopes, moderately eroded			
St. clair	100	F-5	
		F-5	0.55
		A-1	0.01
SbC2—St. Clair silty clay loam, 6 to 12 percent slopes, eroded			
St. clair	80	F-5	
		F-5	0.55
SbE—St. Clair silty clay loam, 18 to 35 percent slopes			
St. clair	80	F-6	
		F-6	0.56
		A-3	0.03
ScD3—St. Clair clay, 12 to 18 percent slopes, severely eroded			
St. clair	90	F-5	
		F-5	0.55
ScE3—St. Clair clay, 18 to 35 percent slopes, severely eroded			
St. clair	85	F-6	
		F-6	0.56
SdB—Seward loamy fine sand, 1 to 6 percent slopes			
Seward	90	F-5	
		F-5	0.55

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SeB—Seward loamy fine sand, 2 to 6 percent slopes			
Seward	100	F-5	
		F-5	0.55
SfE3—St. Clair silty clay, 12 to 25 percent slopes, severely eroded			
St. clair	95	F-5	
		F-5	0.55
SfF3—St. Clair silty clay, 25 to 45 percent slopes, severely eroded			
St. clair	95	F-6	
		F-6	0.56
Sh—Shoals silt loam, frequently flooded			
Shoals	80	C-3	
		C-3	0.13
So—Sloan silty clay loam, frequently flooded			
Sloan	90	C-3	
		C-3	0.13
TdA—Tedrow loamy fine sand, 0 to 3 percent slopes			
Tedrow	85	C-1	
		C-1	0.11
Tn—Toledo silty clay loam			
Toledo	90	C-2	
		C-2	0.12
To—Toledo silty clay			
Toledo	95	C-2	
		C-2	0.12
TsB—Tuscola very fine sandy loam, 2 to 6 percent slopes			
Tuscola	90	A-6	
		A-6	0.06
TtC2—Tuscola loam, 6 to 12 percent slopes, moderately eroded			
Tuscola	100	A-6	
		A-6	0.06
Ud—Udorthents, rolling			
Udorthents	95	Not rated	

Selected Soil Interpretations--Defiance County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ur—Urban land			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	
Wa—Wabasha silty clay loam, frequently flooded			
Wabasha	100	C-3	
		C-3	0.13
Wc—Walkkill Variant silty clay loam			
Walkkill variant	100	C-2	
		C-2	0.12
Wd—Walkkill Variant silty clay			
Walkkill variant	85	C-2	
		C-2	0.12
Wf—Wauseon fine sandy loam			
Wauseon	85	C-2	
		C-2	0.12

Data Source Information

Soil Survey Area: Defiance County, Ohio
 Survey Area Data: Version 13, Sep 18, 2014