

## Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

*Hydrologic soil groups* are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

*Surface runoff* refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

*Water table* refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

*Ponding* is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

*Flooding* is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

*Duration* and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

## Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

| Water Features—Delaware County, Ohio                   |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                          | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| AmD2—Amanda silt loam, 12 to 18 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Amanda   | B                | Medium         | January   | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio          |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| AmE--Amanda silt loam, 18 to 25 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Amanda   | B                | High           | January   | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio          |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| AmF--Amanda silt loam, 25 to 50 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Amanda   | B                | High           | January   | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio            |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                    | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| BeA--Bennington silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Bennington                                       | C/D              | High           | January   | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                        |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| BeB--Bennington silt loam, 2 to 4 percent slopes             |                  |                |           |             |             |               |          |           |          |           |
| Bennington   | C/D              | High           | January   | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 0.5-1.0     | 2.3-5.8     | —             | —        | None      | —        | None      |
| Ble1A1--Blount silt loam, end moraine, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Blount, end moraine  | D                | High           | January   | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|  |                  |                | February  | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|  |                  |                | March     | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|  |                  |                | April     | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|  |                  |                | May       | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|  |                  |                | November  | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|  |                  |                | December  | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |

| Water Features--Delaware County, Ohio                          |                  |                |          |             |             |               |          |           |          |           |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                  | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Ble1B1—Blount silt loam, end moraine, 2 to 4 percent slopes    |                  |                |          |             |             |               |          |           |          |           |
| Blount, end moraine  | D                | High           | January  | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | February | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | March    | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | April    | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | May      | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | November | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | December | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
| Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes |                  |                |          |             |             |               |          |           |          |           |
| Blount, ground moraine   | D                | High           | January  | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | February | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | March    | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | April    | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | May      | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | November | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | December | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |

| Water Features--Delaware County, Ohio                          |                  |                |   |             |             |               |          |           |          |           |
|--|------------------|----------------|---|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                  | Hydrologic group | Surface runoff | Month   | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |   | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |   | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Blg1B1—Blount silt loam, ground moraine, 2 to 4 percent slopes |                  |                |   |             |             |               |          |           |          |           |
| Blount, ground moraine   | D                | High           | January   | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | February  | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | March   | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | April   | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | May   | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | November  | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | December  | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | CaB—Cardington silt loam, 2 to 6 percent slopes |             |             |               |          |           |          |           |
| Cardington   | C/D              | High           | January   | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | March   | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | April   | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | May   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September                                       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                     |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                             | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CaC2—Cardington silt loam, 6 to 12 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Cardington  | C/D              | Very high      | January   | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.0     | 2.3-4.2     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio           |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                   | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CeB—Centerburg silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Centerburg                                      | C/D              | Medium         | January   | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                     |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                             | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CeC2—Centerburg silt loam, 6 to 12 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Centerburg  | C/D              | High           | January   | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.0     | 2.5-4.5     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio       |                  |                |          |             |             |               |                     |            |          |           |
|---|------------------|----------------|----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name               | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |                     |            | Flooding |           |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration | Frequency |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |          |           |
| CnA—Condit silt loam, 0 to 1 percent slopes |                  |                |          |             |             |               |                     |            |          |           |
| Condit                                      | C/D              | Negligible     | January  | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | February | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | March    | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | April    | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | May      | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | November | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | December | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |

| Water Features--Delaware County, Ohio   |                  |                |           |             |             |               |                               |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name           | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                               |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration                      | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                               |           |          |           |
| EdA—Edwards muck, 0 to 1 percent slopes |                  |                |           |             |             |               |                               |           |          |           |
| Edwards                                 | C/D              | Medium         | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|   |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|   |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|   |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|   |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|   |                  |                | June      | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|   |                  |                | July      | —           | —           | —             | —                             | —         | —        | None      |
|   |                  |                | August    | —           | —           | —             | —                             | —         | —        | None      |
|   |                  |                | September | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|   |                  |                | October   | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|   |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |

| Water Features--Delaware County, Ohio                               |                  |                |           |             |             |               |                                     |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name                                       | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                                     |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration                            | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                                     |           |          |           |
|   |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
| GaC2—Gallman loam, loamy substratum, 6 to 12 percent slopes, eroded |                  |                |           |             |             |               |                                     |           |          |           |
| Gallman   | B                | Medium         | January   | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —                                   | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —                                   | None      | —        | None      |

| Water Features--Delaware County, Ohio                          |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| GbA—Gallman silt loam, loamy substratum, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Gallman  | B                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                          |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| GbB—Gallman silt loam, loamy substratum, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Gallman  | B                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                         |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                 | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| GcB—Gallman silt loam, till substratum, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Gallman   | B                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |
| Gwd5C2—Glynwood clay loam, 6 to 12 percent slopes, eroded     |                  |                |           |             |             |               |          |           |          |           |
| Glynwood  | D                | Very high      | January   | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
|   |                  |                | February  | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
|   |                  |                | March     | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
|   |                  |                | April     | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |

| Water Features--Delaware County, Ohio                                 |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name   | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Gwe5B2—Glynwood clay loam, end moraine, 2 to 6 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Glynwood, end moraine   | D                | High           | January   | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                                     |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name   | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes          |                  |                |           |             |             |               |          |           |          |           |
| Glynwood, ground moraine  | D                | High           | January   | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
| Gwg5C2—Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Glynwood  | D                | Very high      | January   | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
|   |                  |                | February  | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
|   |                  |                | March     | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
|   |                  |                | April     | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |

| Water Features--Delaware County, Ohio                              |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Gwg5C3—Glynwood clay loam, 6 to 12 percent slopes, severely eroded |                  |                |           |             |             |               |          |           |          |           |
| Glynwood   | D                | Very high      | January   | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
|  |                  |                | February  | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
|  |                  |                | March     | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
|  |                  |                | April     | 1.0-2.0     | 2.1-3.3     | —             | —        | —         | —        | —         |
| HeF—Heverlo silt loam, 25 to 70 percent slopes                     |                  |                |           |             |             |               |          |           |          |           |
| Heverlo  | C                | High           | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio       |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name               | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| HyA—Hyatts silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Hyatts                                      | C/D              | Medium         | January   | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio       |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name               | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| HyB—Hyatts silt loam, 2 to 4 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Hyatts                                      | C/D              | Medium         | January   | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 0.5-1.0     | 3.3-5.0     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio        |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| JmA—Jimtown silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Jimtown                                      | B/D              | Low            | January   | 0.5-1.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | February  | 0.5-1.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | March     | 0.5-1.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | April     | 0.5-1.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | May       | 0.5-1.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 0.5-1.0     | >6.0        | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                    |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                            | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| LbF--Latham-Brecksville complex, 25 to 70 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Latham   | D                | Very high      | January   | 1.0-2.0     | 2.0-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.0     | 2.0-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.0     | 2.0-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.0     | 2.0-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio |                  |                |           |             |             |               |          |           |          |           |
|---------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name         | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|                                       |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|                                       |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
|                                       |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |
| Brecksville                           | C                | Very high      | January   | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio             |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| LeE--Leoni gravelly loam, 12 to 25 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Leoni   | A                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio   |                  |                |          |             |             |               |          |           |                     |            |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name   | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |            |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency  |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |            |
| LoA—Lobdell silt loam, channery substratum, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |          |           |                     |            |
| Lobdell   | B/D              | Low            | January  | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | February | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | March    | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | April    | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | May      | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | June     | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | November | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | December | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |

| Water Features--Delaware County, Ohio   |                  |                |          |             |             |               |          |           |                     |            |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name   | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |            |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency  |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |            |
| LsA--Lobdell, channery substratum-Sloan, till substratum complex, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |          |           |                     |            |
| Lobdell   | B/D              | Low            | January  | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | February | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | March    | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | April    | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | May      | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | June     | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | November | 1.0-2.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |

| Water Features--Delaware County, Ohio |                  |                |          |             |             |               |                     |            |                     |            |
|---------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|---------------------|------------|---------------------|------------|
| Map unit symbol and soil name         | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |                     |            | Flooding            |            |
|                                       |                  |                |          | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration            | Frequency  |
|                                       |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |                     |            |
|                                       |                  |                | December | 1.0-2.0     | >6.0        | —             | —                   | None       | Brief (2 to 7 days) | Occasional |
| Sloan                                 | B/D              | Low            | January  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|                                       |                  |                | February | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|                                       |                  |                | March    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|                                       |                  |                | April    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|                                       |                  |                | May      | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|                                       |                  |                | June     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|                                       |                  |                | November | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|                                       |                  |                | December | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |

| Water Features--Delaware County, Ohio             |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| LvB--Loudonville silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Loudonville                                       | C                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                    |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                            | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| LyD2--Lybrand silt loam, 12 to 18 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Lybrand  | C                | Very high      | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                    |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                            | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| LyE2--Lybrand silt loam, 18 to 25 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Lybrand  | D                | Very high      | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                                  |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| LzD3—Lybrand silty clay loam, 12 to 18 percent slopes, severely eroded |                  |                |           |             |             |               |          |           |          |           |
| Lybrand  | D                | Very high      | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio         |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                 | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| MaB--Martinsville loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Martinsville                                  | B                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                          |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| MbB--Martinsville loam, till substratum, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Martinsville   | B                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                   |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                           | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| McD2--Mentor silt loam, 12 to 18 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Mentor  | B                | Medium         | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | 3.5-6.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | March     | 3.5-6.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio           |                  |                |           |             |             |               |                     |            |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name                   | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |            | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |          |           |
| MfA--Millgrove silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |                     |            |          |           |
| Millgrove                                       | B/D              | Low            | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | June      | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | July      | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | August    | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | September | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | October   | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |

| Water Features--Delaware County, Ohio                |                  |                |           |             |             |               |                     |            |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name                        | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |            | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |          |           |
| MgA—Millgrove silty clay loam, 0 to 2 percent slopes |                  |                |           |             |             |               |                     |            |          |           |
| Millgrove  | B/D              | Low            | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|  |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|  |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|  |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|  |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|  |                  |                | June      | —           | —           | —             | —                   | —          | —        | None      |
|  |                  |                | July      | —           | —           | —             | —                   | —          | —        | None      |
|  |                  |                | August    | —           | —           | —             | —                   | —          | —        | None      |
|  |                  |                | September | —           | —           | —             | —                   | —          | —        | None      |
|  |                  |                | October   | —           | —           | —             | —                   | —          | —        | None      |
|  |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|  |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |

| Water Features--Delaware County, Ohio                                |                  |                |          |             |             |               |                     |            |                     |           |
|--|------------------|----------------|----------|-------------|-------------|---------------|---------------------|------------|---------------------|-----------|
| Map unit symbol and soil name  | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |                     |            | Flooding            |           |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration            | Frequency |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |                     |           |
| MhA—Millgrove silty clay loam, 0 to 2 percent slopes, rarely flooded |                  |                |          |             |             |               |                     |            |                     |           |
| Millgrove  | B/D              | Low            | January  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Rare      |
|  |                  |                | February | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Rare      |
|  |                  |                | March    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Rare      |
|  |                  |                | April    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Rare      |
|  |                  |                | May      | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Rare      |
|  |                  |                | June     | —           | —           | —             | —                   | —          | Brief (2 to 7 days) | Rare      |
|  |                  |                | November | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Rare      |
|  |                  |                | December | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Rare      |

| Water Features--Delaware County, Ohio        |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| MoB--Milton silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Milton                                       | C                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                  |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                          | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| MoC2--Milton silt loam, 6 to 12 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Milton   | C                | Medium         | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                         |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                 | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| MpD2--Milton-Lybrand complex, 12 to 18 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Lybrand   | C                | Very high      | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 3.5-6.0     | 3.6-6.1     | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio |                  |                |           |             |             |               |          |           |          |           |
|---------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name         | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|                                       |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|                                       |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
|                                       |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |
| Milton                                | C                | Medium         | January   | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio      |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name              | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| PaA—Pacer silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Pacer                                      | C                | Low            | January   | 2.0-3.5     | 3.5-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 2.0-3.5     | 3.5-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 2.0-3.5     | 3.5-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 2.0-3.5     | 3.5-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 2.0-3.5     | 3.5-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 2.0-3.5     | 3.5-5.8     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 2.0-3.5     | 3.5-5.8     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio             |                  |                |           |             |             |               |                     |            |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |            | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |          |           |
| PwA—Pewamo silty clay loam, 0 to 1 percent slopes |                  |                |           |             |             |               |                     |            |          |           |
| Pewamo  | C/D              | Medium         | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
|   |                  |                | June      | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | July      | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | August    | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | September | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | October   | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | November  | —           | —           | —             | —                   | —          | —        | None      |
|   |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | —        | None      |
| Pz—Pits, gravel                                   |                  |                |           |             |             |               |                     |            |          |           |
| Pits  | —                | —              | Jan-Dec   | —           | —           | —             | —                   | —          | —        | —         |

| Water Features--Delaware County, Ohio                 |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                         | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| RdB2--Rarden silt loam, 2 to 6 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Rarden  | D                | High           | January   | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                  |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                          | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| RdC2--Rarden silt loam, 6 to 15 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Rarden   | D                | Very high      | January   | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                  |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                          | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| RdF2—Rarden silt loam, 20 to 50 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Rarden   | D                | Very high      | January   | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                                |                  |                |          |             |             |               |          |           |                            |            |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|----------------------------|------------|
| Map unit symbol and soil name  | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding                   |            |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration                   | Frequency  |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                            |            |
| RoA--Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |          |           |                            |            |
| Rossburg   | B                | Low            | January  | 3.5-6.0     | >6.0        | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | February | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | March    | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | April    | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | May      | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | June     | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | November | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | December | 3.5-6.0     | >6.0        | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |

| Water Features--Delaware County, Ohio                                    |                  |                |          |             |             |               |          |           |                            |            |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|----------------------------|------------|
| Map unit symbol and soil name  | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding                   |            |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration                   | Frequency  |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                            |            |
| RsA--Rossburg-Sloan complex, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |          |           |                            |            |
| Rossburg   | B                | Low            | January  | 3.5-6.0     | >6.0        | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | February | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | March    | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | April    | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | May      | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | June     | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |
|  |                  |                | November | —           | —           | —             | —        | None      | Very brief (4 to 48 hours) | Occasional |

| Water Features--Delaware County, Ohio |                  |                |          |             |             |               |                     |            |                            |            |
|---------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|---------------------|------------|----------------------------|------------|
| Map unit symbol and soil name         | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |                     |            | Flooding                   |            |
|                                       |                  |                |          | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration                   | Frequency  |
|                                       |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |                            |            |
|                                       |                  |                | December | 3.5-6.0     | >6.0        | —             | —                   | None       | Very brief (4 to 48 hours) | Occasional |
| Sloan                                 | B/D              | Low            | January  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days)        | Occasional |
|                                       |                  |                | February | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days)        | Occasional |
|                                       |                  |                | March    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days)        | Occasional |
|                                       |                  |                | April    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days)        | Occasional |
|                                       |                  |                | May      | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days)        | Occasional |
|                                       |                  |                | June     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days)        | Occasional |
|                                       |                  |                | November | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days)        | Occasional |
|                                       |                  |                | December | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days)        | Occasional |

| Water Features--Delaware County, Ohio       |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name               | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| ScA—Scioto silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Scioto                                      | B                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio        |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| ScB--Scioto silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Scioto                                       | B                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                       |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                               | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| SdC2—Scioto silty clay loam, 6 to 12 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Scioto  | B                | Medium         | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                       |                  |                |          |             |             |               |          |           |                     |           |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name                               | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |           |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |           |
| SfA—Scioto silt loam, 0 to 2 percent slopes, rarely flooded |                  |                |          |             |             |               |          |           |                     |           |
| Scioto  | B                | Low            | January  | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | February | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | March    | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | April    | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | May      | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | June     | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | November | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | December | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |

| Water Features--Delaware County, Ohio                             |                  |                |          |             |             |               |          |           |                     |            |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name                                     | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |            |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency  |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |            |
| SgA—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |          |           |                     |            |
| Shoals  | B/D              | Low            | January  | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | February | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | March    | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | April    | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | May      | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|   |                  |                | November | 0.5-1.5     | >6.0        | —             | —        | None      | —                   | —          |
|   |                  |                | December | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |

| Water Features--Delaware County, Ohio                             |                  |                |          |             |             |               |                     |            |                     |            |
|---|------------------|----------------|----------|-------------|-------------|---------------|---------------------|------------|---------------------|------------|
| Map unit symbol and soil name                                     | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |                     |            | Flooding            |            |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration            | Frequency  |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |                     |            |
| SkA--Sloan silt loam, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |                     |            |                     |            |
| Sloan   | B/D              | Low            | January  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | February | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | March    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | April    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | May      | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | June     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | November | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | December | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |

| Water Features--Delaware County, Ohio   |                  |                |          |             |             |               |                     |            |                     |            |
|---|------------------|----------------|----------|-------------|-------------|---------------|---------------------|------------|---------------------|------------|
| Map unit symbol and soil name   | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |                     |            | Flooding            |            |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration            | Frequency  |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |                     |            |
| SnA—Sloan silt loam, till substratum, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |                     |            |                     |            |
| Sloan   | B/D              | Low            | January  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | February | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | March    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | April    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | May      | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | June     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | November | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | December | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |

| Water Features--Delaware County, Ohio   |                  |                |          |             |             |               |                     |            |                     |            |
|---|------------------|----------------|----------|-------------|-------------|---------------|---------------------|------------|---------------------|------------|
| Map unit symbol and soil name   | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |                     |            | Flooding            |            |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration            | Frequency  |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |                     |            |
| SoA—Sloan silty clay loam, till substratum, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |                     |            |                     |            |
| Sloan   | B/D              | Low            | January  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | February | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | March    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | April    | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | May      | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | June     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | November | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |
|   |                  |                | December | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Occasional | Brief (2 to 7 days) | Occasional |

| Water Features--Delaware County, Ohio         |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                 | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| SsA—Smothers silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Smothers                                      | D                | Medium         | January   | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio         |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                 | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| SsB—Smothers silt loam, 2 to 4 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Smothers                                      | C/D              | Medium         | January   | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 0.5-1.0     | 1.7-3.3     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio            |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                    | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| StA—Stone silty clay loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Stone  | C/D              | Medium         | January   | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | —        | None      |

| Water Features--Delaware County, Ohio                        |                  |                |          |             |             |               |          |           |                     |           |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name                                | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |           |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |           |
| SuA—Stone clay loam, 0 to 2 percent slopes, rarely flooded   |                  |                |          |             |             |               |          |           |                     |           |
| Stone  | C/D              | Medium         | January  | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|  |                  |                | February | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|  |                  |                | March    | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|  |                  |                | April    | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|  |                  |                | May      | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|  |                  |                | June     | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|  |                  |                | November | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|  |                  |                | December | 0.5-1.0     | 5.0-5.0     | —             | —        | None      | Brief (2 to 7 days) | Rare      |
| Uc—Udorthents  |                  |                |          |             |             |               |          |           |                     |           |
| Udorthents   | —                | —              | Jan-Dec  | —           | —           | —             | —        | —         | —                   | —         |
| UdB—Udorthents, clayey-<br>Urban land complex,<br>undulating |                  |                |          |             |             |               |          |           |                     |           |
| Udorthents   | —                | —              | Jan-Dec  | —           | —           | —             | —        | —         | —                   | —         |
| Urban land   | —                | —              | Jan-Dec  | —           | —           | —             | —        | —         | —                   | —         |

| Water Features--Delaware County, Ohio |                  |                |         |             |             |               |          |           |          |           |
|---------------------------------------|------------------|----------------|---------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name         | Hydrologic group | Surface runoff | Month   | Water table |             | Ponding       |          |           | Flooding |           |
|                                       |                  |                |         | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|                                       |                  |                |         | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Up—Udorthents-Pits complex            |                  |                |         |             |             |               |          |           |          |           |
| Udorthents                            | —                | —              | Jan-Dec | —           | —           | —             | —        | —         | —        | —         |
| Pits                                  | —                | —              | Jan-Dec | —           | —           | —             | —        | —         | —        | —         |
| W—Water                               |                  |                |         |             |             |               |          |           |          |           |
| Water                                 | —                | —              | Jan-Dec | —           | —           | —             | —        | —         | —        | —         |

## Data Source Information

Soil Survey Area: Delaware County, Ohio  
 Survey Area Data: Version 13, Sep 18, 2014