

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AfB—Alford silt loam, 2 to 6 percent slopes			
Alford	90	A-6	
		A-6	0.06
AfC2—Alford silt loam, 6 to 12 percent slopes, eroded			
Alford	90	A-6	
		A-6	0.06
Ag—Aetna silt loam, occasionally flooded			
Aetna	80	C-3	
		C-3	0.13
Ah—Aetna silt loam, fan, occasionally flooded			
Aetna	85	C-3	
		C-3	0.13
AmB—Amanda silt loam, 2 to 6 percent slopes			
Amanda	85	A-1	
		A-1	0.01
AmB2—Amanda silt loam, 2 to 6 percent slopes, eroded			
Amanda	85	A-1	
		A-1	0.01
AmC2—Amanda silt loam, 6 to 12 percent slopes, eroded			
Amanda	80	A-1	
		A-1	0.01

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AmD2—Amanda silt loam, 12 to 20 percent slopes, eroded			
Amanda	80	A-1	
		A-1	0.01
AmE2—Amanda silt loam, 20 to 35 percent slopes, eroded			
Amanda	90	A-3	
		A-3	0.03
AoC3—Amanda silty clay loam, 6 to 12 percent slopes, severely eroded			
Amanda	80	A-1	
		A-1	0.01
AoD3—Amanda silty clay loam, 12 to 20 percent slopes, severely eroded			
Amanda	80	A-2	
		A-2	0.02
ApB2—Amanda-Loudonville complex, 2 to 6 percent slopes, eroded			
Amanda	60	A-1	
		A-1	0.01
Loudonville	30	F-1	
		F-1	0.51
ApC2—Amanda-Loudonville complex, 6 to 12 percent slopes, eroded			
Amanda	50	A-1	
		A-1	0.01
Loudonville	40	F-1	
		F-1	0.51
ApD2—Amanda-Loudonville complex, 12 to 20 percent slopes, eroded			
Amanda	45	A-1	
		A-1	0.01
Loudonville	45	F-1	
		F-1	0.51
ArC2—Amanda-Ockley complex, 6 to 12 percent slopes, eroded			
Amanda	50	A-1	
		A-1	0.01
Ockley	30	A-1	
		A-1	0.01

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ArD2—Amanda-Ockley complex, 12 to 20 percent slopes, eroded			
Amanda	50	A-1	
		A-1	0.01
Ockley	30	A-1	
		A-1	0.01
Bb—Beaucoup silty clay loam, occasionally flooded			
Beaucoup	80	C-3	
		C-3	0.13
BeA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	80	C-1	
		C-1	0.11
BeB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	80	C-1	
		C-1	0.11
BkF—Berks channery silt loam, 35 to 70 percent slopes			
Berks	85	H-1	
		H-1	0.71
CaB—Cardington silt loam, 2 to 6 percent slopes			
Cardington	85	A-6	
		A-6	0.06
CaB2—Cardington silt loam, 2 to 6 percent slopes, eroded			
Cardington	85	A-6	
		A-6	0.06
CaC2—Cardington silt loam, 6 to 12 percent slopes, eroded			
Cardington	90	A-6	
		A-6	0.06
CaD2—Cardington silt loam, 12 to 20 percent slopes, eroded			
Cardington	80	A-6	
		A-6	0.06
Cb—Carlisle muck			
Carlisle	90	D-1	
		D-1	0.30

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CdF—Cedarfalls-Rock outcrop complex, 40 to 70 percent slopes			
Cedarfalls	60	H-1	
		H-1	0.71
Rock outcrop	20	Not rated	
CeB—Celina silt loam, 2 to 6 percent slopes			
Celina	85	A-1	
		A-1	0.01
CfB—Centerburg silt loam, 2 to 6 percent slopes			
Centerburg	80	A-6	
		A-6	0.06
CfB2—Centerburg silt loam, 2 to 6 percent slopes, eroded			
Centerburg	80	A-6	
		A-6	0.06
CfC2—Centerburg silt loam, 6 to 12 percent slopes, eroded			
Centerburg	80	A-6	
		A-6	0.06
Cg—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded			
Chagrin	85	A-5	
		A-5	0.05
CkC2—Cincinnati silt loam, 6 to 12 percent slopes, eroded			
Cincinnati	80	F-3	
		F-3	0.53
CmC2—Cincinnati-Wellston complex, 6 to 12 percent slopes, eroded			
Cincinnati	40	F-3	
		F-3	0.53
Wellston	40	A-6	
		A-6	0.06
Cn—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
CoB—Corwin silt loam, 2 to 6 percent slopes			
Corwin	80	A-1	
		A-1	0.01

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CrA—Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes			
Crosby	90	C-2	
		C-2	0.12
CsA—Canal silt loam, 0 to 2 percent slopes			
Canal	90	C-1	
		C-1	0.11
Ee—Eel silt loam, gravelly substratum, occasionally flooded			
Eel	85	A-5	
		A-5	0.05
EkA—Eldean silt loam, 0 to 2 percent slopes			
Eldean	80	B-1	
		B-1	0.07
EkB—Eldean silt loam, 2 to 6 percent slopes			
Eldean	80	B-1	
		B-1	0.07
EnC2—Eldean gravelly loam, 6 to 12 percent slopes, eroded			
Eldean	85	B-1	
		B-1	0.07
Eu—Euclid silt loam, rarely flooded			
Euclid	85	C-1	
		C-1	0.11
FbA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FhA—Fox loam, 0 to 2 percent slopes			
Fox	80	A-1	
		A-1	0.01
FhB—Fox loam, 2 to 6 percent slopes			
Fox	80	A-1	
		A-1	0.01
FhC2—Fox loam, 6 to 12 percent slopes, eroded			
Fox	80	A-1	
		A-1	0.01

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FhD2—Fox loam, 12 to 20 percent slopes, eroded			
Fox	80	A-1	
		A-1	0.01
FmA—Fox silt loam, 0 to 2 percent slopes			
Fox	80	A-1	
		A-1	0.01
FmB—Fox silt loam, 2 to 6 percent slopes			
Fox	85	A-1	
		A-1	0.01
GaB—Gallman silt loam, loamy substratum, 2 to 6 percent slopes			
Gallman	85	A-1	
		A-1	0.01
GcD—Germano sandy loam, 15 to 25 percent slopes			
Germano	80	F-1	
		F-1	0.51
GcE—Germano sandy loam, 25 to 40 percent slopes			
Germano	80	F-2	
		F-2	0.52
GdF—Germano-Rock outcrop complex, 40 to 70 percent slopes			
Germano	70	H-1	
		H-1	0.71
Rock outcrop	15	Not rated	
Gf—Gessie silt loam, occasionally flooded			
Gessie	80	A-5	
		A-5	0.05
Gg—Gessie silt loam, frequently flooded			
Gessie	80	A-5	
		A-5	0.05
GkC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GkD—Gilpin silt loam, 15 to 25 percent slopes			
Gilpin	85	F-1	
		F-1	0.51

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GnB—Glenford silt loam, 3 to 8 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GnC2—Glenford silt loam, 6 to 15 percent slopes, eroded			
Glenford	90	A-6	
		A-6	0.06
HhC2—Hickory silt loam, 6 to 12 percent slopes, eroded			
Hickory	80	A-1	
		A-1	0.01
HkE—Hickory-Germano complex, 20 to 35 percent slopes			
Hickory	45	A-3	
		A-3	0.03
Germano	35	B-2	
		B-2	0.08
HmD2—Hickory-Gilpin complex, 12 to 20 percent slopes, eroded			
Hickory	50	A-1	
		A-1	0.01
Gilpin	30	F-1	
		F-1	0.51
HnC2—Homewood silt loam, 6 to 12 percent slopes, eroded			
Homewood	80	F-3	
		F-3	0.53
HoD2—Homewood-Gilpin complex, 12 to 20 percent slopes, eroded			
Homewood	50	F-3	
		F-3	0.53
Gilpin	30	F-1	
		F-1	0.51
HoE2—Homewood-Gilpin complex, 20 to 35 percent slopes, eroded			
Homewood	50	F-4	
		F-4	0.54
Gilpin	30	F-2	
		F-2	0.52

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
JeB—Jeneva silt loam, 2 to 6 percent slopes			
Jeneva	85	A-6	
		A-6	0.06
Km—Kokomo silt loam, overwash			
Kokomo	80	C-1	
		C-1	0.11
Ko—Kokomo silty clay loam, 0 to 2 percent slopes			
Kokomo	90	C-1	
		C-1	0.11
Lk—Lindside silt loam, occasionally flooded			
Lindside	75	A-5	
		A-5	0.05
LtC2—Loudonville-Steinsburg complex, 6 to 12 percent slopes, eroded			
Loudonville	50	F-1	
		F-1	0.51
Steinsburg	40	F-1	
		F-1	0.51
LtD2—Loudonville-Steinsburg complex, 12 to 20 percent slopes, eroded			
Loudonville	50	F-1	
		F-1	0.51
Steinsburg	40	B-1	
		B-1	0.07
LtE—Loudonville-Steinsburg complex, 20 to 35 percent slopes			
Loudonville	40	F-2	
		F-2	0.52
Steinsburg	30	F-2	
		F-2	0.52
LtF—Loudonville-Steinsburg complex, 35 to 70 percent slopes			
Loudonville	60	H-1	
		H-1	0.71
Steinsburg	20	H-1	
		H-1	0.71

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ma—Marengo clay loam			
Marengo	80	C-1	
		C-1	0.11
Mb—Marengo silt loam, overwash			
Marengo	80	C-1	
		C-1	0.11
McB—McGary silt loam, 2 to 6 percent slopes			
Mcgary	80	C-2	
		C-2	0.12
Me—Medway silt loam, occasionally flooded			
Medway	75	A-5	
		A-5	0.05
MkB2—Miamian silt loam, 2 to 6 percent slopes, eroded			
Miamian, eroded	85	A-1	
		A-1	0.01
MkC2—Miamian silt loam, 6 to 12 percent slopes, eroded			
Miamian	85	A-1	
		A-1	0.01
MmC3—Miamian-Thrifton complex, 6 to 12 percent slopes, severely eroded			
Miamian	65	A-1	
		A-1	0.01
Thrifton	25	B-1	
		B-1	0.07
MmD3—Miamian-Thrifton complex, 12 to 20 percent slopes, severely eroded			
Miamian	50	A-1	
		A-1	0.01
Thrifton	40	A-1	
		A-1	0.01
Mns3A—Minster silty clay loam, 0 to 1 percent slopes			
Minster	90	C-2	
		C-2	0.12
Mr—Muskego muck			
Muskego	90	D-1	
		D-1	0.30

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
NaD2—Negley loam, 12 to 20 percent slopes, eroded			
Negley	90	A-1	
		A-1	0.01
NaE—Negley loam, 20 to 35 percent slopes			
Negley	90	A-3	
		A-3	0.03
Ne—Newark silt loam, occasionally flooded			
Newark	80	C-3	
		C-3	0.13
OcA—Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes			
Ockley	85	A-1	
		A-1	0.01
OcB—Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes			
Ockley	85	A-1	
		A-1	0.01
Pa—Patton silty clay loam			
Patton	80	C-1	
		C-1	0.11
Pb—Patton silty clay loam, rarely flooded			
Patton	80	C-1	
		C-1	0.11
Pe—Pewamo silty clay loam			
Pewamo	80	C-1	
		C-1	0.11
Ph—Pits, quarry			
Pits	100	Not rated	
PkB—Pike silt loam, 2 to 6 percent slopes			
Pike	90	A-6	
		A-6	0.06
PkC2—Pike silt loam, 6 to 12 percent slopes, eroded			
Pike	90	A-6	
		A-6	0.06

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ro—Rockmill silty clay loam			
Rockmill	85	C-1	
		C-1	0.11
Rp—Rockmill silty clay loam, occasionally flooded			
Rockmill	85	C-3	
		C-3	0.13
Rt—Rossburg silt loam, occasionally flooded			
Rossburg	85	A-5	
		A-5	0.05
Sc—Sebring silt loam, rarely flooded			
Sebring	85	C-1	
		C-1	0.11
SdD—Shelocta silt loam, 15 to 25 percent slopes			
Shelocta	80	A-2	
		A-2	0.02
SeE—Shelocta-Berks complex, 25 to 40 percent slopes			
Shelocta	50	A-3	
		A-3	0.03
Berks	40	F-2	
		F-2	0.52
SfD—Shelocta-Cruze complex, 15 to 25 percent slopes			
Shelocta	45	A-2	
		A-2	0.02
Cruze	40	A-2	
		A-2	0.02
SfE—Shelocta-Cruze complex, 25 to 40 percent slopes			
Shelocta	45	A-3	
		A-3	0.03
Cruze	40	A-3	
		A-3	0.03
Sh—Shoals silt loam, occasionally flooded			
Shoals	80	C-3	
		C-3	0.13

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SkA—Sleeth silt loam, 0 to 2 percent slopes			
Sleeth	85	C-1	
		C-1	0.11
St—Stonelick sandy loam, occasionally flooded			
Stonelick	80	A-5	
		A-5	0.05
TaC2—Tarlton silt loam, 6 to 12 percent slopes, eroded			
Tarlton	85	F-1	
		F-1	0.51
ThA—Thackery silt loam, 0 to 2 percent slopes			
Thackery	80	A-6	
		A-6	0.06
ThB—Thackery silt loam, 2 to 6 percent slopes			
Thackery	80	A-6	
		A-6	0.06
Ud—Udorthents, loamy			
Udorthents	100	Not rated	
Uf—Udorthents, loamy, organic substratum			
Udorthents	100	Not rated	
Ug—Udorthents, sandy			
Udorthents	100	Not rated	
Um—Urban land-Aetna complex, rarely flooded			
Urban land	60	Not rated	
Aetna	30	Not assigned	
UoC—Urban land-Amanda complex, 2 to 12 percent slopes			
Urban land	45	Not rated	
Amanda	35	Not assigned	
UrB—Urban land-Bennington complex, 0 to 6 percent slopes			
Urban land	45	Not rated	
Bennington	35	Not assigned	
UtC—Urban land-Cardington complex, 2 to 12 percent slopes			
Urban land	45	Not rated	
Cardington	35	Not assigned	

Selected Soil Interpretations--Fairfield County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
UuB—Urban land-Celina complex, 0 to 6 percent slopes			
Urban land	45	Not rated	
Celina	35	Not assigned	
UxB—Urban land-Ockley complex, 0 to 6 percent slopes			
Urban land	45	Not rated	
Ockley	35	Not assigned	
Uy—Urban land-Udorthents complex			
Urban land	60	Not rated	
Udorthents	40	Not rated	
W—Water			
Water	100	Not rated	
WdA—Wea silt loam, 0 to 2 percent slopes			
Wea	90	A-1	
		A-1	0.01
WeC—Wellston silt loam, 8 to 15 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WfC—Wellston-Cruze complex, 8 to 15 percent slopes			
Wellston	50	A-6	
		A-6	0.06
Cruze	30	A-6	
		A-6	0.06
Wg—Westland silt loam, overwash			
Westland	85	C-1	
		C-1	0.11
Wk—Westland silty clay loam			
Westland	90	C-1	
		C-1	0.11
ZnB—Zanesville silt loam, 2 to 6 percent slopes			
Zanesville	80	F-3	
		F-3	0.53
ZnC2—Zanesville silt loam, 6 to 15 percent slopes, eroded			
Zanesville	80	F-3	
		F-3	0.53

Data Source Information

Soil Survey Area: Fairfield County, Ohio
Survey Area Data: Version 14, Sep 18, 2014