

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations--Franklin County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AdB—Alexandria silt loam, 2 to 6 percent slopes			
Alexandria	90	A-1	
		A-1	0.01
AdC2—Alexandria silt loam, 6 to 12 percent slopes, eroded			
Alexandria	85	A-1	
		A-1	0.01
AdD2—Alexandria silt loam, 12 to 18 percent slopes, eroded			
Alexandria	85	A-1	
		A-1	0.01
AdE2—Alexandria silt loam, 18 to 25 percent slopes, eroded			
Alexandria	85	A-2	
		A-2	0.02
Ag—Algiers silt loam			
Algiers	85	C-3	
		C-3	0.13
BeA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	85	C-1	
		C-1	0.11
BeB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	80	C-1	
		C-1	0.11

Selected Soil Interpretations--Franklin County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BfA—Bennington-Urban land complex, 0 to 2 percent slopes			
Bennington	45	Not assigned	
Urban land	35	Not rated	
BfB—Bennington-Urban land complex, 2 to 6 percent slopes			
Bennington	45	Not assigned	
Urban land	30	Not rated	
Ble1A1—Blount silt loam, end moraine, 0 to 2 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Ble1B1—Blount silt loam, end moraine, 2 to 4 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
CaB—Cardington silt loam, 2 to 6 percent slopes			
Cardington	85	A-6	
		A-6	0.06
CaB2—Cardington silt loam, 2 to 6 percent slopes, eroded			
Cardington	85	A-6	
		A-6	0.06
CaC2—Cardington silt loam, 6 to 12 percent slopes, eroded			
Cardington	85	A-6	
		A-6	0.06
CbB—Cardington-Urban land complex, 2 to 6 percent slopes			
Cardington	45	Not assigned	
Urban land	30	Not rated	
CbC—Cardington-Urban land complex, 6 to 12 percent slopes			
Cardington	45	Not assigned	
Urban land	30	Not rated	
Cc—Carlisle muck			
Carlisle	90	D-1	
		D-1	0.30

Selected Soil Interpretations--Franklin County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CeA—Celina silt loam, 0 to 2 percent slopes			
Celina	85	A-6	
		A-6	0.06
CeB—Celina silt loam, 2 to 6 percent slopes			
Celina	85	A-1	
		A-1	0.01
CeB2—Celina silt loam, 2 to 6 percent slopes, eroded			
Celina	85	A-6	
		A-6	0.06
CeC2—Celina silt loam, 6 to 12 percent slopes, eroded			
Celina	80	A-6	
		A-6	0.06
CfB—Celina-Urban land complex, 2 to 6 percent slopes			
Celina	45	Not assigned	
Urban land	30	Not rated	
Cn—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
CpA—Crane silt loam, 0 to 2 percent slopes			
Crane	90	C-1	
		C-1	0.11
CrA—Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes			
Crosby	90	C-2	
		C-2	0.12
CrB—Crosby silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes			
Crosby	90	C-2	
		C-2	0.12
CsA—Crosby-Urban land complex, 0 to 2 percent slopes			
Crosby	45	Not assigned	
Urban land	30	Not rated	

Selected Soil Interpretations--Franklin County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CsB—Crosby-Urban land complex, 2 to 6 percent slopes			
Crosby	45	Not assigned	
Urban land	30	Not rated	
DAM—Dam			
Dam	100	Not rated	
Ee—Eel silt loam, occasionally flooded			
Eel	85	A-5	
		A-5	0.05
EIA—Eldean silt loam, 0 to 2 percent slopes			
Eldean	80	A-1	
		A-1	0.01
EIB—Eldean silt loam, 2 to 6 percent slopes			
Eldean	85	A-1	
		A-1	0.01
EIC2—Eldean silt loam, 6 to 12 percent slopes, eroded			
Eldean	85	A-1	
		A-1	0.01
EID2—Eldean silt loam, 12 to 18 percent slopes, eroded			
Eldean	85	A-1	
		A-1	0.01
EmA—Eldean-Urban land complex, 0 to 2 percent slopes			
Eldean	45	Not assigned	
Urban land	30	Not rated	
EmB—Eldean-Urban land complex, 2 to 6 percent slopes			
Eldean	45	Not assigned	
Urban land	30	Not rated	
Gn—Genesee silt loam, occasionally flooded			
Genesee	85	A-5	
		A-5	0.05
Gwd5C2—Glynwood clay loam, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Franklin County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Gwe5B2—Glynwood clay loam, end moraine, 2 to 6 percent slopes, eroded			
Glynwood, end moraine	85	F-5	
		F-5	0.55
HeE2—Hennepin and Miamian loams, 18 to 25 percent slopes, eroded			
Hennepin	45	A-2	
		A-2	0.02
Miamian	40	A-2	
		A-2	0.02
HeF2—Hennepin and Miamian loams, 25 to 50 percent slopes, eroded			
Hennepin	45	A-3	
		A-3	0.03
Miamian	40	A-3	
		A-3	0.03
KeA—Kendallville silt loam, 0 to 2 percent slopes			
Kendallville	85	A-1	
		A-1	0.01
KeB—Kendallville silt loam, 2 to 6 percent slopes			
Kendallville	85	A-1	
		A-1	0.01
KeC2—Kendallville silt loam, 6 to 12 percent slopes, eroded			
Kendallville	90	A-1	
		A-1	0.01
Ko—Kokomo silty clay loam, 0 to 2 percent slopes			
Kokomo	90	C-1	
		C-1	0.11
Ku—Kokomo-Urban land complex			
Kokomo	50	Not assigned	
Urban land	30	Not rated	
LbF—Latham-Brecksville complex, 25 to 70 percent slopes			
Latham	40	H-1	
		H-1	0.71
Brecksville	35	H-1	
		H-1	0.71

Selected Soil Interpretations--Franklin County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LeB—Lewisburg-Crosby complex, 2 to 6 percent slopes			
Lewisburg	45	A-1	
		A-1	0.01
Crosby	40	C-1	
		C-1	0.11
Mh—Medway silt loam, occasionally flooded			
Medway	85	A-5	
		A-5	0.05
MkB—Miamian silt loam, 2 to 6 percent slopes			
Miamian	85	A-1	
		A-1	0.01
MIB2—Miamian silty clay loam, 2 to 6 percent slopes, eroded			
Miamian	85	A-1	
		A-1	0.01
MIC2—Miamian silty clay loam, 6 to 12 percent slopes, eroded			
Miamian	90	A-1	
		A-1	0.01
MID2—Miamian silty clay loam, 12 to 18 percent slopes, eroded			
Miamian	100	A-1	
		A-1	0.01
MmC3—Miamian clay loam, shallow to dense till substratum, 6 to 12 percent slopes, severely eroded			
Miamian, severely eroded	90	B-1	
		B-1	0.07
MnC—Miamian-Urban land complex, 6 to 12 percent slopes			
Miamian	45	Not assigned	
Urban land	30	Not rated	
Mni3A—Minster silty clay loam, till substratum, 0 to 1 percent slopes			
Minster, till substratum	85	C-2	
		C-2	0.12
MoB—Milton silt loam, 2 to 6 percent slopes			
Milton	85	F-1	
		F-1	0.51

Selected Soil Interpretations--Franklin County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MoC2—Milton silt loam, 6 to 12 percent slopes, eroded			
Milton	85	F-1	
		F-1	0.51
MpB—Milton-Urban land complex, 2 to 6 percent slopes			
Milton	45	Not assigned	
Urban land	30	Not rated	
MpC—Milton-Urban land complex, 6 to 12 percent slopes			
Milton	45	Not assigned	
Urban land	30	Not rated	
MrB—Mitiwanga silt loam, 2 to 6 percent slopes			
Mitiwanga	85	C-1	
		C-1	0.11
OcA—Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes			
Ockley	85	A-1	
		A-1	0.01
OcB—Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes			
Ockley	85	A-1	
		A-1	0.01
OcC2—Ockley silt loam, 6 to 12 percent slopes, eroded			
Ockley	90	A-1	
		A-1	0.01
Pm—Pewamo silty clay loam			
Pewamo	85	C-1	
		C-1	0.11
Pn—Pewamo-Urban land complex			
Pewamo	50	Not assigned	
Urban land	30	Not rated	
Pt—Pits, quarry			
Pits	95	Not rated	
RdF2—Rarden silt loam, 20 to 50 percent slopes, eroded			
Rarden	100	F-2	
		F-2	0.52

Selected Soil Interpretations--Franklin County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RhB—Ritchey silt loam, 2 to 6 percent slopes			
Ritchey	85	E-1	
		E-1	0.40
RhD2—Ritchey silt loam, 12 to 18 percent slopes, eroded			
Ritchey	85	E-1	
		E-1	0.40
Rs—Ross silt loam, occasionally flooded			
Ross	85	A-5	
		A-5	0.05
Sh—Shoals silt loam, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
SIA—Sleeth silt loam, 0 to 2 percent slopes			
Sleeth	90	C-1	
		C-1	0.11
SmA—Sleeth-Urban land complex, 0 to 2 percent slopes			
Sleeth	45	Not assigned	
Urban land	30	Not rated	
So—Sloan silt loam, frequently flooded			
Sloan	85	C-3	
		C-3	0.13
ThA—Thackery silt loam, 0 to 2 percent slopes			
Thackery	90	A-1	
		A-1	0.01
ThB—Thackery silt loam, 2 to 6 percent slopes			
Thackery	90	A-1	
		A-1	0.01
Up—Udorthents, loamy, rolling			
Udorthents	90	Not rated	
Ur—Udorthents, loamy, sloping			
Udorthents	80	Not rated	
Us—Udorthents, loamy, steep			
Udorthents	90	Not rated	

Selected Soil Interpretations--Franklin County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ut—Udorthents-Urban land complex, gently rolling			
Udorthents	50	Not rated	
Urban land	40	Not rated	
Uu—Urban land-Bennington complex, 2 to 6 percent slopes			
Urban land	65	Not rated	
Bennington	15	Not assigned	
Uv—Urban land-Celina complex, 2 to 12 percent slopes			
Urban land	65	Not rated	
Celina	15	Not assigned	
Uw—Urban land-Genesee complex, occasionally flooded			
Urban land	65	Not rated	
Genesee	15	Not assigned	
Ux—Urban land-Ockley complex, 0 to 6 percent slopes			
Urban land	65	Not rated	
Ockley	15	Not assigned	
W—Water			
Water	100	Not rated	
WdA—Warsaw silt loam, 0 to 2 percent slopes			
Warsaw	85	A-1	
		A-1	0.01
WdB—Warsaw silt loam, 2 to 6 percent slopes			
Warsaw	85	A-1	
		A-1	0.01
WeA—Wea silt loam, 0 to 2 percent slopes			
Wea	85	A-1	
		A-1	0.01
WeB—Wea silt loam, 2 to 6 percent slopes			
Wea	85	A-1	
		A-1	0.01
Wt—Westland silty clay loam			
Westland	85	C-1	
		C-1	0.11

Data Source Information

Soil Survey Area: Franklin County, Ohio
Survey Area Data: Version 12, Sep 18, 2014