

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Fulton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ad—Adrian muck, drained, 0 to 1 percent slopes			
Adrian, drained	95	D-1	
		D-1	0.30
BcA—Bixler loamy fine sand, 0 to 3 percent slopes			
Bixler	85	C-1	
		C-1	0.11
BnA—Blount loam, 0 to 2 percent slopes			
Blount	85	C-1	
		C-1	0.11
BnB—Blount loam, 2 to 6 percent slopes			
Blount	85	C-1	
		C-1	0.11
BoB—Blount-Rimer complex, 2 to 6 percent slopes			
Blount	55	C-1	
		C-1	0.11
Rimer	30	C-1	
		C-1	0.11
BrB—Boyer loamy sand, 1 to 6 percent slopes			
Boyer	85	B-1	
		B-1	0.07
ByA—Brady sandy loam, 0 to 3 percent slopes			
Brady	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Fulton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ch—Cohoctah fine sandy loam, frequently flooded			
Cohoctah	90	C-3	
		C-3	0.13
Cn—Colwood loam			
Colwood	85	C-1	
		C-1	0.11
CoB—Colonie fine sand, 1 to 6 percent slopes			
Colonie	92	B-1	
		B-1	0.07
CoC—Colonie fine sand, 6 to 12 percent slopes			
Colonie	96	B-1	
		B-1	0.07
CoD—Colonie fine sand, 12 to 18 percent slopes			
Colonie	90	B-1	
		B-1	0.07
DfA—Del Rey silt loam, 0 to 3 percent slopes			
Del rey	85	C-1	
		C-1	0.11
DmA—Digby loam, 0 to 3 percent slopes			
Digby	85	C-1	
		C-1	0.11
DtA—Dixboro fine sandy loam, 0 to 3 percent slopes			
Dixboro	85	C-1	
		C-1	0.11
Ee—Eel silt loam, frequently flooded			
Eel	90	A-5	
		A-5	0.05
FtA—Fulton silty clay loam, 0 to 2 percent slopes			
Fulton	85	C-2	
		C-2	0.12
FtB—Fulton silty clay loam, 2 to 6 percent slopes			
Fulton	85	C-2	
		C-2	0.12

Selected Soil Interpretations--Fulton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GaB—Galen loamy fine sand, 1 to 6 percent slopes			
Galen	85	A-1	
		A-1	0.01
Gf—Gilford fine sandy loam			
Gilford	85	C-1	
		C-1	0.11
GnB2—Glynwood loam, 2 to 6 percent slopes, eroded			
Glynwood	85	F-5	
		F-5	0.55
GnC2—Glynwood loam, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
GnD2—Glynwood loam, 12 to 18 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
GoC3—Glynwood clay loam, 6 to 12 percent slopes, severely eroded			
Glynwood	85	A-6	
		A-6	0.06
Gr—Granby loamy fine sand			
Granby	85	C-1	
		C-1	0.11
HkA—Haskins loam, 0 to 3 percent slopes			
Haskins	85	C-1	
		C-1	0.11
HoA—Hoytville clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
KfA—Kibbie loam, 0 to 3 percent slopes			
Kibbie	85	C-1	
		C-1	0.11
La—Lamson fine sandy loam			
Lamson	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Fulton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Lc—Latty silty clay			
Latty	85	C-2	
		C-2	0.12
Lf—Lenawee silty clay loam			
Lenawee	85	C-1	
		C-1	0.11
Mf—Merrill loam			
Merrill	85	C-1	
		C-1	0.11
Mo—Millgrove loam			
Millgrove	85	C-1	
		C-1	0.11
NnA—Nappanee loam, 0 to 2 percent slopes			
Nappanee	85	C-2	
		C-2	0.12
NnB—Nappanee loam, 2 to 6 percent slopes			
Nappanee	85	C-2	
		C-2	0.12
OaB—Oakville fine sand, 0 to 6 percent slopes			
Oakville	85	B-1	
		B-1	0.07
OaC—Oakville fine sand, 6 to 12 percent slopes			
Oakville	85	B-1	
		B-1	0.07
OrB—Oshtemo loamy sand, 0 to 6 percent slopes			
Oshtemo	85	B-1	
		B-1	0.07
OtB—Ottokee fine sand, 0 to 6 percent slopes			
Ottokee	85	B-1	
		B-1	0.07
OuB—Ottokee-Glynwood complex, 3 to 8 percent slopes			
Ottokee	60	B-1	
		B-1	0.07
Glynwood	30	A-6	
		A-6	0.06

Selected Soil Interpretations--Fulton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
PeB--Perrin sandy loam, 2 to 6 percent slopes			
Perrin	85	B-1	
		B-1	0.07
Pm--Pewamo clay loam			
Pewamo	90	C-1	
		C-1	0.11
Ps--Psammaquents, nearly level			
Psammaquents	85	Not rated	
RbB--Rawson sandy loam, 2 to 6 percent slopes			
Rawson	85	F-5	
		F-5	0.55
		A-1	0.01
RnA--Rimer loamy fine sand, 0 to 3 percent slopes			
Rimer	85	C-1	
		C-1	0.11
SdB--Seward loamy fine sand, 2 to 6 percent slopes			
Seward	85	F-5	
		F-5	0.55
SdC--Seward loamy fine sand, 6 to 12 percent slopes			
Seward	85	F-5	
		F-5	0.55
SfB2--Shinrock silty clay loam, 2 to 6 percent slopes, eroded			
Shinrock	85	A-6	
		A-6	0.06
SfC2--Shinrock silty clay loam, 6 to 12 percent slopes, eroded			
Shinrock	85	A-6	
		A-6	0.06
SgB2--Shinrock-Tuscola complex, 3 to 8 percent slopes, eroded			
Shinrock	55	A-6	
		A-6	0.06
Tuscola	30	A-6	
		A-6	0.06

Selected Soil Interpretations--Fulton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Sh—Shoals silt loam, frequently flooded			
Shoals	85	C-3	
		C-3	0.13
So—Sloan silty clay loam, frequently flooded			
Sloan	85	C-3	
		C-3	0.13
SpB—Spinks fine sand, 1 to 6 percent slopes			
Spinks	85	B-1	
		B-1	0.07
SpC—Spinks fine sand, 6 to 12 percent slopes			
Spinks	85	B-1	
		B-1	0.07
TdA—Tedrow loamy fine sand, 0 to 3 percent slopes			
Tedrow	85	C-1	
		C-1	0.11
TsA—Toussaint silty clay loam, 0 to 1 percent slopes			
Toussaint	98	C-1	
		C-1	0.11
TuB—Tuscola fine sandy loam, 3 to 8 percent slopes			
Tuscola	85	A-6	
		A-6	0.06
Uo—Udorthents, loamy			
Udorthents	100	Not rated	
W—Water			
Water	100	Not rated	
Wf—Wauseon fine sandy loam			
Wauseon	85	C-2	
		C-2	0.12
Zie5A—Ziegenfuss clay loam, 0 to 1 percent slopes			
Ziegenfuss	86	C-1	
		C-1	0.11

Data Source Information

Soil Survey Area: Fulton County, Ohio
Survey Area Data: Version 13, Sep 18, 2014