

Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

Water table refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

Water Features—Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AaC—Aaron silt loam, 8 to 15 percent slopes										
Aaron	D	Very high	January	1.5-3.0	3.3-5.0	—	—	None	—	None
			February	1.5-3.0	3.3-5.0	—	—	None	—	None
			March	1.5-3.0	3.3-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	3.3-5.0	—	—	None	—	None
			December	1.5-3.0	3.3-5.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AbC--Aaron-Gilpin complex, 8 to 15 percent slopes										
Aaron	D	Very high	January	1.5-3.0	2.5-4.0	—	—	None	—	None
			February	1.5-3.0	2.5-4.0	—	—	None	—	None
			March	1.5-3.0	2.5-4.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.5-4.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.5-3.0	2.5-4.0	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AkB--Allegheny loam, 3 to 8 percent slopes										
Allegheny	B	—	January	3.6-5.2	4.2-7.5	—	—	None	—	None
			February	3.6-5.2	4.2-7.5	—	—	None	—	None
			March	3.6-5.2	4.2-7.5	—	—	None	—	None
			April	3.6-5.2	4.2-7.5	—	—	None	—	None
			May	3.6-5.2	4.2-7.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	3.6-5.2	4.2-7.5	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AkC--Allegheny loam, 8 to 15 percent slopes										
Allegheny	B	—	January	3.6-5.2	4.2-7.5	—	—	None	—	None
			February	3.6-5.2	4.2-7.5	—	—	None	—	None
			March	3.6-5.2	4.2-7.5	—	—	None	—	None
			April	3.6-5.2	4.2-7.5	—	—	None	—	None
			May	3.6-5.2	4.2-7.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	3.6-5.2	4.2-7.5	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AkD--Allegheny loam, 15 to 25 percent slopes										
Allegheny	B	—	January	3.6-5.2	4.2-7.5	—	—	None	—	None
			February	3.6-5.2	4.2-7.5	—	—	None	—	None
			March	3.6-5.2	4.2-7.5	—	—	None	—	None
			April	3.6-5.2	4.2-7.5	—	—	None	—	None
			May	3.6-5.2	4.2-7.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	3.6-5.2	4.2-7.5	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BcF--Berks-Upshur association, very steep										
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhD—Bethesda channery clay loam, 8 to 25 percent slopes										
Bethesda	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhF--Bethesda channery clay loam, 40 to 70 percent slopes										
Bethesda	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ChD--Clymer loam, 15 to 25 percent slopes										
Clymer	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Chg1AF—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded										
Chagrin	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CkB--Clymer silt loam, 3 to 8 percent slopes										
Clymer	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CkC—Clymer silt loam, 8 to 15 percent slopes										
Clymer	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoB--Coolville silt loam, 1 to 6 percent slopes										
Coolville	C	Medium	January	—	—	—	—	None	—	None
			February	1.5-3.0	3.3-5.0	—	—	None	—	None
			March	1.5-3.0	3.3-5.0	—	—	None	—	None
			April	1.5-3.0	3.3-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CpB--Coolville silt loam, 3 to 8 percent slopes										
Coolville	D	Very high	January	—	—	—	—	None	—	None
			February	2.0-3.5	2.0-4.0	—	—	None	—	None
			March	2.0-3.5	2.0-4.0	—	—	None	—	None
			April	2.0-3.5	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Cub1AO--Cuba silt loam, 0 to 3 percent slopes, occasionally flooded										
Cuba	B	Low	January	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Dm--Dumps, mine										
Dumps	—	—	Jan-Dec	—	—	—	—	—	—	—
Dol1A1--Doles silt loam, 0 to 2 percent slopes										
Doles	C/D	Low	January	0.5-1.0	1.0-2.0	—	—	None	—	None
			February	0.5-1.0	1.0-2.0	—	—	None	—	None
			March	0.5-1.0	1.0-2.0	—	—	None	—	None
			April	0.5-1.0	1.0-2.0	—	—	None	—	None
			May	0.5-1.0	1.0-2.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	1.0-2.0	—	—	None	—	None
			December	0.5-1.0	1.0-2.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EkB—Elkinsville silt loam, 1 to 6 percent slopes										
Elkinsville	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaB--Fairpoint channery silty clay loam, 1 to 8 percent slopes										
Fairpoint	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaD--Fairpoint channery silty clay loam, 8 to 25 percent slopes										
Fairpoint	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaE--Fairpoint channery silty clay loam, 25 to 40 percent slopes										
Fairpoint	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Gal2C1—Gallia loam, 6 to 12 percent slopes										
Gallia	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GbB—Gallipolis silt loam, 1 to 6 percent slopes										
Gallipolis	C	Medium	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GbC—Gallipolis silt loam, 6 to 15 percent slopes										
Gallipolis	C	High	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfB—Gallipolis silt loam, 2 to 6 percent slopes										
Gallipolis	C	Medium	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GIR1D2—Gilpin-Rarden silt loams, 15 to 25 percent slopes, eroded										
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rarden	D	Very high	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GIR1E1—Gilpin-Rarden silt loams, 25 to 40 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rarden	D	Very high	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GIRZE1--Gilpin-Rarden association, steep										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rarden	D	Very high	January	1.5-3.0	1.6-3.3	—	—	None	—	None
			February	1.5-3.0	1.6-3.3	—	—	None	—	None
			March	1.5-3.0	1.6-3.3	—	—	None	—	None
			April	1.5-3.0	1.6-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GsC—Guernsey-Gilpin silt loams, 8 to 15 percent slopes										
Guernsey	C	High	January	1.5-3.0	1.6-4.2	—	—	None	—	None
			February	1.5-3.0	1.6-4.2	—	—	None	—	None
			March	1.5-3.0	1.6-4.2	—	—	None	—	None
			April	1.5-3.0	1.6-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GUSZE1—Gilpin-Upshur-Steinsburg association, steep										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GwE--Guernsey-Gilpin association, steep										
Guernsey	C	Very high	January	1.5-3.0	1.6-4.2	—	—	None	—	None
			February	1.5-3.0	1.6-4.2	—	—	None	—	None
			March	1.5-3.0	1.6-4.2	—	—	None	—	None
			April	1.5-3.0	1.6-4.2	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KaB--Kanawha silt loam, 1 to 8 percent slopes										
Kanawha	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KbB--Kanawha silt loam, 2 to 6 percent slopes										
Kanawha	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Kg--Kyger loamy sand, frequently flooded										
Kyger	A/D	Very low	January	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			February	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			March	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			April	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			May	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			November	—	—	—	—	—	Long (7 to 30 days)	Frequent
			December	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KnL1AF--Kinnick-Lindside silt loams, 0 to 3 percent slopes, frequently flooded										
Kinnick	B	Low	January	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Lindside	C	Low	January	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LaG1D1—Latham-Gilpin silt loams, 15 to 25 percent slopes										
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LaG1D2—Latham-Gilpin silt loams, 15 to 25 percent slopes, eroded										
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LaSZE1--Latham-Steinsburg association, steep										
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LgC—Lily loam, 8 to 15 percent slopes										
Lily	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LgD—Lily loam, 15 to 25 percent slopes										
Lily	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LhC—Lily silt loam, 8 to 15 percent slopes										
Lily	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lic1B1—Licking silt loam, 2 to 6 percent slopes										
Licking	C/D	Low	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lic1C2—Licking silt loam, 6 to 12 percent slopes, eroded										
Licking	C/D	Medium	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lic1D2—Licking silt loam, 12 to 18 percent slopes, eroded										
Licking	C/D	Very high	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LiLXD1—Lily-Latham complex, 15 to 25 percent slopes										
Lily	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LiRXD1—Lily-Rarden complex, 15 to 25 percent slopes										
Lily	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rarden	D	Very high	January	1.5-3.0	1.6-3.3	—	—	None	—	None
			February	1.5-3.0	1.6-3.3	—	—	None	—	None
			March	1.5-3.0	1.6-3.3	—	—	None	—	None
			April	1.5-3.0	1.6-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LpD—Lily-Upshur complex, 15 to 25 percent slopes										
Lily	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Ls—Lindside silt loam, occasionally flooded										
Lindside	C	Low	January	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
McB--McGary silt loam, 1 to 6 percent slopes										
Mcgary	D	High	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MoC—Monongahela loam, 8 to 15 percent slopes										
Monongahela	D	High	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	1.5-3.0	2.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.0-5.0	—	—	None	—	None
Ne—Newark silt loam, frequently flooded										
Newark	B/D	Low	January	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.5	>6.0	—	—	None	—	—
			December	0.5-1.5	>6.0	—	—	None	—	—

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
New1AF--Newark silt loam, 0 to 3 percent slopes, frequently flooded										
Newark	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			November	0.5-1.0	>6.0	—	—	None	—	—
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
No--Nolin silt loam, 0 to 3 percent slopes, occasionally flooded										
Nolin, occasionally flooded	B	—	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Omu1B1—Omulga silt loam, 2 to 6 percent slopes										
Omulga	C	Low	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.5-3.5	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Omu1C1—Omulga silt loam, 6 to 12 percent slopes										
Omulga	C	Medium	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.5-3.5	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Orr1AF—Orrville silt loam, 0 to 3 percent slopes, frequently flooded										
Orrville	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pe--Peoga silt loam										
Peoga	C/D	Low	January	0.0-1.0	>6.0	—	—	None	—	None
			February	0.0-1.0	>6.0	—	—	None	—	None
			March	0.0-1.0	>6.0	—	—	None	—	None
			April	0.0-1.0	>6.0	—	—	None	—	None
			May	0.0-1.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PgB--Pinegrove sandy loam, 1 to 8 percent slopes										
Pinegrove	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pio1AF--Piopolis silt loam, 0 to 2 percent slopes, frequently flooded										
Piopolis	C/D	Very low	January	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			February	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			March	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			April	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			May	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			June	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			November	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			December	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PmB—Pinegrove coarse sandy loam, 0 to 8 percent slopes										
Pinegrove	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PmD—Pinegrove coarse sandy loam, 8 to 25 percent slopes										
Pinegrove	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PmF—Pinegrove coarse sandy loam, 25 to 70 percent slopes										
Pinegrove	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PnD—Pinegrove sand, 8 to 25 percent slopes										
Pinegrove	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PnF—Pinegrove sand, 25 to 70 percent slopes										
Pinegrove	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Pop1AF—Pope silt loam, 0 to 3 percent slopes, frequently flooded										
Pope	B	Very low	January	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pop1AO—Pope silt loam, 0 to 3 percent slopes, occasionally flooded										
Pope	B	Very low	January	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
Pop6AF—Pope fine sandy loam, 0 to 3 percent slopes, frequently flooded										
Pope	A	Very low	January	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PpS1AF--Pope-Stokly silt loams, 0 to 3 percent slopes, frequently flooded										
Pope	B	Low	January	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Stokly	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Ps--Pits, sand and gravel										
Pits	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Rar1C2—Rarden silt loam, 8 to 15 percent slopes, eroded										
Rarden	D	High	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RgLZE1—Rigley-Latham association, steep										
Rigley	A	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrG1C1--Rarden-Gilpin silt loams, 8 to 15 percent slopes										
Rarden	D	High	January	1.0-2.5	2.0-3.5	—	—	None	—	None
			February	1.0-2.5	2.0-3.5	—	—	None	—	None
			March	1.0-2.5	2.0-3.5	—	—	None	—	None
			April	1.0-2.5	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.0-2.5	2.0-3.5	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrG1C2--Rarden-Gilpin silt loams, 8 to 15 percent slopes, eroded										
Rarden	D	High	January	1.0-2.5	2.0-3.5	—	—	None	—	None
			February	1.0-2.5	2.0-3.5	—	—	None	—	None
			March	1.0-2.5	2.0-3.5	—	—	None	—	None
			April	1.0-2.5	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.0-2.5	2.0-3.5	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrG1D1--Rarden-Gilpin silt loams, 15 to 25 percent slopes										
Rarden	D	Very high	January	1.0-2.5	2.0-3.5	—	—	None	—	None
			February	1.0-2.5	2.0-3.5	—	—	None	—	None
			March	1.0-2.5	2.0-3.5	—	—	None	—	None
			April	1.0-2.5	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.0-2.5	2.0-3.5	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrG1D2--Rarden-Gilpin silt loams, 15 to 25 percent slopes, eroded										
Rarden	D	Very high	January	1.0-2.5	2.0-3.5	—	—	None	—	None
			February	1.0-2.5	2.0-3.5	—	—	None	—	None
			March	1.0-2.5	2.0-3.5	—	—	None	—	None
			April	1.0-2.5	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.0-2.5	2.0-3.5	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrSZE1--Rarden-Steinsburg association, steep										
Rarden	D	Very high	January	1.5-3.0	1.6-3.3	—	—	None	—	None
			February	1.5-3.0	1.6-3.3	—	—	None	—	None
			March	1.5-3.0	1.6-3.3	—	—	None	—	None
			April	1.5-3.0	1.6-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrW1C2--Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded										
Rarden	D	High	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wharton	C	High	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None
			December	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrW1D2--Rarden-Wharton silt loams, 15 to 25 percent slopes, eroded										
Rarden	D	Very high	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wharton	C	Very high	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None
			December	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ScE--Steinsburg-Clymer association, steep										
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Clymer	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SgE--Steinsburg-Gilpin association, steep										
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SgF--Steinsburg-Gilpin association, very steep										
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SkP1AF--Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded										
Stokly	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Philo	B/D	Low	January	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			February	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			March	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			April	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			May	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			November	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			December	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SrF--Steinsburg-Rock outcrop association, very steep										
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Rock outcrop	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Stn1AO—Stendal silt loam, 0 to 3 percent slopes, occasionally flooded										
Stendal	B/D	Very high	January	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			February	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			March	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			April	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			May	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			November	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			December	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TfA--Taggart silt loam, 0 to 2 percent slopes										
Taggart	D	High	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TgA—Taggart silt loam, 0 to 3 percent slopes										
Taggart	D	High	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Ud—Udorthents										
Udorthents	—	—	Jan-Dec	—	—	—	—	—	—	—
Uf—Udorthents, sanitary landfill										
Udorthents	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UgC—Upshur-Gilpin complex, 8 to 15 percent slopes										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UgC2—Upshur-Gilpin complex, 8 to 15 percent slopes, eroded										
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UgD—Upshur-Gilpin complex, 15 to 25 percent slopes										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UgD2—Upshur-Gilpin complex, 15 to 25 percent slopes, eroded										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UgE—Upshur-Gilpin complex, 25 to 50 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
VaC2--Vandalia silty clay loam, 6 to 15 percent slopes, eroded										
Vandalia	C	High	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.0-6.0	—	—	None	—	None
			March	4.0-6.0	4.0-6.0	—	—	None	—	None
			April	4.0-6.0	4.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
VaD3—Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded										
Vandalia	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
VnD3--Vandalia-Gilpin complex, 15 to 25 percent slopes, severely eroded										
Vandalia	C	Very high	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.0-6.0	—	—	None	—	None
			March	4.0-6.0	4.0-6.0	—	—	None	—	None
			April	4.0-6.0	4.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
W—Water										
Water	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WeB--Wellston silt loam, 1 to 6 percent slopes										
Wellston	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhA--Wheeling silt loam, 0 to 3 percent slopes										
Wheeling	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhB--Wheeling silt loam, 3 to 6 percent slopes										
Wheeling	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhC—Wheeling silt loam, 6 to 15 percent slopes										
Wheeling	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhE--Wheeling silt loam, 25 to 40 percent slopes										
Wheeling	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WoB--Woodsfield silt loam, 1 to 6 percent slopes										
Woodsfield	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wya1B1--Wyatt silt loam, 2 to 6 percent slopes										
Wyatt	C/D	Medium	January	1.0-2.5	3.3-5.5	—	—	None	—	None
			February	1.0-2.5	3.3-5.5	—	—	None	—	None
			March	1.0-2.5	3.3-5.5	—	—	None	—	None
			April	1.0-2.5	3.3-5.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	3.3-5.5	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wya3C2--Wyatt silty clay loam, 6 to 12 percent slopes, eroded										
Wyatt	C/D	High	January	1.0-2.5	3.0-5.0	—	—	None	—	None
			February	1.0-2.5	3.0-5.0	—	—	None	—	None
			March	1.0-2.5	3.0-5.0	—	—	None	—	None
			April	1.0-2.5	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	3.0-5.0	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wya3D2--Wyatt silty clay loam, 12 to 18 percent slopes, eroded										
Wyatt	C/D	Very high	January	1.0-2.5	3.0-4.6	—	—	None	—	None
			February	1.0-2.5	3.0-4.6	—	—	None	—	None
			March	1.0-2.5	3.0-4.6	—	—	None	—	None
			April	1.0-2.5	3.0-4.6	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	3.0-4.6	—	—	None	—	None

Water Features--Gallia County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ZaB--Zanesville silt loam, 1 to 6 percent slopes										
Zanesville	C	Low	January	2.0-3.0	3.0-5.0	—	—	None	—	None
			February	2.0-3.0	3.0-5.0	—	—	None	—	None
			March	2.0-3.0	3.0-5.0	—	—	None	—	None
			April	2.0-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.0	3.0-5.0	—	—	None	—	None

Data Source Information

Soil Survey Area: Gallia County, Ohio
 Survey Area Data: Version 12, Sep 18, 2014