Map symbol	Soil name	Acres	Percent
Ad	Adrian muck, drained, 0 to 1 percent slopes	144	*
ArB	Arkport fine sand, 2 to 6 percent slopes	208	*
ArC	Arkport fine sand, 6 to 12 percent slopes	107	*
AsA	Aurand fine sandy loam, 0 to 2 percent slopes	1	*
AtA	Aurand loam, 0 to 2 percent slopes	3	*
BcA	Bixler loamy fine sand, 0 to 3 percent slopes	89	*
Ca	Clay pits	124	*
Ch	Cohoctah fine sandy loam	100	*
Ck	Colwood fine sandy loam, 0 to 1 percent slopes	20	*
Cm	Colwood loam, 0 to 1 percent slopes	18	*
Cn	Colwood loam	2,391	0.9
Co	Colwood silt loam	501	0.2
CoB	Colonie fine sand, 1 to 6 percent slopes	91	*
CoC	Colonie fine sand, 6 to 12 percent slopes	97	*
CoD	Colonie fine sand, 12 to 18 percent slopes	57	*
Cu	Cut and fill land	581	0.2
DeA	Del Rey loam, 0 to 2 percent slopes	521	0.2
DfA	Del Rey silt loam, 0 to 2 percent slopes	701	0.3
DuA	Digby fine sandy loam, 0 to 2 percent slopes	1,004	0.4
DyA	Digby loam, 0 to 2 percent slopes	1,463	0.5
DzA	Digby loam, 0 to 3 percent slopes	5	*
Ee	Eel loam, 0 to 2 percent slopes, frequently flooded	2	*
FsA	Fulton loam, 0 to 2 percent slopes	2,088	0.8
FsB	Fulton loam, 2 to 6 percent slopes	291	0.1
FuA	Fulton silty clay loam, 0 to 2 percent slopes	2,741	1.0
FuB	Fulton silty clay loam, 2 to 6 percent slopes	481	0.2
FvA	Fulton loam, sandy subsoil variant, 0 to 2 percent slopes	226	*
GaA	Galen fine sand, 0 to 2 percent slopes	129	*
GaB	Galen fine sand, 2 to 6 percent slopes	1,073	0.4
GbB	Galen loamy fine sand, 1 to 6 percent slopes	128	*
Gm	Genesee loam	372	0.1
Go	Gilford fine sandy loam	2,547	0.9
Gr	Granby loamy fine sand	6,281	2.3
Gv	Gravel pits	17	*
HaA	Haney fine sandy loam, 0 to 2 percent slopes	150	*
HaB	Haney fine sandy loam, 2 to 6 percent slopes	160	*
HcA	Hoytville silty clay loam, 0 to 1 percent slopes	86,415	32.2
HdA	Haney loam, 0 to 2 percent slopes	394	0.1
HdB	Haney loam, 2 to 6 percent slopes	233	*
HeC	Haney and Rawson loams, 6 to 12 percent slopes	92	*
HkA	Haskins fine sandy loam, 0 to 2 percent slopes	2,403	0.9
HlA	Haskins loam, 0 to 2 percent slopes	5,148	1.9
HlB	Haskins loam, 2 to 6 percent slopes	1	*
HnA	Haskins fine sandy loam, stratified substratum, 0 to 2 percent slopes	2,221	0.8
HoA	Hoytville clay loam, 0 to 1 percent slopes	57,645	21.4
KeA	Kibbie loamy fine sand, 0 to 2 percent slopes	4	*
KfA	Kibbie fine sandy loam, 0 to 2 percent slopes	758	0.3
KlA	Kibbie loam, 0 to 2 percent slopes	442	0.2
La	Latty clay	2,648	1.0
Lb	Latty silty clay	463	0.2
Le	Lenawee loam	353	0.1
Lf	Lenawee silty clay loam	3,130	1.2
LwB2	Lucas silty clay loam, 2 to 6 percent slopes, moderately eroded	133	*
LwC2	Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded	173	*
LxC3	Lucas silty clay, 6 to 12 percent slopes, severely eroded	373	0.1
LxE3	Lucas silty clay, 12 to 45 percent slopes, severely eroded	481	0.2
Mb	Mermill-Aurand complex, 0 to 1 percent slopes	3	*
Mc	Mermill silty clay loam	19	*
Md	Medway silt loam	296	0.1
Me	Mermill loam	8,858	3.3
Mf	Mermill clay loam	4,287	1.6
Mg	Mermill loam, stratified substratum	3,216	1.2

See footnote at end of table.

Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
Mh	Millgrove loam	13,707	5.1
Mk	Millgrove clay loam	853	0.3
NaA	Nappanee loam, 0 to 2 percent slopes	2,778	1.0
NaB	Nappanee loam, 2 to 6 percent slopes	240	*
NtA	Nappanee silty clay loam, 0 to 2 percent slopes	11,183	4.2
NtB	Nappanee silty clay loam, 2 to 6 percent slopes	590	0.2
NtB2	Nappanee silty clay loam, 2 to 6 percent slopes, moderately eroded	281	0.1
OaC	Oakville fine sand, 2 to 12 percent slopes	746	0.3
ObB	Oakville fine sand, 2 to 6 percent slopes	9	*
ObC	Oakville fine sand, 6 to 12 percent slopes	1	*
OsB	Oshtemo sandy loam, 2 to 6 percent slopes	349	0.1
OtB	Ottokee fine sand, 1 to 5 percent slopes	5,557	2.1
OuB	Ottokee fine sand, 0 to 6 percent slopes	425	0.2
OzB	Ottokee-Spinks loamy fine sands, 2 to 6 percent slopes	10	*
Pa	Paulding clay, 0 to 1 percent slopes	642	0.2
Pt	Pits, quarry	7	*
RaB	Rawson sandy loam, 2 to 6 percent slopes	106	*
RdB	Rawson loam, 2 to 6 percent slopes	129	*
ReB	Rawson fine sandy loam, stratified substratum, 2 to 6 percent slopes	85	*
RfA	Rimer loamy fine sand, 0 to 2 percent slopes	2,564	1.0
RgA	Rimer loamy fine sand, 0 to 3 percent slopes	20	*
RhB	Rimer and Tedrow, till substratum, loamy fine sands, 2 to 6 percent slopes	2	*
RmA	Rimer loamy fine sand, stratified substratum, 0 to 2 percent slopes	1,792	0.7
RoA	Roselms silty clay loam, 0 to 2 percent slopes	96	*
RrA	Roselms silty clay, 0 to 2 percent slopes	36	*
Rs	Ross loam	547	0.2
SaE3	St. Clair clay, 18 to 35 percent slopes, severely eroded	3	*
SbB2	St. Clair silty clay loam, 2 to 6 percent slopes, moderately eroded	152	*
SbC2	St. Clair silty clay loam, 6 to 12 percent slopes, moderately eroded	258	*
SbD2	St. Clair silty clay loam, 12 to 18 percent slopes, eroded	1	*
SbE2	St. Clair silty clay loam, 18 to 25 percent slopes, eroded	3	*
ScC3	St. Clair silty clay, 6 to 12 percent slopes, severely eroded	272	0.1
ScD3	St. Clair silty clay, 12 to 18 percent slopes, severely eroded	438	0.2
ScE3	St. Clair silty clay, 18 to 25 percent slopes, severely eroded	113	*
ScF3	St. Clair silty clay, 25 to 45 percent slopes, severely eroded	484	0.2
SdB	Seward loamy fine sand, 2 to 6 percent slopes	785	0.3
SdC	Seward loamy fine sand, 6 to 12 percent slopes	108	*
SdD	Seward loamy fine sand, 12 to 18 percent slopes	55	*
SeB	Seward loamy fine sand, stratified substratum, 2 to 6 percent slopes	451	0.2
SeC	Seward loamy fine sand, stratified substratum, 6 to 12 percent slopes	118	*
SfA	Shinrock silt loam, sandy subsoil variant, 0 to 2 percent slopes	162	*
Sh	Shoals silt loam	1,575	0.6
Sm	Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded	50	*
Sn	Sloan loam, occasionally flooded	5	*
So	Sloan silty clay loam	1,975	0.7
SpB	Spinks fine sand, 2 to 6 percent slopes	40	*
SpC	Spinks fine sand, 6 to 12 percent slopes	95	*
SpD	Spinks fine sand, 12 to 18 percent slopes	15	*
TdA	Tedrow loamy fine sand, 0 to 2 percent slopes	3,029	1.1
TeA	Tedrow loamy fine sand, silty subsoil variant, 0 to 2 percent slopes	294	0.1
To	Toledo silty clay loam	3,984	1.5
TsA	Toussaint silty clay loam, 0 to 1 percent slopes	166	*
Tt	Toledo silty clay	3,263	1.2
TuB2	Tuscola loam, 2 to 6 percent slopes, moderately eroded	153	*
TuC2	Tuscola loam, 6 to 12 percent slopes, moderately eroded	183	*
Ud	Udorthents, rolling	14	*
Ur	Urban land	285	0.1
VaA	Vaughnsville loam, 0 to 2 percent slopes	65	*
W	Water	1,476	0.5
Wa	Wabasha silty clay	563	0.2
Wc	Warners muck	67	*
Wf	Wauseon fine sandy loam	140	*

See footnote at end of table.

Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
Wg	Wauseon loamy fine sand, stratified substratum	78	*
	Total	268,774	100.0

* Less than 0.1 percent.