

Hydric Soil List - All Components

This table lists the map unit components and their hydric status in the survey area. This list can help in planning land uses; however, onsite investigation is recommended to determine the hydric soils on a specific site (National Research Council, 1995; Hurt and others, 2002).

The three essential characteristics of wetlands are hydrophytic vegetation, hydric soils, and wetland hydrology (Cowardin and others, 1979; U.S. Army Corps of Engineers, 1987; National Research Council, 1995; Tiner, 1985). Criteria for all of the characteristics must be met for areas to be identified as wetlands. Undrained hydric soils that have natural vegetation should support a dominant population of ecological wetland plant species. Hydric soils that have been converted to other uses should be capable of being restored to wetlands.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (Federal Register, 1994). These soils, under natural conditions, are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.

The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 2002). These criteria are used to identify map unit components that normally are associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (Soil Survey Staff, 1999) and "Keys to Soil Taxonomy" (Soil Survey Staff, 2006) and in the "Soil Survey Manual" (Soil Survey Division Staff, 1993).

If soils are wet enough for a long enough period of time to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils are specified in "Field Indicators of Hydric Soils in the United States" (Hurt and Vasilas, 2006).

Hydric soils are identified by examining and describing the soil to a depth of about 20 inches. This depth may be greater if determination of an appropriate indicator so requires. It is always recommended that soils be excavated and described to the depth necessary for an understanding of the redoximorphic processes. Then, using the completed soil descriptions, soil scientists can compare the soil features required by each indicator and specify which indicators have been matched with the conditions observed in the soil. The soil can be identified as a hydric soil if at least one of the approved indicators is present.

Map units that are dominantly made up of hydric soils may have small areas, or inclusions, of nonhydric soils in the higher positions on the landform, and map units dominantly made up of nonhydric soils may have inclusions of hydric soils in the lower positions on the landform.

The criteria for hydric soils are represented by codes in the table (for example, 2). Definitions for the codes are as follows:

1. All Histels except for Folistels, and Histosols except for Folistels.
2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Historthels great group, Histoturbels great group, Pachic subgroups, or Cumulic subgroups that:
 - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
 - B. Show evidence that the soil meets the definition of a hydric soil;
3. Soils that are frequently ponded for long or very long duration during the growing season.
 - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
 - B. Show evidence that the soil meets the definition of a hydric soil;
4. Map unit components that are frequently flooded for long duration or very long duration during the growing season that:
 - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
 - B. Show evidence that the soil meets the definition of a hydric soil;

Hydric Condition: Food Security Act information regarding the ability to grow a commodity crop without removing woody vegetation or manipulating hydrology.

References:

- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
Federal Register. Doc. 2012-4733 Filed 2-28-12. February, 28, 2012. Hydric soils of the United States.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18.
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service. U.S. Department of Agriculture Handbook 436.
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service.
- Vasilas, L.M., G.W. Hurt, and C.V. Noble, editors. Version 7.0, 2010. Field indicators of hydric soils in the United States.

Report—Hydric Soil List - All Components

Hydric Soil List - All Components—OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
Ad: Adrian muck, drained, 0 to 1 percent slopes	Adrian-Drained	90-100	Depressions	Yes	1,3
	Mermill-Drained	0-5	Depressions	Yes	2,3
	Granby-Drained	0-5	Depressions	Yes	2,3
ArB: Arkport fine sand, 2 to 6 percent slopes	Arkport	100	Dunes,ridges on lake plains	No	—
	Oakville		Beach ridges on outwash plains,beach ridges on lake plains,beach ridges on moraines,dunes on outwash plains,dunes on lake plains,dunes on moraines	—	—
	Galen		Dunes on lake plains,dunes on moraines,beach ridges on lake plains,beach ridges on moraines	—	—
	Ottokee		Dunes on lake plains,beach ridges on lake plains	—	—
ArC: Arkport fine sand, 6 to 12 percent slopes	Arkport	100	Dunes,ridges on lake plains	No	—
	gently sloping areas		—	—	—
	Oakville		Beach ridges on moraines,dunes on moraines,beach ridges on outwash plains,beach ridges on lake plains,dunes on outwash plains,dunes on lake plains	—	—
	slopes of more than 12 percent		—	—	—
AsA: Aurand fine sandy loam, 0 to 2 percent slopes	Aurand	90	Flats on lake plains,rises on lake plains	No	—
	Mermill	7	Drainageways on lake plains,depressions on lake plains	Yes	2

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Alvada	3	Depressions on lake plains, drainageways on lake plains	Yes	2
	Stratified substratum between 40 and 60 inches		—	—	—
	Surface layer less than 10 inches thick		—	—	—
	Moderately well drained soils		Rises on lake plains, knolls on lake plains	—	—
	More clay in the subsoil		—	—	—
	Sandy loam, loam, or clay loam surface texture		—	—	—
	Lighter colored surface layer		—	—	—
	Carbonates between 15 and 25 inches		—	—	—
	Till between 40 and 60 inches		—	—	—
AtA: Aurand loam, 0 to 2 percent slopes	Aurand	91	Flats on lake plains, beach ridges on lake plains, rises on lake plains	No	—
	Mermill	6	Depressions on lake plains, drainageways on lake plains	Yes	2
	Alvada	3	Depressions on lake plains, drainageways on lake plains	Yes	2
	Till at 40 to 60 inches		—	—	—
	Moderately well drained soils		—	—	—
	Dark colored surface layer less than 10 inches thick		—	—	—
	More clay and less sand in the subsoil		—	—	—
	Lighter colored surface layer		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
BcA: Bixler loamy fine sand, 0 to 3 percent slopes	Bixler	85	Knolls on beach ridges, knolls on outwash plains, ridges on deltas, ridges on beach ridges, ridges on outwash plains, knolls on deltas	No	—
	Colwood	4	Drainageways on beach ridges, drainageways on deltas, depressions on outwash plains, depressions on beach ridges, depressions on deltas, drainageways on outwash plains	Yes	2,3
	Ottokee	4	Beach ridges on lake plains, dunes on lake plains	—	—
	Tedrow	4	Dunes on outwash plains, beach ridges on lake plains, beach ridges on outwash plains, dunes on lake plains	—	—
	Lamson	3	Drainageways on beach ridges, drainageways on outwash plains, drainageways on deltas, depressions on outwash plains, depressions on deltas, depressions on beach ridges	Yes	2,3
Ca: Clay pits	Clay pits	100	—	Unranked	—
Ch: Cohoctah fine sandy loam	Cohoctah	100	Flood plains	Yes	2
	more sandy soil that is very droughty		Flood plains	Yes	2
Ck: Colwood fine sandy loam, 0 to 1 percent slopes	Colwood	90	Deltas on lake plains, drainageways on lake plains, depressions on lake plains, flats on lake plains	Yes	2,3
	Kibbie	5	— error in exists on —	No	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Wauseon	5	Drainageways on lake plains,deltas on lake plains,depressions on lake plains	Yes	2,3
	Less clay in the subsoil		Depressions on lake plains,flats on lake plains,drainageways on lake plains,deltas on lake plains	Yes	2,3
	Surface layer more than 10 inches thick		Deltas on lake plains,depressions on lake plains,flats on lake plains,drainageways on lake plains	Yes	2,3
	Loamy fine sand or loam surface layer		Flats on lake plains,deltas on lake plains,drainageways on lake plains,depressions on lake plains	Yes	2,3
	Till at 40 to 60 inches		Deltas on lake plains,depressions on lake plains,flats on lake plains,drainageways on lake plains	Yes	2,3
	More clay in the subsoil		Drainageways on lake plains,depressions on lake plains,flats on lake plains,deltas on lake plains	Yes	2,3
	Merrill		Lake plains	Yes	2,3
Cm: Colwood loam, 0 to 1 percent slopes	Colwood	90	Drainageways on lake plains,deltas on lake plains,depressions on lake plains,flats on lake plains	Yes	2,3
	Wauseon	5	Depressions on lake plains,drainageways on lake plains,deltas on lake plains	Yes	2,3
	Kibbie	5	Flats on lake plains,rises on lake plains	No	—
	Fine sandy loam surface layer		Depressions on lake plains,flats on lake plains,drainageways on lake plains,deltas on lake plains	Yes	2,3

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Surface layer more than 10 inches thick		Drainageways on lake plains, depressions on lake plains, flats on lake plains, deltas on lake plains	Yes	2,3
	Mermill		Lake plains	Yes	2,3
	Less clay in the subsoil		Drainageways on lake plains, deltas on lake plains, depressions on lake plains, flats on lake plains	Yes	2,3
Cn: Colwood loam	Colwood	95	Flats on lake plains	Yes	2,3
	Kibbie	3	Lake plains, ground moraines, deltas, out wash plains	No	—
	Rimer	2	Lake plains, till plains	No	—
	fine sandy loam surface layer		Flats on lake plains	Yes	2,3
	thinner surface layer		Flats on lake plains	Yes	2,3
Co: Colwood silt loam	Colwood	95	Flats on lake plains	Yes	2,3
	Kibbie	3	Lake plains, ground moraines, deltas, out wash plains	No	—
	Del Rey	2	Till plains	No	—
	thinner surface layer		Flats on lake plains	Yes	2,3
CoB: Colonie fine sand, 1 to 6 percent slopes	Colonie	82-100	Dunes on lake plains, beach ridges on lake plains, longshore bars (relict) on lake plains	No	—
	Tedrow	0-18	Dunes on lake plains, longshore bars (relict) on lake plains, beach ridges on lake plains	No	—
	Granby	0-5	Depressions on beach ridges on lake plains, depressions on longshore bars (relict) on lake plains, drainageways on longshore bars (relict) on lake plains, drainageways on beach ridges on lake plains, drainageways on dunes on lake plains, depressions on dunes on lake plains	Yes	2,3

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
CoC: Colonie fine sand, 6 to 12 percent slopes	Colonie	92-98	Beach ridges on lake plains,dunes on lake plains	No	—
	Ottokee	1-8	Beach ridges on lake plains,dunes on lake plains	No	—
	Granby	0-5	Depressions on longshore bars (relict) on lake plains,drainageways on dunes on lake plains,depressions on dunes on lake plains,depressions on beach ridges on lake plains,drainageways on beach ridges on lake plains,drainageways on longshore bars (relict) on lake plains	Yes	2,3
CoD: Colonie fine sand, 12 to 18 percent slopes	Colonie	82-96	Dunes on lake plains,beach ridges on lake plains	No	—
	Ottokee	4-18	Beach ridges on lake plains,dunes on lake plains	No	—
	Granby	0-5	Depressions on longshore bars (relict) on lake plains,drainageways on longshore bars (relict) on lake plains,drainageways on beach ridges on lake plains,drainageways on dunes on lake plains,depressions on beach ridges on lake plains,depressions on dunes on lake plains	Yes	2,3
Cu: Cut and fill land	Cut and fill land	100	—	Unranked	—
DeA: Del Rey loam, 0 to 2 percent slopes	Del Rey	100	Lake plains	No	—
	gently sloping areas		—	—	—
	Fulton		Lake plains	—	—
DfA: Del Rey silt loam, 0 to 2 percent slopes	Del Rey	100	Lake plains	No	—
	gently sloping areas		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Fulton		Lake plains	—	—
	silty clay loam surface layer		—	—	—
DuA: Digby fine sandy loam, 0 to 2 percent slopes	Digby	100	Stream terraces,outwash plains,beach ridges	No	—
	sandy loam surface layer		—	—	—
	slopes of more than 2 percent		—	—	—
	Haskins		Lake plains,till plains	—	—
DyA: Digby loam, 0 to 2 percent slopes	Digby	90	Stream terraces,beach ridges,outwash plains	No	—
	Millgrove	4	Flats,depressions	Yes	2,3
	Hoytville	3	Depressions,flats	Yes	2,3
	Mermill	3	Depressions,flats	Yes	2,3
	slopes of more than 2 percent		—	—	—
	Haskins		Till plains,lake plains	—	—
DzA: Digby loam, 0 to 3 percent slopes	Digby	92	Ridges on stream terraces,ridges on outwash plains,knolls on stream terraces,knolls on outwash plains	No	—
	Millgrove	8	Drainageways,depressions	Yes	2,3
Ee: Eel loam, 0 to 2 percent slopes, frequently flooded	Eel	100	Rises on flood plains,flats on flood plains,natural levees on flood plains	No	—
	Darker colored surface layer		—	—	—
	Bedrock between 48 and 60 inches		—	—	—
	Slopes of 2 to 6 percent		—	—	—
	Well drained soils		Natural levees on flood plains,rises on flood plains	—	—
	Fine sandy loam surface layer		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Less clay in the subsoil		—	—	—
	Somewhat poorly drained soils		Flats on flood plains	—	—
FsA: Fulton loam, 0 to 2 percent slopes	Fulton	95	Lake plains	No	—
	Toledo	5	Flats	Yes	2,3
	silty clay loam surface layer		—	—	—
FsB: Fulton loam, 2 to 6 percent slopes	Fulton	100	Lake plains	No	—
	moderately eroded areas		—	—	—
FuA: Fulton silty clay loam, 0 to 2 percent slopes	Fulton	95	Lake plains	No	—
	Toledo	5	Flats	Yes	2,3
	loam surface layer		—	—	—
	silt loam surface layer		—	—	—
FuB: Fulton silty clay loam, 2 to 6 percent slopes	Fulton	100	Lake plains	No	—
	moderately eroded areas		—	—	—
	silt loam surface layer		—	—	—
FvA: Fulton loam, sandy subsoil variant, 0 to 2 percent slopes	Fulton Variant	95	Lake plains	No	—
	Toledo	5	Flats	Yes	2,3
	Fulton silty clay loam		Lake plains	—	—
	Fulton loam		Lake plains	—	—
	gently sloping areas		—	—	—
GaA: Galen fine sand, 0 to 2 percent slopes	Galen	100	Dunes,deltas	No	—
	Ottokee		Beach ridges on lake plains,dunes on lake plains	—	—
	Arkport		Dunes on lake plains,dunes on ground moraines,beach ridges on lake plains,beach ridges on ground moraines	—	—
GaB: Galen fine sand, 2 to 6 percent slopes	Galen	100	Dunes,deltas	No	—
	Ottokee		Dunes on lake plains,beach ridges on lake plains	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Arkport		Beach ridges on lake plains, beach ridges on ground moraines, dunes on lake plains, dunes on ground moraines	—	—
GbB: Galen loamy fine sand, 1 to 6 percent slopes	Galen	85	Knolls on moraines, knolls on dunes, knolls on beach ridges, ridges on moraines, ridges on dunes, ridges on beach ridges	No	—
	Granby	5	Drainageways on moraines, drainage ways on dunes, drainageways on beach ridges, depressions on moraines, depressions on dunes, depressions on beach ridges	Yes	2,3
	Tedrow	5	Beach ridges on lake plains, beach ridges on outwash plains, dunes on lake plains, dunes on outwash plains	—	—
	Gilford	5	Depressions on moraines, drainage ways on beach ridges, drainageways on dunes, drainageways on moraines, depressions on beach ridges, depressions on dunes	Yes	2,3
Gm: Genesee loam	Genesee	100	Flood plains	No	—
	Shoals		Flood plains	—	—
	silt loam surface layer		—	—	—
	calcareous above 20 inches		—	—	—
Go: Gilford fine sandy loam	Gilford	95	Flats on lake plains	Yes	2,3
	Tedrow	5	Beach ridges on lake plains, beach ridges on outwash plains, dunes on lake plains, dunes on outwash plains	No	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	more clayey subsoil		Flats on lake plains	Yes	2,3
	thicker surface layer and subsoil		Flats on lake plains	Yes	2,3
	shallower depth to carbonates		Flats on lake plains	Yes	2,3
	Granby		Lake plains	Yes	2,3
Gr: Granby loamy fine sand	Granby	95	Flats on lake plains	Yes	2,3
	Tedrow	5	Dunes on lake plains, dunes on outwash plains, beach ridges on lake plains, beach ridges on outwash plains	No	—
	Gilford		Lake plains	Yes	2,3
	mucky surface layer		Flats on lake plains	Yes	2,3
Gv: Gravel pits	Gravel pits	100	—	Unranked	—
HaA: Haney fine sandy loam, 0 to 2 percent slopes	Haney	90	Beach ridges, outwash plains, stream terraces	No	—
	Millgrove	4	Flats	Yes	2,3
	Hoytville	3	Flats	Yes	2,3
	Mermill	3	Flats	Yes	2,3
	sandy loam surface layer		—	—	—
	surface layer and subsoil more than 40 inches thick		—	—	—
	no grayish-brown mottles in the upper part of the subsoil		—	—	—
	Digby		Outwash plains, outwash terraces	—	—
	darker colored surface layer		—	—	—
HaB: Haney fine sandy loam, 2 to 6 percent slopes	Haney	95	Beach ridges, stream terraces	No	—
	Mermill	3	Flats	Yes	2,3
	Hoytville	2	Flats	Yes	2,3
	darker colored surface layer		—	—	—
	Oshtemo		Terraces	—	—
	surface layer and subsoil more than 40 inches thick		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Digby		Outwash plains,outwash terraces	—	—
	no grayish-brown mottles in the upper part of the subsoil		—	—	—
HcA: Hoytville silty clay loam, 0 to 1 percent slopes	Hoytville	85-98	Depressions,flats,drainageways	Yes	2
	Nappanee	2-15	Rises on lake plains	No	—
HdA: Haney loam, 0 to 2 percent slopes	Haney	95	Stream terraces	No	—
	Millgrove	5	Flats	Yes	2,3
	darker colored surface layer		—	—	—
	surface layer and subsoil more than 40 inches thick		—	—	—
	Digby		Outwash plains,outwash terraces	—	—
	no grayish-brown mottles in the upper part of the subsoil		—	—	—
	Ross		Flood plains,terraces	—	—
	Medway		Flood plains	—	—
HdB: Haney loam, 2 to 6 percent slopes	Haney	100	Stream terraces	No	—
	moderately eroded areas that are more sloping		—	—	—
	surface layer and subsoil more than 40 inches thick		—	—	—
	no grayish-brown mottles in the upper part of the subsoil		—	—	—
	Digby		Outwash plains,outwash terraces	—	—
	Ross		Flood plains,terraces	—	—
	darker colored surface layer		—	—	—
	Medway		Flood plains	—	—
HeC: Haney and Rawson loams, 6 to 12 percent slopes	Haney	50	Stream terraces	No	—
	Rawson	50	Stream terraces	No	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	darker colored surface layer		—	—	—
	surface layer and subsoil more than 40 inches thick		—	—	—
	Digby		Outwash plains, outwash terraces	—	—
	no grayish-brown mottles in the upper part of the subsoil		—	—	—
HkA: Haskins fine sandy loam, 0 to 2 percent slopes	Haskins	95	Ridges on beach ridges, knolls on beach ridges, knolls on stream terraces, knolls on outwash plains, ridges on stream terraces, ridges on outwash plains	No	—
	Mermill	3	Flats	Yes	2,3
	Hoytville	2	Flats	Yes	2,3
	gently sloping areas		—	—	—
	Rimer		Lake plains, till plains	—	—
	loamy surface layer and subsoil 14 to 20 inches thick		—	—	—
	loam surface layer		—	—	—
	darker colored surface layer less than 10 inches thick		—	—	—
HIA: Haskins loam, 0 to 2 percent slopes	Haskins	95	Knolls on stream terraces, knolls on outwash plains, knolls on beach ridges	No	—
	Mermill	3	Flats	Yes	2,3
	Hoytville	2	Flats	Yes	2,3
	Rimer		Till plains, lake plains	—	—
	fine sandy loam surface layer		—	—	—
	loamy surface layer and subsoil 14 to 20 inches thick		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	darker colored surface layer less than 10 inches thick		—	—	—
	gently sloping areas		—	—	—
H1B: Haskins loam, 2 to 6 percent slopes	Haskins	85	Rises on stream terraces,rises on beach ridges	No	—
	Hoytville	5	Drainageways,depressions	Yes	2,3
	Sloan	5	Flood plains	Yes	2
	Pewamo	5	Drainageways,depressions	Yes	2,3
	nearly level areas		—	—	—
	fine sandy loam surface layer		—	—	—
	silt loam surface layer		—	—	—
	Nappanee loam		Lake plains	—	—
	Digby loam		Outwash plains,outwash terraces	—	—
HnA: Haskins fine sandy loam, stratified substratum, 0 to 2 percent slopes	Haskins	95	Knolls on beach ridges,knolls on outwash plains,knolls on stream terraces	No	—
	Merrill, stratified substratum	5	Flats	Yes	2,3
	darker colored surface layer less than 10 inches thick		—	—	—
	loamy surface layer and subsoil 14 to 20 inches thick		—	—	—
	non-stratified Haskins		Till plains,lake plains	—	—
	Rimer, stratified substratum		Lake plains,till plains	—	—
HoA: Hoytville clay loam, 0 to 1 percent slopes	Hoytville	85-98	Drainageways,depressions,flats	Yes	2
	Nappanee	2-15	Rises on lake plains	No	—
	Houcktown	0-2	Rises on lake plains,flats on lake plains,beach ridges on lake plains	No	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
KeA: Kibbie loamy fine sand, 0 to 2 percent slopes	Kibbie	90	Deltas on lake plains,rises on lake plains	No	—
	Till at 20 to 40 inches	10	Rises on lake plains,deltas on lake plains	No	—
	Slope of 2 to 6 percent		—	—	—
	Less clay in the subsoil		—	—	—
	Moderately well drained soils		Knolls on lake plains,rises on lake plains	No	—
	Darker colored surface layer		—	—	—
	Fine sandy loam surface layer		—	—	—
	Till at 40 to 60 inches		—	—	—
KfA: Kibbie fine sandy loam, 0 to 2 percent slopes	Kibbie	100	Ridges on lake plains, knolls on lake plains	No	—
	gently sloping soils		—	—	—
	Tedrow Variant		Dunes on lake plains,dunes on outwash plains,beach ridges on lake plains,beach ridges on outwash plains	—	—
	darker colored surface layer		—	—	—
	Haskins fine sandy loam, stratified substratum		Till plains,lake plains	—	—
KIA: Kibbie loam, 0 to 2 percent slopes	Kibbie	100	Knolls on lake plains,ridges on lake plains	No	—
	gently sloping areas		—	—	—
	Tuscola		Lake plains,deltas	—	—
	fine sandy loam surface layer		—	—	—
	darker colored surface layer		—	—	—
La: Latty clay	Latty	95	Flats on lake plains	Yes	2,3
	Nappanee	3	Lake plains	No	—
	Haskins	2	Lake plains,till plains	No	—
	Hoytville		Lake plains	Yes	2,3

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Paulding		Lake plains	Yes	2,3
	Merrill		Lake plains,till plains	Yes	2,3
Lb: Latty silty clay	Latty	85	Flats on lake plains,depressions on lake plains	Yes	2,3
	Haskins	4	Lake plains,till plains	No	—
	Nappanee	4	Lake plains	No	—
	Lenawee	4	Lake plains,glacial drainage channels,moraines, outwash plains	Yes	2,3
	Colwood	3	Outwash plains,moraines,deltas	Yes	2,3
Le: Lenawee loam	Lenawee	95	Flats on lake plains	Yes	2,3
	Del Rey	5	Till plains	No	—
	silty clay loam surface layer		Flats on lake plains	Yes	2,3
	thicker surface layer		Flats on lake plains	Yes	2,3
Lf: Lenawee silty clay loam	Lenawee	95	Flats on lake plains	Yes	2,3
	Del Rey	5	Till plains	No	—
	Toledo		Lake plains	Yes	2,3
	thicker surface layer		Flats	Yes	2,3
LwB2: Lucas silty clay loam, 2 to 6 percent slopes, moderately eroded	Lucas	95	Drainageways on lake plains	No	—
	severely eroded areas	5	—	—	—
	Seward		Beach ridges on lake plains,beach ridges on till plains,dunes on lake plains,dunes on till plains	—	—
LwC2: Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded	Lucas	95	Drainageways on lake plains	No	—
	severely eroded areas	5	—	—	—
	St. Clair		End moraines,lake plains,ground moraines	—	—
LxC3: Lucas silty clay, 6 to 12 percent slopes, severely eroded	Lucas	95	Drainageways on lake plains	No	—
	moderately eroded areas	5	—	—	—
	St. Clair		End moraines,lake plains,ground moraines	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
LxE3: Lucas silty clay, 12 to 45 percent slopes, severely eroded	Lucas	95	Drainageways on lake plains	No	—
	less eroded areas	5	—	—	—
	St. Clair		Lake plains,ground moraines,end moraines	—	—
Mb: Mermill-Aurand complex, 0 to 1 percent slopes	Mermill	60	Knolls,depressions on lake plains,flats on lake plains,rises,drainageways on lake plains	Yes	2
	Aurand	35	Flats on lake plains,rises on lake plains	No	—
	Rimer	5	Knolls on lake plains,rises on lake plains	No	—
	Less clay in the surface layer and subsoil		—	—	—
	Till between 40 and 60 inches		—	—	—
	More clay in the surface layer and subsoil		—	—	—
	Lighter colored surface layer		—	—	—
	Moderately well drained soils		Rises on lake plains,knolls on lake plains	No	—
	Somewhat poorly drained, fine textured soil		Rises on lake plains,flats on lake plains	No	—
Mc: Mermill silty clay loam	Mermill	95	Depressions on lake plains,flats on lake plains,drainageways on lake plains	Yes	2,3
	Haskins	5	Till plains,lake plains	No	—
	Hoytville		Lake plains	Yes	2,3
	clay loam surface layer		Lake plains	Yes	2,3
	Paulding		Lake plains	Yes	2,3
	Toledo		Lake plains	Yes	2,3
Md: Medway silt loam	Medway	100	Flood plains	No	—
	Genesee		Flood plains	—	—
	Ross		Flood plains,terraces	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
Me: Mermill loam	Mermill	95	Flats on lake plains	Yes	2,3
	Haskins	5	Lake plains,till plains	No	—
	silt loam surface layer		Flats on lake plains	Yes	2,3
	thicker surface layer		Flats on lake plains	Yes	2,3
	Hoytville		Lake plains	Yes	2,3
Mf: Mermill clay loam	Mermill	95	Flats on lake plains	Yes	2,3
	Haskins	5	Lake plains,till plains	No	—
	thicker surface layer		Flats on lake plains	Yes	2,3
	Hoytville		Lake plains	Yes	2,3
	Mg: Mermill loam, stratified substratum	Mermill	95	Flats on lake plains	Yes
	Haskins, stratified substratum	3	Till plains,lake plains	No	—
	Rimer, stratified substratum	2	Lake plains,till plains	No	—
Mh: Millgrove loam	Millgrove	95	Flats on lake plains	Yes	2,3
	Digby	3	Outwash terraces,outwash plains	No	—
	Haskins	2	Till plains,lake plains	No	—
	thicker surface layer and subsoil		Flats on lake plains	Yes	2,3
	fine sandy loam surface layer		Flats on lake plains	Yes	2,3
	Mermill loam, stratified substratum		Lake plains,till plains	Yes	2,3
Mk: Millgrove clay loam	Millgrove	95	Flats on lake plains	Yes	2,3
	Digby	5	Outwash plains,outwash terraces	No	—
	Hoytville clay loam		Lake plains	Yes	2,3
	thicker surface layer and subsoil		Flats on lake plains	Yes	2,3
	loam surface layer		Flats on lake plains	Yes	2,3
NaA: Nappanee loam, 0 to 2 percent slopes	Nappanee	95	Knolls on lake plains,flats on lake plains,lake plains,rises on lake plains	No	—
	Hoytville	5	Flats	Yes	2,3

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	darker colored surface layer		—	—	—
	less clayey subsoil		—	—	—
	Rimer		Till plains,lake plains	—	—
	silty clay loam surface layer		—	—	—
NaB: Nappanee loam, 2 to 6 percent slopes	Nappanee	95	Lake plains	No	—
	Hoytville	5	Flats	Yes	2,3
	Rimer		Till plains,lake plains	—	—
	silty clay loam surface layer		—	—	—
	less clayey subsoil		—	—	—
	Haskins		Lake plains,till plains	—	—
NtA: Nappanee silty clay loam, 0 to 2 percent slopes	Nappanee	95	Flats on lake plains,rises on lake plains,lake plains,knolls on lake plains	No	—
	Hoytville	5	Flats	Yes	2,3
	less clayey subsoil		—	—	—
	Haskins		Lake plains,till plains	—	—
	darker colored surface layer		—	—	—
	loam surface layer		—	—	—
	Rimer		Till plains,lake plains	—	—
NtB: Nappanee silty clay loam, 2 to 6 percent slopes	Nappanee	95	Lake plains	No	—
	Hoytville	5	Flats	Yes	2,3
	Rimer		Lake plains,till plains	—	—
	Haskins		Till plains,lake plains	—	—
	less clayey subsoil		—	—	—
	loam surface layer		—	—	—
NtB2: Nappanee silty clay loam, 2 to 6 percent slopes, moderately eroded	Nappanee	100	Lake plains	No	—
	less clayey subsoil		—	—	—
	St. Clair		End moraines,lake plains,ground moraines	—	—
	slightly eroded areas		—	—	—
	slightly eroded loam surface layer		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
OaC: Oakville fine sand, 2 to 12 percent slopes	Oakville	100	Ridges on lake plains, dunes on lake plains	No	—
	Ottokee		Beach ridges on lake plains, dunes on lake plains	—	—
	thin lamellae or bands at 50 to 80 inches		—	—	—
	Tedrow		Dunes on outwash plains, beach ridges on lake plains, beach ridges on outwash plains, dunes on lake plains	—	—
ObB: Oakville fine sand, 2 to 6 percent slopes	Oakville	85	Dunes, beach ridges	No	—
	Tedrow	4	Dunes on lake plains, dunes on outwash plains, beach ridges on lake plains, beach ridges on outwash plains	—	—
	Granby	4	Depressions, drainage ways	Yes	2,3
	Ottokee	4	Dunes on lake plains, beach ridges on lake plains	—	—
	Slopes of more than 6 percent	3	—	—	—
ObC: Oakville fine sand, 6 to 12 percent slopes	Oakville	85	Dunes, beach ridges	No	—
	Tedrow	5	Beach ridges on outwash plains, dunes on lake plains, dunes on outwash plains, beach ridges on lake plains	—	—
	Ottokee	5	Beach ridges on lake plains, dunes on lake plains	—	—
	Spinks	5	Outwash plains, dunes, lake plains, beach ridges, beach ridges, beach ridges, moraines, dunes, dunes	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
OsB: Oshtemo sandy loam, 2 to 6 percent slopes	Oshtemo	100	Beach ridges	No	—
	Seward		Beach ridges on till plains,dunes on lake plains,dunes on till plains,beach ridges on lake plains	—	—
	less clay in the subsoil		—	—	—
	Rawson		Till plains,outwash plains,lake plains	—	—
	darker colored surface layer		—	—	—
OtB: Ottokee fine sand, 1 to 5 percent slopes	Ottokee	100	Dunes,beach ridges	No	—
	Tedrow		Dunes on outwash plains,beach ridges on lake plains,beach ridges on outwash plains,dunes on lake plains	—	—
	thicker horizon of clay accumulation in the subsoil		—	—	—
OuB: Ottokee fine sand, 0 to 6 percent slopes	Ottokee	85	Ridges on moraines,ridges on lake plains,ridges on beach ridges,knolls on moraines,knolls on lake plains,knolls on beach ridges	No	—
	Granby	5	Depressions on moraines,depressions on dunes,depressions on beach ridges,drainageways on moraines,drainageways on dunes,drainageways on beach ridges	Yes	2,3

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Tedrow	5	Beach ridges on lake plains, beach ridges on outwash plains, dunes on lake plains, dunes on outwash plains	—	—
	Gilford	5	Drainageways on beach ridges, drainageways on dunes, drainageways on moraines, depressions on beach ridges, depressions on dunes, depressions on moraines	Yes	2,3
OzB: Ottokee-Spinks loamy fine sands, 2 to 6 percent slopes	Ottokee	51	Dunes on lake plains, beach ridges on lake plains, knolls on lake plains	No	—
	Spinks	49	Dunes on lake plains, knolls on lake plains, beach ridges on lake plains	No	—
	Slopes of 0 to 2 percent		—	—	—
	Well drained soils without lamellae		Knolls on lake plains, dunes on lake plains, beach ridges on lake plains	—	—
	Fine sand or fine sandy loam surface layer		—	—	—
	Somewhat poorly drained soils		Rises on lake plains, dunes on lake plains, beach ridges on lake plains	—	—
	Till at 40 to 60 inches		—	—	—
	More clay in the subsoil		—	—	—
	Darker colored surface layer		—	—	—
Pa: Paulding clay, 0 to 1 percent slopes	Paulding	85-100	Lakebeds (relict)	Yes	2,3
	Roselms	0-7	Lakebeds (relict)	No	—
	Latty	0-5	Lakebeds (relict)	Yes	2,3
	Rimer	0-3	Lakebeds (relict)	No	—
Pt: Pits, quarry	Pits, quarry	100	Reefs on lake plains	Unranked	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
RaB: Rawson sandy loam, 2 to 6 percent slopes	Rawson	95	Stream terraces, beach ridges, outwash plains	No	—
	Mermill	3	Flats	Yes	2,3
	Hoytville	2	Flats	Yes	2,3
	thicker surface layer and subsoil		—	—	—
	fine sandy loam surface layer		—	—	—
	thinner surface layer and subsoil		—	—	—
	Haskins		Till plains, lake plains	—	—
	nearly level areas		—	—	—
RdB: Rawson loam, 2 to 6 percent slopes	Rawson	95	Stream terraces, outwash plains, beach ridges	No	—
	Hoytville	3	Flats	Yes	2,3
	Mermill	2	Flats	Yes	2,3
	sandy loam surface layer		—	—	—
	Haskins		Till plains, lake plains	—	—
	nearly level areas		—	—	—
ReB: Rawson fine sandy loam, stratified substratum, 2 to 6 percent slopes	Rawson	100	Outwash plains	No	—
	Haskins, stratified substratum		Lake plains, till plains	—	—
RfA: Rimer loamy fine sand, 0 to 2 percent slopes	Rimer	95	Lake plains	No	—
	Mermill	3	Flats	Yes	2,3
	Hoytville	2	Flats	Yes	2,3
	thicker surface layer and subsoil		—	—	—
	less than 20 inches of loamy fine sand or coarser material		—	—	—
	Haskins		Till plains, lake plains	—	—
	dark colored surface layer 9 inches thick or less		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
RgA: Rimer loamy fine sand, 0 to 3 percent slopes	Rimer	85	Ridges on beach ridges, knolls on outwash plains, knolls on deltas, knolls on beach ridges, ridges on outwash plains, ridges on deltas	No	—
	Blount	3	Flats on ground moraines, flats on end moraines, rises on ground moraines, rises on end moraines	—	—
	Mermill	2	Depressions on outwash plains, depressions on deltas, depressions on beach ridges	Yes	2,3
	Tedrow	2	Beach ridges on outwash plains, dunes on lake plains, dunes on outwash plains, beach ridges on lake plains	—	—
	Nappanee	2	Lake plains	—	—
	Ottokee	2	Dunes on lake plains, beach ridges on lake plains	—	—
	Seward	2	Dunes on till plains, beach ridges on lake plains, beach ridges on till plains, dunes on lake plains	—	—
	Haskins	2	Lake plains, till plains	—	—
RhB: Rimer and Tedrow, till substratum, loamy fine sands, 2 to 6 percent slopes	Rimer	46	Knolls on lake plains	No	—
	Tedrow-Till substratum	44	Knolls on lake plains	No	—
	Wauseon	10	Drainageways on lake plains, depressions on lake plains	Yes	2,3
	Moderately well drained soils		— error in exists on —	—	—
	Slopes of 0 to 2 percent		—	—	—
	Till at 48 to 60 inches		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	More clay in the subsoil		—	—	—
	Darker colored surface layer		—	—	—
	Fine sand, sandy loam, or fine sandy loam surface layer		—	—	—
RmA: Rimer loamy fine sand, stratified substratum, 0 to 2 percent slopes	Rimer	95	Lake plains	No	—
	Merrill loam, stratified substratum	5	Flats	Yes	2,3
	dark colored surface layer 9 inches thick or less		—	—	—
	thicker surface layer and subsoil		—	—	—
	Haskins fine sandy loam, stratified substratum		Till plains,lake plains	—	—
	less than 20 inches of loamy fine sand or coarser material		—	—	—
RoA: Roselms silty clay loam, 0 to 2 percent slopes	Roselms	95	Lake plains	No	—
	Paulding	5	Flats	Yes	2,3
	loamy surface layer		—	—	—
RrA: Roselms silty clay, 0 to 2 percent slopes	Roselms	95	Rises on lake plains	No	—
	Paulding	5	Drainageways	Yes	2,3
	loam surface layer		—	—	—
Rs: Ross loam	Ross	100	Flood plains	No	—
	thinner dark colored horizon		—	—	—
	Genesee		Flood plains	—	—
	silt loam surface layer		—	—	—
SaE3: St. Clair clay, 18 to 35 percent slopes, severely eroded	St. Clair	85	Lake plains	No	—
	Broughton	8	Lake plains	—	—
	slopes of 12 to 18 percent	7	—	—	—
SbB2: St. Clair silty clay loam, 2 to 6 percent slopes, moderately eroded	St. Clair	100	Lake plains	No	—
	Nappanee		Lake plains	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	slopes of more than 6 percent		—	—	—
	Rawson		Lake plains,outwash plains,till plains	—	—
	Seward		Beach ridges on till plains,dunes on lake plains,dunes on till plains,beach ridges on lake plains	—	—
SbC2: St. Clair silty clay loam, 6 to 12 percent slopes, moderately eroded	St. Clair	100	Lake plains	No	—
	Seward		Beach ridges on lake plains,beach ridges on till plains,dunes on lake plains,dunes on till plains	—	—
	Nappanee		Lake plains	—	—
	slopes of more than 12 percent		—	—	—
	Rawson		Outwash plains,lake plains,till plains	—	—
SbD2: St. Clair silty clay loam, 12 to 18 percent slopes, eroded	St. Clair	90	Lake plains	No	—
	Severely eroded areas with carbonates on the surface	10	Lake plains	—	—
	Slopes of 18 to 25 percent		—	—	—
	Less clay in the subsoil		—	—	—
	Well drained soils		Lake plains	—	—
	Bedrock at 48 to 60 inches		—	—	—
	Slightly eroded areas		—	—	—
	Slopes of 6 to 12 percent		—	—	—
	Fine sandy loam, clay loam, or loam surface layer		—	—	—
SbE2: St. Clair silty clay loam, 18 to 25 percent slopes, eroded	St. Clair	90	Lake plains	No	—
	Slopes of 6 to 12 percent	5	Lake plains	—	—
	Severely eroded areas with carbonates on the surface	5	Lake plains	—	—
	Clay loam, silt loam, or loam surface layer		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Slightly eroded areas		—	—	—
	Bedrock at 48 to 60 inches		—	—	—
	Slopes of 12 to 18 percent		—	—	—
	Less clay in the subsoil		—	—	—
	Slopes of 25 to 35 percent		—	—	—
	Well drained soils		Lake plains	—	—
ScC3: St. Clair silty clay, 6 to 12 percent slopes, severely eroded	St. Clair	95	Lake plains	No	—
	moderately eroded areas	5	—	—	—
	Seward		Beach ridges on till plains, dunes on lake plains, dunes on till plains, beach ridges on lake plains	—	—
	steeper areas		—	—	—
	Rawson		Till plains, outwash plains, lake plains	—	—
ScD3: St. Clair silty clay, 12 to 18 percent slopes, severely eroded	St. Clair	95	Lake plains	No	—
	moderately eroded areas	5	—	—	—
	Seward		Dunes on lake plains, dunes on till plains, beach ridges on lake plains, beach ridges on till plains	—	—
	Lucas		Lake plains	—	—
	steeper areas		—	—	—
	Rawson		Outwash plains, till plains, lake plains	—	—
ScE3: St. Clair silty clay, 18 to 25 percent slopes, severely eroded	St. Clair	95	Lake plains	No	—
	moderately eroded areas	5	—	—	—
	Nappanee		Lake plains	—	—
ScF3: St. Clair silty clay, 25 to 45 percent slopes, severely eroded	St. Clair	95	Lake plains	No	—
	moderately eroded areas	5	—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
SdB: Seward loamy fine sand, 2 to 6 percent slopes	Seward	95	Ridges on lake plains, knolls on lake plains	No	—
	Merrill	3	Flats	Yes	2,3
	Hoytville	2	Flats	Yes	2,3
	Haskins		Till plains, lake plains	—	—
	dark colored surface layer 9 inches thick or less		—	—	—
	14 to 20 inches of loamy fine sand or coarser material		—	—	—
	Rimer		Till plains, lake plains	—	—
SdC: Seward loamy fine sand, 6 to 12 percent slopes	Seward	100	Lake plains	No	—
	Lucas		Lake plains	—	—
	14 to 20 inches of loamy fine sand or coarser material		—	—	—
	less sloping areas		—	—	—
	St. Clair		End moraines, lake plains, ground moraines	—	—
	dark colored surface layer 9 inches thick or less		—	—	—
SdD: Seward loamy fine sand, 12 to 18 percent slopes	Seward	100	Lake plains	No	—
	Lucas		Lake plains	—	—
	dark colored surface layer 9 inches thick or less		—	—	—
	14 to 20 inches of loamy fine sand or coarser material		—	—	—
	less sloping areas		—	—	—
	St. Clair		Ground moraines, end moraines, lake plains	—	—
SeB: Seward loamy fine sand, stratified substratum, 2 to 6 percent slopes	Seward	100	Ridges on lake plains, lake plains, knolls on lake plains	No	—
	14 to 20 inches of loamy fine sand or coarser material		—	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Haskins, stratified substratum		Till plains,lake plains	—	—
	dark colored surface layer 9 inches thick or less		—	—	—
	Rimer, stratified substratum		Lake plains,till plains	—	—
SeC: Seward loamy fine sand, stratified substratum, 6 to 12 percent slopes	Seward	100	Lake plains	No	—
	slopes of less than 6 percent		—	—	—
	Rimer, stratified substratum		Lake plains,till plains	—	—
	dark colored surface layer 9 inches thick or less		—	—	—
	slopes of more than 12 percent		—	—	—
	St. Clair		Ground moraines,end moraines,lake plains	—	—
	Lucas		Lake plains	—	—
	14 to 20 inches of loamy fine sand or coarser material		—	—	—
SfA: Shinrock silt loam, sandy subsoil variant, 0 to 2 percent slopes	Shinrock Variant	95	Flats on lake plains	No	—
	dark colored, very poorly drained soils	5	Flats	Yes	2,3
	Del Rey		Till plains	—	—
	Digby		Outwash plains,outwash terraces	—	—
Sh: Shoals silt loam	Shoals	95	Flood plains	No	—
	Sloan	5	Flood plains	Yes	2
	silty clay loam surface layer		—	—	—
	Genesee		Flood plains	—	—
Sm: Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded	Sloan	90	Backswamps on flood plains,flats on flood plains	Yes	2
	Eel	5	Rises on flood plains	No	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Shoals	5	Rises on flood plains	No	—
	Silt loam or clay loam surface layer		Backswamps on flood plains, flats on flood plains	Yes	2
	Surface layer less than 10 inches thick		Backswamps on flood plains, flats on flood plains	Yes	2
	More clay in the subsoil		Backswamps on flood plains, flats on flood plains	Yes	2
	Bedrock at 48 to 60 inches		Flats on flood plains, backswamps on flood plains	Yes	2
	Till at 40 to 60 inches		Backswamps on flood plains, flats on flood plains	Yes	2
Sn: Sloan loam, occasionally flooded	Sloan	80	Flood plains	Yes	2
	More clay in the surface layer and subsoil	7	Flood plains	Yes	2
	Shoals	7	Flood plains	No	—
	Eel	6	Flood plains, flood-plain steps	No	—
So: Sloan silty clay loam	Sloan	90	Flood plains	Yes	2
	Shoals	4	Flood plains	No	—
	Ross	3	Flood plains, terraces	No	—
	Medway	3	Flood plains	No	—
	calcareous within 20 inches		Flood plains	Yes	2
	silt loam surface layer		Flood plains	Yes	2
SpB: Spinks fine sand, 2 to 6 percent slopes	Spinks	100	Dunes, beach ridges	No	—
	Oakville		Beach ridges on outwash plains, beach ridges on lake plains, beach ridges on moraines, dunes on outwash plains, dunes on lake plains, dunes on moraines	—	—

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Tedrow		Beach ridges on lake plains,beach ridges on outwash plains,dunes on lake plains,dunes on outwash plains	—	—
	Ottokee		Dunes on lake plains,beach ridges on lake plains	—	—
SpC: Spinks fine sand, 6 to 12 percent slopes	Spinks	100	Beach ridges,dunes	No	—
	Tedrow		Beach ridges on outwash plains,dunes on lake plains,dunes on outwash plains,beach ridges on lake plains	—	—
	Ottokee		Beach ridges on lake plains,dunes on lake plains	—	—
	gently sloping areas		—	—	—
SpD: Spinks fine sand, 12 to 18 percent slopes	Spinks	100	Dunes,beach ridges	No	—
	less sloping areas		—	—	—
TdA: Tedrow loamy fine sand, 0 to 2 percent slopes	Tedrow	95	Rises on lake plains	No	—
	Granby	5	Flats	Yes	2,3
	darker colored surface layer		—	—	—
	Ottokee		Beach ridges on lake plains,dunes on lake plains	—	—
	Rimer, stratified substratum		Lake plains,till plains	—	—
	calcareous at shallower depths		—	—	—
TeA: Tedrow loamy fine sand, silty subsoil variant, 0 to 2 percent slopes	Tedrow Variant	95	Rises on lake plains	No	—
	Colwood	5	Flats	Yes	2,3
	Kibbie		Lake plains,outwash plains,ground moraines,deltas	—	—
To: Toledo silty clay loam	Toledo	95	Flats on lake plains	Yes	2,3
	Fulton	5	Lake plains	No	—
	Hoytville		Lake plains	Yes	2,3
	silty clay surface layer		Flats on lake plains	Yes	2,3

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
TsA: Toussaint silty clay loam, 0 to 1 percent slopes	Toussaint	90-100	Depressions on lake plains	Yes	2
	Aurand	0-10	Rises on lake plains	No	—
Tt: Toledo silty clay	Toledo	95	Flats on lake plains	Yes	2,3
	Fulton	5	Lake plains	No	—
	Hoytville		Lake plains	Yes	2,3
	silty clay loam surface layer		Flats on lake plains	Yes	2,3
Tub2: Tuscola loam, 2 to 6 percent slopes, moderately eroded	Tuscola	100	Lake plains	No	—
	Lucas		Lake plains	—	—
	Kibbie		Outwash plains,lake plains,ground moraines,deltas	—	—
	steeper areas		—	—	—
TuC2: Tuscola loam, 6 to 12 percent slopes, moderately eroded	Tuscola	100	Lake plains	No	—
	slightly eroded areas		—	—	—
	St. Clair		End moraines,lake plains,ground moraines	—	—
	slopes of more than 12 percent		—	—	—
	Lucas		Lake plains	—	—
Ud: Udorthents, rolling	Udorthents	95	—	Unranked	—
	areas partially covered with bricks, glass, concrete chunks	2	—	Unranked	—
	sanitary landfills that haven't been covered	2	—	Unranked	—
	more clay or sand throughout the soil	1	—	Unranked	—
Ur: Urban land	Urban land	100	—	Unranked	—
VaA: Vaughnsville loam, 0 to 2 percent slopes	Vaughnsville	100	Beach ridges	No	—
	Haskins		Lake plains,till plains	—	—
	Rawson		Outwash plains,lake plains,till plains	—	—
W: Water	Water	100	—	Unranked	—
Wa: Wabasha silty clay	Wabasha	95	Flood plains	Yes	2,4
	Sloan	5	Flood plains	Yes	2

Hydric Soil List - All Components--OH069-Henry County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Shoals		Flood plains	No	—
	silty clay loam surface layer		Flood plains	Yes	2,4
Wc: Warners muck	Warners	95	Swamps	Yes	2
	Tedrow	5	Beach ridges on outwash plains,dunes on lake plains,dunes on outwash plains,beach ridges on lake plains	No	—
	Granby		Lake plains,glacial drainage channels,outwash plains	Yes	2,3
	exposed marl		Swamps	Yes	2
	Adrian		Swamps	Yes	1,3
Wf: Wauseon fine sandy loam	Wauseon	95	Flats on lake plains	Yes	2,3
	Rimer	5	Till plains,lake plains	No	—
Wg: Wauseon loamy fine sand, stratified substratum	Wauseon	95	Flats on lake plains	Yes	2,3
	Rimer, stratified substratum	5	Lake plains,till plains	No	—

Data Source Information

Soil Survey Area: Henry County, Ohio
 Survey Area Data: Version 10, Sep 18, 2014