

Prime and other Important Farmlands

This table lists the map units in the survey area that are considered important farmlands. Important farmlands consist of prime farmland, unique farmland, and farmland of statewide or local importance. This list does not constitute a recommendation for a particular land use.

In an effort to identify the extent and location of important farmlands, the Natural Resources Conservation Service, in cooperation with other interested Federal, State, and local government organizations, has inventoried land that can be used for the production of the Nation's food supply.

Prime farmland is of major importance in meeting the Nation's short- and long-range needs for food and fiber. Because the supply of high-quality farmland is limited, the U.S. Department of Agriculture recognizes that responsible levels of government, as well as individuals, should encourage and facilitate the wise use of our Nation's prime farmland.

Prime farmland, as defined by the U.S. Department of Agriculture, is land that has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops and is available for these uses. It could be cultivated land, pastureland, forestland, or other land, but it is not urban or built-up land or water areas. The soil quality, growing season, and moisture supply are those needed for the soil to economically produce sustained high yields of crops when proper management, including water management, and acceptable farming methods are applied. In general, prime farmland has an adequate and dependable supply of moisture from precipitation or irrigation, a favorable temperature and growing season, acceptable acidity or alkalinity, an acceptable salt and sodium content, and few or no rocks. The water supply is dependable and of adequate quality. Prime farmland is permeable to water and air. It is not excessively erodible or saturated with water for long periods, and it either is not frequently flooded during the growing season or is protected from flooding. Slope ranges mainly from 0 to 6 percent. More detailed information about the criteria for prime farmland is available at the local office of the Natural Resources Conservation Service.

For some of the soils identified in the table as prime farmland, measures that overcome a hazard or limitation, such as flooding, wetness, and droughtiness, are needed. Onsite evaluation is needed to determine whether or not the hazard or limitation has been overcome by corrective measures.

A recent trend in land use in some areas has been the loss of some prime farmland to industrial and urban uses. The loss of prime farmland to other uses puts pressure on marginal lands, which generally are more erodible, droughty, and less productive and cannot be easily cultivated.

Unique farmland is land other than prime farmland that is used for the production of specific high-value food and fiber crops, such as citrus, tree nuts, olives, cranberries, and other fruits and vegetables. It has the special combination of soil quality, growing season, moisture supply, temperature, humidity, air drainage, elevation, and aspect needed for the soil to economically produce sustainable high yields of these crops when properly managed. The water supply is dependable and of adequate quality. Nearness to markets is an additional consideration. Unique farmland is not based on national criteria. It commonly is in areas where there is a special microclimate, such as the wine country in California.

In some areas, land that does not meet the criteria for prime or unique farmland is considered to be *farmland of statewide importance* for the production of food, feed, fiber, forage, and oilseed crops. The criteria for defining and delineating farmland of statewide importance are determined by the appropriate State agencies.

Generally, this land includes areas of soils that nearly meet the requirements for prime farmland and that economically produce high yields of crops when treated and managed according to acceptable farming methods. Some areas may produce as high a yield as prime farmland if conditions are favorable. Farmland of statewide importance may include tracts of land that have been designated for agriculture by State law.

In some areas that are not identified as having national or statewide importance, land is considered to be *farmland of local importance* for the production of food, feed, fiber, forage, and oilseed crops. This farmland is identified by the appropriate local agencies. Farmland of local importance may include tracts of land that have been designated for agriculture by local ordinance.

Report—Prime and other Important Farmlands

Prime and other Important Farmlands—Highland County, Ohio		
Map Symbol	Map Unit Name	Farmland Classification
Ag	Algiers silt loam	Prime farmland if drained
AtB	Atlas silt loam, 2 to 6 percent slopes	Not prime farmland
AtB2	Atlas silt loam, 2 to 6 percent slopes, moderately eroded	Not prime farmland
AtC2	Atlas silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
AtC3	Atlas silt loam, 6 to 12 percent slopes, severely eroded	Not prime farmland
AxA	Avonburg-Urban land complex, nearly level	Not prime farmland
BaD2	Bonnell silt loam, 15 to 25 percent slopes, eroded	Not prime farmland
BaE	Bonnell silt loam, 25 to 40 percent slopes	Not prime farmland
BbD3	Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded	Not prime farmland
BeC2	Beasley silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
BeD2	Beasley silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
BfD	Berks channery silt loam, 12 to 20 percent slopes	Not prime farmland
BgF	Berks-Muskingum channery silt loams, 18 to 35 percent slopes	Not prime farmland
BgG	Berks-Muskingum channery silt loams, 35 to 50 percent slopes	Not prime farmland
BhD	Berks-Muskingum-Neotoma channery silt loams, 6 to 18 percent slopes	Not prime farmland
BhF	Berks-Muskingum-Neotoma channery silt loams, 18 to 35 percent slopes	Not prime farmland
BhG	Berks-Muskingum-Neotoma channery silt loams, 35 to 50 percent slopes	Not prime farmland
Bk	Blanchester silt loam	Prime farmland if drained
Bln3A	Blanchester silty clay loam, 0 to 1 percent slopes	Prime farmland if drained
BmC2	Boston-Bratton complex, 6 to 12 percent slopes, moderately eroded	Not prime farmland

Prime and other Important Farmlands--Highland County, Ohio		
Map Symbol	Map Unit Name	Farmland Classification
BmC3	Boston-Bratton complex, 6 to 12 percent slopes, severely eroded	Not prime farmland
BmD2	Boston-Bratton complex, 12 to 18 percent slopes, moderately eroded	Not prime farmland
BmD3	Boston-Bratton complex, 12 to 18 percent slopes, severely eroded	Not prime farmland
BmE2	Boston-Bratton complex, 18 to 25 percent slopes, moderately eroded	Not prime farmland
BnB	Boston-Grayford silt loams, 2 to 6 percent slopes	All areas are prime farmland
BnB2	Boston-Grayford silt loams, 2 to 6 percent slopes, moderately eroded	All areas are prime farmland
BoB	Boston-Urban land complex, gently sloping	Not prime farmland
BoC	Boston-Urban land complex, sloping	Not prime farmland
BpB	Bratton silt loam, 2 to 6 percent slopes	All areas are prime farmland
BpB2	Bratton silt loam, 2 to 6 percent slopes, moderately eroded	All areas are prime farmland
BpC2	Bratton silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
BpD2	Bratton silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
BrD3	Bratton silty clay loam, 12 to 18 percent slopes, severely eroded	Not prime farmland
Bs	Brookston silt loam	Prime farmland if drained
Bt	Brookston silty clay loam, fine-silty, 0 to 2 percent slopes	Prime farmland if drained
BvB	Bratton silt loam, 2 to 8 percent slopes	All areas are prime farmland
BwC2	Bratton-Opequon complex, 8 to 15 percent slopes, eroded	Not prime farmland
BxC2	Brushcreek silt loam, 6 to 12 percent slopes, eroded	Not prime farmland
ByD2	Brushcreek-Lawshe complex, 12 to 25 percent slopes, eroded	Not prime farmland
BzB2	Bratton silt loam, 3 to 8 percent slopes, eroded	Not prime farmland
CaB	Cana silt loam, 2 to 6 percent slopes	All areas are prime farmland
CaB2	Cana silt loam, 2 to 6 percent slopes, moderately eroded	All areas are prime farmland
CaC2	Cana silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
CaD2	Cana silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
CaF	Cana silt loam, 18 to 35 percent slopes	Not prime farmland
CcD3	Casco loam, 12 to 18 percent slopes, severely eroded	Not prime farmland
CcF2	Casco loam, 18 to 35 percent slopes, moderately eroded	Not prime farmland
CdB	Celina-Losantville silt loams, 2 to 6 percent slopes	All areas are prime farmland
CeB	Celina silt loam, 2 to 6 percent slopes	All areas are prime farmland
CfB	Celina-Urban land complex, gently sloping	Not prime farmland
CgA	Celina-Xenia silt loams, 0 to 2 percent slopes	All areas are prime farmland
CgB	Celina-Xenia silt loams, 2 to 6 percent slopes	All areas are prime farmland
ChB	Cincinnati silt loam, 2 to 6 percent slopes	All areas are prime farmland
ChC2	Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
ChD2	Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
Cle1A	Clermont silt loam, 0 to 1 percent slopes	Not prime farmland

Prime and other Important Farmlands--Highland County, Ohio		
Map Symbol	Map Unit Name	Farmland Classification
Cn	Clifty silt loam, occasionally flooded	All areas are prime farmland
CoD2	Colyer-Trappist complex, 12 to 18 percent slopes, moderately eroded	Not prime farmland
CoF	Colyer-Trappist complex, 18 to 35 percent slopes	Not prime farmland
CoG	Colyer-Trappist complex, 35 to 50 percent slopes	Not prime farmland
CrA	Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Prime farmland if drained
CsA	Crosby-Fincastle silt loams, 0 to 2 percent slopes	Prime farmland if drained
CsB	Crosby-Fincastle silt loams, 2 to 6 percent slopes	Prime farmland if drained
CtA	Crosby-Celina silt loams, 0 to 2 percent slopes	Prime farmland if drained
CuA	Crosby-Urban land complex, nearly level	Not prime farmland
CvC2	Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded	Not prime farmland
DaA	Dana silt loam, 0 to 2 percent slopes	All areas are prime farmland
DaB	Dana silt loam, 2 to 6 percent slopes	All areas are prime farmland
DAM	Dam	Not prime farmland
DuA	Dubois silt loam, 0 to 2 percent slopes	Prime farmland if drained
DuB	Dubois silt loam, 2 to 6 percent slopes	Prime farmland if drained
EaF	Eden flaggy silt loam, 40 to 70 percent slopes	Not prime farmland
EbC2	Edenton silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
EbD2	Edenton silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
EbF2	Edenton silt loam, 18 to 35 percent slopes, moderately eroded	Not prime farmland
EcE2	Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded	Not prime farmland
Ee	Eel silt loam	All areas are prime farmland
EfC2	Eldean loam, 6 to 12 percent slopes, eroded	Not prime farmland
EkB	Elkinsville silt loam, 1 to 6 percent slopes	All areas are prime farmland
FaC2	Faywood silt loam, 8 to 15 percent slopes, eroded	Not prime farmland
FbA	Fincastle silt loam, 0 to 2 percent slopes	Prime farmland if drained
FbB	Fincastle silt loam, 2 to 4 percent slopes	Prime farmland if drained
FcA	Fitchville silt loam, 0 to 2 percent slopes	Prime farmland if drained
FcB	Fitchville silt loam, 2 to 6 percent slopes	Prime farmland if drained
FdD2	Faywood silty clay loam, 15 to 25 percent slopes, eroded	Not prime farmland
FIC2	Fox loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
FID2	Fox loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
FnA	Fox silt loam, 0 to 2 percent slopes	All areas are prime farmland
FnB	Fox silt loam, 2 to 6 percent slopes	All areas are prime farmland
FoC3	Fox clay loam, 6 to 12 percent slopes, severely eroded	Not prime farmland
FpC3	Fox and Casco soils, 6 to 12 percent slopes, severely eroded	Not prime farmland
GaC	Gasconade silty clay loam, 6 to 12 percent slopes	Not prime farmland
GaD2	Gasconade silty clay loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland

Prime and other Important Farmlands--Highland County, Ohio		
Map Symbol	Map Unit Name	Farmland Classification
GbF2	Gasconade flaggy silty clay loam, 18 to 35 percent slopes, moderately eroded	Not prime farmland
GbG	Gasconade flaggy silty clay loam, 35 to 50 percent slopes	Not prime farmland
Gd	Gessie loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season
Ge	Gessie silt loam, occasionally flooded	All areas are prime farmland
Gn	Genesee silt loam	All areas are prime farmland
GuB	Guernsey silt loam, 2 to 6 percent slopes	All areas are prime farmland
GuC	Guernsey silt loam, 6 to 12 percent slopes	Not prime farmland
GvC3	Guernsey silty clay loam, 6 to 12 percent slopes, severely eroded	Not prime farmland
GxD3	Guernsey soils, 12 to 18 percent slopes, severely eroded	Not prime farmland
HbA	Haubstadt silt loam, 0 to 2 percent slopes	All areas are prime farmland
HbB	Haubstadt silt loam, 2 to 6 percent slopes	All areas are prime farmland
HbC2	Haubstadt silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
HbC3	Haubstadt silt loam, 6 to 12 percent slopes, severely eroded	Not prime farmland
HbD2	Haubstadt silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
HbD3	Haubstadt silt loam, 12 to 18 percent slopes, severely eroded	Not prime farmland
HcB	Haubstadt-Urban land complex, gently sloping	Not prime farmland
HcC	Haubstadt-Urban land complex, sloping	Not prime farmland
HeF2	Hennepin-Miamian silt loams, 18 to 35 percent slopes, moderately eroded	Not prime farmland
HeG2	Hennepin-Miamian silt loams, 35 to 50 percent slopes, moderately eroded	Not prime farmland
HfE3	Hennepin-Miamian complex, 12 to 25 percent slopes, severely eroded	Not prime farmland
HkC2	Hickory silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
HkD2	Hickory silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
HkE2	Hickory silt loam, 18 to 25 percent slopes, moderately eroded	Not prime farmland
HkF2	Hickory silt loam, 25 to 35 percent slopes, moderately eroded	Not prime farmland
HyC3	Hickory clay loam, 6 to 12 percent slopes, severely eroded	Not prime farmland
HyD3	Hickory clay loam, 12 to 18 percent slopes, severely eroded	Not prime farmland
HyE3	Hickory clay loam, 18 to 25 percent slopes, severely eroded	Not prime farmland
JeD	Jessup silt loam, 12 to 18 percent slopes	Not prime farmland
JfC2	Jessup silt loam, 8 to 15 percent slopes, eroded	Not prime farmland
JfD2	Jessup silt loam, 15 to 25 percent slopes, eroded	Not prime farmland
JoC	Johnsburg silt loam, 2 to 8 percent slopes	Not prime farmland
JoR1A1	Jonesboro-Rossmoyne silt loams, 0 to 2 percent slopes	All areas are prime farmland
JoR1B1	Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes	All areas are prime farmland
JoR1B2	Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes, eroded	All areas are prime farmland
JrC2	Jonesboro-Rossmoyne silt loams, 6 to 12 percent slopes, eroded	Not prime farmland

Prime and other Important Farmlands--Highland County, Ohio		
Map Symbol	Map Unit Name	Farmland Classification
KeB	Kendallville silt loam, 2 to 6 percent slopes	All areas are prime farmland
KeC2	Kendallville silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
KeD2	Kendallville silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
KfD3	Kendallville clay loam, 12 to 18 percent slopes, severely eroded	Not prime farmland
KoA	Kokomo silty clay loam, 0 to 1 percent slopes	Prime farmland if drained
LhB	Lawshe silty clay loam, 2 to 6 percent slopes	Not prime farmland
LhC2	Lawshe silty clay loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
LhD2	Lawshe silty clay loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
LID3	Lawshe silty clay, 12 to 18 percent slopes, severely eroded	Not prime farmland
LmC2	Libre silt loam, 6 to 12 percent slopes, eroded	Not prime farmland
LoB	Loudon silt loam, 2 to 6 percent slopes	All areas are prime farmland
LoB2	Loudon silt loam, 2 to 6 percent slopes, moderately eroded	All areas are prime farmland
LoC2	Loudon silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
LoD2	Loudon silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
LpE2	Loudon-Edenton silt loams, 18 to 25 percent slopes, moderately eroded	Not prime farmland
LrC2	Loudon silt loam, 6 to 15 percent slopes, eroded	Not prime farmland
MdB	Markland silt loam, 2 to 6 percent slopes	All areas are prime farmland
MdC2	Markland silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
MdD2	Markland silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
MgB	McGary silt loam, 0 to 4 percent slopes	Prime farmland if drained
MIB	Miamian silt loam, 2 to 6 percent slopes	All areas are prime farmland
MIB2	Miamian silt loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
MIC2	Miamian silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
MID2	Miamian silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
MIE	Miamian silt loam, 18 to 25 percent slopes	Not prime farmland
MmC3	Miamian clay loam, 6 to 12 percent slopes, severely eroded	Not prime farmland
MmD3	Miamian clay loam, 12 to 18 percent slopes, severely eroded	Not prime farmland
MnE2	Miamian-Thrifton complex, 18 to 25 percent slopes, eroded	Not prime farmland
MpF2	Miamian and Hennepin silt loams, 25 to 35 percent slopes, moderately eroded	Not prime farmland
MrB	Miamian-Russell silt loams, 2 to 6 percent slopes	All areas are prime farmland
MrB2	Miamian-Russell silt loams, 2 to 6 percent slopes, moderately eroded	All areas are prime farmland
MrC2	Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded	Not prime farmland
MsB	Miamian-Urban land complex, gently sloping	Not prime farmland
Mt	Millsdale silty clay loam	Prime farmland if drained
MuB	Milton silt loam, 2 to 6 percent slopes	All areas are prime farmland

Prime and other Important Farmlands--Highland County, Ohio		
Map Symbol	Map Unit Name	Farmland Classification
MuB2	Milton silt loam, 2 to 6 percent slopes, moderately eroded	All areas are prime farmland
MuC2	Milton silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
MuD2	Milton silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
MwC3	Milton clay loam, 6 to 12 percent slopes, severely eroded	Not prime farmland
My	Montgomery silty clay loam	Prime farmland if drained
MzD2	Morrisville silty clay loam, 12 to 18 percent slopes, eroded	Not prime farmland
NcD	Negley loam, 15 to 25 percent slopes	Not prime farmland
NdC	Negley loam, 6 to 12 percent slopes	Not prime farmland
NdC2	Negley loam, 6 to 12 percent slopes, eroded	Not prime farmland
NdD	Negley loam, 12 to 18 percent slopes	Not prime farmland
NdE	Negley loam, 18 to 25 percent slopes	Not prime farmland
NdF	Negley loam, 25 to 35 percent slopes	Not prime farmland
NeB	Negley silt loam, 2 to 6 percent slopes	All areas are prime farmland
NeE2	Negley loam, 20 to 35 percent slopes, eroded	Not prime farmland
NfC3	Negley clay loam, 6 to 12 percent slopes, severely eroded	Not prime farmland
NfD3	Negley clay loam, 12 to 18 percent slopes, severely eroded	Not prime farmland
NgF	Negley-Fox complex, 18 to 35 percent slopes	Not prime farmland
NhC2	Nicely silt loam, 6 to 12 percent slopes, eroded	Not prime farmland
Nk	Newark silt loam, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
NmB	Nicholson silt loam, 1 to 6 percent slopes	All areas are prime farmland
NnB	Nicholson silt loam, 2 to 6 percent slopes	All areas are prime farmland
NnB2	Nicholson silt loam, 2 to 6 percent slopes, eroded	All areas are prime farmland
NnC2	Nicholson silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
No	Nolin silt loam, 0 to 3 percent slopes, occasionally flooded	All areas are prime farmland
ObB	Ockley loam, 2 to 6 percent slopes	All areas are prime farmland
OcA	Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	All areas are prime farmland
OcB	Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes	All areas are prime farmland
OcC2	Ockley silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
OdB	Ockley-Urban land complex, gently sloping	Not prime farmland
OnD2	Opequon silt loam, 15 to 30 percent slopes, eroded	Not prime farmland
OoC2	Opequon-Bratton silt loams, 8 to 15 percent slopes, eroded	Not prime farmland
OpD2	Opequon silt loam, 6 to 18 percent slopes, moderately eroded	Not prime farmland
OpE2	Opequon silt loam, 18 to 25 percent slopes, moderately eroded	Not prime farmland
OrD2	Opequon silty clay loam, 15 to 25 percent slopes, eroded	Not prime farmland
OrE2	Opequon silty clay loam, 25 to 40 percent slopes, eroded	Not prime farmland
OrF	Opequon silty clay loam, 40 to 60 percent slopes, very rocky	Not prime farmland

Prime and other Important Farmlands--Highland County, Ohio		
Map Symbol	Map Unit Name	Farmland Classification
OsF2	Opequon stony silt loam, 18 to 35 percent slopes, moderately eroded	Not prime farmland
OsG	Opequon stony silt loam, 35 to 50 percent slopes	Not prime farmland
OtD3	Opequon clay, 6 to 18 percent slopes, severely eroded	Not prime farmland
Ou	Orrville silt loam, frequently flooded	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
OwB	Otwell silt loam, 2 to 6 percent slopes	All areas are prime farmland
OwC2	Otwell silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
OwD2	Otwell silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
OwE2	Otwell silt loam, 18 to 25 percent slopes, moderately eroded	Not prime farmland
OwF	Otwell silt loam, 25 to 35 percent slopes	Not prime farmland
OxB	Otwell silt loam, 3 to 8 percent slopes	Not prime farmland
OyC2	Otwell silt loam, 6 to 15 percent slopes, eroded	Not prime farmland
Pa	Patton silt loam	Prime farmland if drained
Pb	Patton silt loam, till substratum	Prime farmland if drained
Pe	Peoga silt loam	Prime farmland if drained
Pg	Pits, gravel	Not prime farmland
Pn	Philo silt loam	All areas are prime farmland
Pq	Pits, quarry	Not prime farmland
RbB	Rainsboro silt loam, 2 to 6 percent slopes	All areas are prime farmland
Rn	Ross silt loam	All areas are prime farmland
RpC2	Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
RpD2	Rossmoyne silt loam, 12 to 18 percent slopes, moderately eroded	Not prime farmland
RsC3	Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded	Not prime farmland
RtB	Rossmoyne-Urban land complex, gently sloping	Not prime farmland
RuB	Russell silt loam, 2 to 6 percent slopes	All areas are prime farmland
RxB2	Russell-Xenia silt loams, 2 to 6 percent slopes, eroded	All areas are prime farmland
SaA	Sardinia silt loam, 0 to 2 percent slopes	All areas are prime farmland
SaB	Sardinia silt loam, 2 to 6 percent slopes	All areas are prime farmland
SaC2	Sardinia silt loam, 6 to 12 percent slopes, moderately eroded	Not prime farmland
Sec3A	Secondcreek silty clay loam, 0 to 1 percent slopes	Prime farmland if drained
SeE	Shelocta-Berks association, steep	Not prime farmland
SeF	Shelocta-Berks association, very steep	Not prime farmland
SfE	Shelocta-Muse-Colyer association, steep	Not prime farmland
SgE	Shelocta-Cruze-Weikert association, steep	Not prime farmland
Sh	Shoals silt loam	Prime farmland if drained
Sk	Skidmore gravelly loam, occasionally flooded	Not prime farmland

Prime and other Important Farmlands--Highland County, Ohio		
Map Symbol	Map Unit Name	Farmland Classification
SIA	Sleeth silt loam, 0 to 2 percent slopes	Prime farmland if drained
SmA	Sligo silt loam, 0 to 1 percent slopes, occasionally flooded	All areas are prime farmland
Sn	Sloan silt loam	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
SoA	Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded	Prime farmland if drained
St	Stonelick loam	All areas are prime farmland
TbA	Taggart silt loam, 0 to 2 percent slopes	Prime farmland if drained
TcA	Taggart silt loam, 0 to 4 percent slopes	Prime farmland if drained
ThA	Thackery silt loam, 0 to 2 percent slopes	All areas are prime farmland
ThB	Thackery silt loam, 2 to 6 percent slopes	All areas are prime farmland
TkA	Tilsit silt loam, 0 to 4 percent slopes	All areas are prime farmland
ToC	Trappist silt loam, 8 to 15 percent slopes	Not prime farmland
ToD	Trappist silt loam, 15 to 25 percent slopes	Not prime farmland
ToD2	Trappist silt loam, 15 to 25 percent slopes, eroded	Not prime farmland
TrE	Trappist silt loam, 18 to 25 percent slopes	Not prime farmland
TsB	Trappist-Muse silt loams, 2 to 6 percent slopes	All areas are prime farmland
TsC2	Trappist-Muse silt loams, 6 to 12 percent slopes, moderately eroded	Not prime farmland
TsD2	Trappist-Muse silt loams, 12 to 18 percent slopes, moderately eroded	Not prime farmland
TtA	Treaty silty clay loam, 0 to 1 percent slopes	Prime farmland if drained
TuD	Tuscarawas channery silt loam, 6 to 18 percent slopes	Not prime farmland
TuF	Tuscarawas channery silt loam, 18 to 35 percent slopes	Not prime farmland
TvA	Treaty silt loam, 0 to 1 percent slopes, overwash	Prime farmland if drained
TwE	Trappist-Shelocta association, steep	Not prime farmland
Ud	Udorhents	Not prime farmland
Uf	Udorhents, sanitary landfill	Not prime farmland
W	Water	Not prime farmland
WaA	Warsaw silt loam, 0 to 2 percent slopes	All areas are prime farmland
WbC3	Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded	Not prime farmland
WeA	Wea silt loam, 0 to 2 percent slopes	All areas are prime farmland
WeB	Wea silt loam, 2 to 6 percent slopes	All areas are prime farmland
WIC	Wellston silt loam, 6 to 12 percent slopes	Not prime farmland
WID	Wellston silt loam, 12 to 18 percent slopes	Not prime farmland
WoC	Wernock silt loam, 8 to 15 percent slopes	Not prime farmland
Ws	Westland silt loam, overwash	Prime farmland if drained
WsS1A1	Westboro-Schaffer silt loams, 0 to 2 percent slopes	Prime farmland if drained

Prime and other Important Farmlands--Highland County, Ohio		
Map Symbol	Map Unit Name	Farmland Classification
WsS1B1	Westboro-Schaffer silt loams, 2 to 4 percent slopes	Prime farmland if drained
Wt	Westland silty clay loam	Prime farmland if drained
WvA	Williamsburg silt loam, 0 to 2 percent slopes	All areas are prime farmland
WvB	Williamsburg silt loam, 2 to 6 percent slopes	All areas are prime farmland
WvC	Williamsburg silt loam, 6 to 12 percent slopes	Not prime farmland
XeB	Xenia silt loam, 2 to 6 percent slopes	All areas are prime farmland

Data Source Information

Soil Survey Area: Highland County, Ohio
 Survey Area Data: Version 13, Sep 19, 2014