

## Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

*Hydrologic soil groups* are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

*Surface runoff* refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

*Water table* refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

*Ponding* is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

*Flooding* is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

*Duration* and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

## Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

Water Features—Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ag—Algiers silt loam										
Algiers	B/D	Low	January	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			February	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			March	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			April	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			May	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			June	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			December	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AtB--Atlas silt loam, 2 to 6 percent slopes										
Atlas	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	0.5-1.5	1.5-3.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AtB2--Atlas silt loam, 2 to 6 percent slopes, moderately eroded										
Atlas	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	0.5-1.5	1.5-3.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AtC2--Atlas silt loam, 6 to 12 percent slopes, moderately eroded										
Atlas	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	0.5-1.5	1.5-3.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AtC3--Atlas silt loam, 6 to 12 percent slopes, severely eroded										
Atlas	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	0.5-1.5	1.5-3.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AxA--Avonburg-Urban land complex, nearly level										
Avonburg	C/D	High	January	0.5-1.5	2.0-4.5	—	—	None	—	None
			February	0.5-1.5	2.0-4.5	—	—	None	—	None
			March	0.5-1.5	2.0-4.5	—	—	None	—	None
			April	0.5-1.5	2.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BaD2--Bonnell silt loam, 15 to 25 percent slopes, eroded										
Bonnell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BaE--Bonnell silt loam, 25 to 40 percent slopes										
Bonnell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BbD3--Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded										
Bonnell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BeC2—Beasley silt loam, 6 to 12 percent slopes, moderately eroded										
Beasley	C	High	January	1.5-3.0	2.0-4.5	—	—	None	—	None
			February	1.5-3.0	2.0-4.5	—	—	None	—	None
			March	1.5-3.0	2.0-4.5	—	—	None	—	None
			April	1.5-3.0	2.0-4.5	—	—	None	—	None
			May	1.5-3.0	2.0-4.5	—	—	None	—	None
			June	1.5-3.0	2.0-4.5	—	—	None	—	None
			July	1.5-3.0	2.0-4.5	—	—	None	—	None
			August	1.5-3.0	2.0-4.5	—	—	None	—	None
			September	1.5-3.0	2.0-4.5	—	—	None	—	None
			October	1.5-3.0	2.0-4.5	—	—	None	—	None
			November	1.5-3.0	2.0-4.5	—	—	None	—	None
			December	1.5-3.0	2.0-4.5	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BeD2—Beasley silt loam, 12 to 18 percent slopes, moderately eroded										
Beasley	C	High	January	1.5-3.0	2.0-4.5	—	—	None	—	None
			February	1.5-3.0	2.0-4.5	—	—	None	—	None
			March	1.5-3.0	2.0-4.5	—	—	None	—	None
			April	1.5-3.0	2.0-4.5	—	—	None	—	None
			May	1.5-3.0	2.0-4.5	—	—	None	—	None
			June	1.5-3.0	2.0-4.5	—	—	None	—	None
			July	1.5-3.0	2.0-4.5	—	—	None	—	None
			August	1.5-3.0	2.0-4.5	—	—	None	—	None
			September	1.5-3.0	2.0-4.5	—	—	None	—	None
			October	1.5-3.0	2.0-4.5	—	—	None	—	None
			November	1.5-3.0	2.0-4.5	—	—	None	—	None
			December	1.5-3.0	2.0-4.5	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BfD—Berks channery silt loam, 12 to 20 percent slopes										
Berks	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BgF--Berks-Muskingum channery silt loams, 18 to 35 percent slopes										
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Muskingum	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BgG--Berks-Muskingum channery silt loams, 35 to 50 percent slopes										
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Muskingum	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhD--Berks-Muskingum-Neotoma channery silt loams, 6 to 18 percent slopes										
Berks	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Muskingum	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Neotoma	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhF--Berks-Muskingum-Neotoma channery silt loams, 18 to 35 percent slopes										
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Muskingum	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Neotoma	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhG--Berks-Muskingum-Neotoma channery silt loams, 35 to 50 percent slopes										
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Muskingum	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Neotoma	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Bk—Blanchester silt loam										
Blanchester	C/D	Medium	January	0.0-1.0	>6.0	0.0-1.0	Brief (2 to 7 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-1.0	Brief (2 to 7 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-1.0	Brief (2 to 7 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-1.0	Brief (2 to 7 days)	Frequent	—	None
			May	—	—	—	—	—	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	—	—	—	—	—	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Bln3A—Blanchester silty clay loam, 0 to 1 percent slopes										
Blanchester	C/D	—	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	—	—	—	—	—	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmC2--Boston-Bratton complex, 6 to 12 percent slopes, moderately eroded										
Boston	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Bratton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmC3--Boston-Bratton complex, 6 to 12 percent slopes, severely eroded										
Boston	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Bratton	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmD2--Boston-Bratton complex, 12 to 18 percent slopes, moderately eroded										
Boston	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Bratton	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmD3--Boston-Bratton complex, 12 to 18 percent slopes, severely eroded										
Boston	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Bratton	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmE2--Boston-Bratton complex, 18 to 25 percent slopes, moderately eroded										
Boston	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Bratton	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BnB--Boston-Grayford silt loams, 2 to 6 percent slopes										
Boston	D	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Grayford	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BnB2—Boston-Grayford silt loams, 2 to 6 percent slopes, moderately eroded										
Boston	D	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Grayford	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BoB--Boston-Urban land complex, gently sloping										
Boston	D	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BoC--Boston-Urban land complex, sloping										
Boston	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BpB—Bratton silt loam, 2 to 6 percent slopes										
Bratton	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BpB2—Bratton silt loam, 2 to 6 percent slopes, moderately eroded										
Bratton	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BpC2--Bratton silt loam, 6 to 12 percent slopes, moderately eroded										
Bratton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BpD2—Bratton silt loam, 12 to 18 percent slopes, moderately eroded										
Bratton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BrD3—Bratton silty clay loam, 12 to 18 percent slopes, severely eroded										
Bratton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Bs--Brookston silt loam										
Brookston	C/D	Medium	January	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Bt--Brookston silty clay loam, fine-silty, 0 to 2 percent slopes										
Brookston	B/D	Negligible	January	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			June	4.0-5.0	>6.0	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	4.0-5.0	>6.0	—	—	—	—	None
			November	4.0-5.0	>6.0	—	—	—	—	None
			December	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BvB—Bratton silt loam, 2 to 8 percent slopes										
Bratton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BwC2—Bratton-Opequon complex, 8 to 15 percent slopes, eroded										
Bratton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Opequon	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BxC2—Brushcreek silt loam, 6 to 12 percent slopes, eroded										
Brushcreek	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	1.5-3.0	2.5-4.0	—	—	None	—	None
			April	1.5-3.0	2.5-4.0	—	—	None	—	None
			May	1.5-3.0	2.5-4.0	—	—	None	—	None
			June	1.5-3.0	2.5-4.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ByD2—Brushcreek-Lawshe complex, 12 to 25 percent slopes, eroded										
Brushcreek	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	1.5-3.0	2.5-4.0	—	—	None	—	None
			April	1.5-3.0	2.5-4.0	—	—	None	—	None
			May	1.5-3.0	2.5-4.0	—	—	None	—	None
			June	1.5-3.0	2.5-4.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Lawshe	D	Very high	January	1.0-3.0	1.5-4.0	—	—	None	—	None
			February	1.0-3.0	1.5-4.0	—	—	None	—	None
			March	1.0-3.0	1.5-4.0	—	—	None	—	None
			April	1.0-3.0	1.5-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BzB2--Bratton silt loam, 3 to 8 percent slopes, eroded										
Bratton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CaB--Cana silt loam, 2 to 6 percent slopes										
Cana	C	Medium	January	1.5-3.0	2.5-4.5	—	—	None	—	None
			February	1.5-3.0	2.5-4.5	—	—	None	—	None
			March	1.5-3.0	2.5-4.5	—	—	None	—	None
			April	1.5-3.0	2.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CaB2—Cana silt loam, 2 to 6 percent slopes, moderately eroded										
Cana	C	Medium	January	2.0-3.0	3.5-4.5	—	—	None	—	None
			February	2.0-3.0	3.5-4.5	—	—	None	—	None
			March	2.0-3.0	3.5-4.5	—	—	None	—	None
			April	2.0-3.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CaC2—Cana silt loam, 6 to 12 percent slopes, moderately eroded										
Cana	C	High	January	1.5-3.0	2.5-4.5	—	—	None	—	None
			February	1.5-3.0	2.5-4.5	—	—	None	—	None
			March	1.5-3.0	2.5-4.5	—	—	None	—	None
			April	1.5-3.0	2.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CaD2—Cana silt loam, 12 to 18 percent slopes, moderately eroded										
Cana	C	High	January	1.5-3.0	2.5-4.5	—	—	None	—	None
			February	1.5-3.0	2.5-4.5	—	—	None	—	None
			March	1.5-3.0	2.5-4.5	—	—	None	—	None
			April	1.5-3.0	2.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CaF—Cana silt loam, 18 to 35 percent slopes										
Cana	C	High	January	1.5-3.0	2.5-4.5	—	—	None	—	None
			February	1.5-3.0	2.5-4.5	—	—	None	—	None
			March	1.5-3.0	2.5-4.5	—	—	None	—	None
			April	1.5-3.0	2.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcD3—Casco loam, 12 to 18 percent slopes, severely eroded										
Casco	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcF2—Casco loam, 18 to 35 percent slopes, moderately eroded										
Casco	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdB--Celina-Losantville silt loams, 2 to 6 percent slopes										
Celina	C	High	January	1.5-3.0	1.6-3.5	—	—	None	—	None
			February	1.5-3.0	1.6-3.5	—	—	None	—	None
			March	1.5-3.0	1.6-3.5	—	—	None	—	None
			April	1.5-3.0	1.6-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Losantville	D	Very high	January	1.0-2.0	3.0-4.0	—	—	None	—	None
			February	1.0-2.0	3.0-4.0	—	—	None	—	None
			March	1.0-2.0	3.0-4.0	—	—	None	—	None
			April	1.0-2.0	3.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CeB--Celina silt loam, 2 to 6 percent slopes										
Celina	C/D	Medium	January	1.5-2.5	2.0-3.2	—	—	None	—	None
			February	1.0-2.5	2.0-3.2	—	—	None	—	None
			March	1.0-2.5	2.0-3.2	—	—	None	—	None
			April	1.0-2.5	2.0-3.2	—	—	None	—	None
			May	1.5-3.2	2.0-3.2	—	—	None	—	None
			June	1.5-3.2	2.0-3.2	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.5-3.2	2.0-3.2	—	—	None	—	None
			November	1.5-3.2	2.0-3.2	—	—	None	—	None
			December	1.5-2.5	2.0-3.2	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CfB--Celina-Urban land complex, gently sloping										
Celina	C	Medium	January	1.0-3.0	1.5-3.5	—	—	None	—	None
			February	1.0-3.0	1.5-3.5	—	—	None	—	None
			March	1.0-3.0	1.5-3.5	—	—	None	—	None
			April	1.0-3.0	1.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgA--Celina-Xenia silt loams, 0 to 2 percent slopes										
Celina	C	Medium	January	1.0-3.0	1.5-3.5	—	—	None	—	None
			February	1.0-3.0	1.5-3.5	—	—	None	—	None
			March	1.0-3.0	1.5-3.5	—	—	None	—	None
			April	1.0-3.0	1.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Xenia	C	Low	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-3.0	>6.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgB--Celina-Xenia silt loams, 2 to 6 percent slopes										
Celina	C	Medium	January	1.0-3.0	1.5-3.5	—	—	None	—	None
			February	1.0-3.0	1.5-3.5	—	—	None	—	None
			March	1.0-3.0	1.5-3.5	—	—	None	—	None
			April	1.0-3.0	1.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Xenia	C	Low	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-3.0	>6.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ChB—Cincinnati silt loam, 2 to 6 percent slopes										
Cincinnati	C	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ChC2—Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded										
Cincinnati	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ChD2—Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded										
Cincinnati	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cle1A—Clermont silt loam, 0 to 1 percent slopes										
Clermont	C/D	—	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cn—Clifty silt loam, occasionally flooded										
Clifty	A	Very low	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoD2--Colyer-Trappist complex, 12 to 18 percent slopes, moderately eroded										
Colyer	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Trappist	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoF--Colyer-Trappist complex, 18 to 35 percent slopes										
Colyer	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Trappist	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoG--Colyer-Trappist complex, 35 to 50 percent slopes										
Colyer	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Trappist	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CrA—Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes										
Crosby	C/D	Medium	January	0.5-2.0	2.0-3.5	—	—	None	—	None
			February	0.5-2.0	2.0-3.5	—	—	None	—	None
			March	0.5-2.0	2.0-3.5	—	—	None	—	None
			April	0.5-3.0	2.0-3.5	—	—	None	—	None
			May	1.5-3.0	2.0-3.5	—	—	None	—	None
			June	1.5-3.5	2.0-3.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.5-3.5	2.0-3.5	—	—	None	—	None
			November	1.5-3.0	2.0-3.5	—	—	None	—	None
			December	0.5-3.0	2.0-3.5	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CsA—Crosby-Fincastle silt loams, 0 to 2 percent slopes										
Crosby	C/D	High	January	0.5-1.5	1.0-3.0	—	—	None	—	None
			February	0.5-1.5	1.0-3.0	—	—	None	—	None
			March	0.5-1.5	1.0-3.0	—	—	None	—	None
			April	0.5-1.5	1.0-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Fincastle	C/D	Medium	January	0.5-1.5	>6.0	—	—	None	—	None
			February	0.5-1.5	>6.0	—	—	None	—	None
			March	0.5-1.5	>6.0	—	—	None	—	None
			April	0.5-1.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CsB—Crosby-Fincastle silt loams, 2 to 6 percent slopes										
Crosby	C/D	High	January	0.5-1.5	1.0-3.0	—	—	None	—	None
			February	0.5-1.5	1.0-3.0	—	—	None	—	None
			March	0.5-1.5	1.0-3.0	—	—	None	—	None
			April	0.5-1.5	1.0-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Fincastle	C/D	Medium	January	0.5-1.5	>6.0	—	—	None	—	None
			February	0.5-1.5	>6.0	—	—	None	—	None
			March	0.5-1.5	>6.0	—	—	None	—	None
			April	0.5-1.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CtA—Crosby-Celina silt loams, 0 to 2 percent slopes										
Crosby	C/D	High	January	0.5-1.5	1.0-2.0	—	—	None	—	None
			February	0.5-1.5	1.0-2.0	—	—	None	—	None
			March	0.5-1.5	1.0-2.0	—	—	None	—	None
			April	0.5-1.5	1.0-2.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.5-1.5	1.0-2.0	—	—	None	—	None
Celina	C	High	January	1.5-3.0	1.6-3.5	—	—	None	—	None
			February	1.5-3.0	1.6-3.5	—	—	None	—	None
			March	1.5-3.0	1.6-3.5	—	—	None	—	None
			April	1.5-3.0	1.6-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CuA—Crosby-Urban land complex, nearly level										
Crosby	C/D	High	January	0.5-1.5	1.0-3.0	—	—	None	—	None
			February	0.5-1.5	1.0-3.0	—	—	None	—	None
			March	0.5-1.5	1.0-3.0	—	—	None	—	None
			April	0.5-1.5	1.0-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CvC2—Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded										
Crouse	B	Medium	January	3.5-4.0	4.0-5.0	—	—	None	—	None
			February	3.5-4.0	4.0-5.0	—	—	None	—	None
			March	3.5-4.0	4.0-5.0	—	—	None	—	None
			April	3.5-4.0	4.0-5.0	—	—	None	—	None
			May	3.5-4.0	4.0-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Miamian	C	High	January	2.5-3.5	3.0-4.0	—	—	None	—	None
			February	2.5-3.5	3.0-4.0	—	—	None	—	None
			March	2.5-3.5	3.0-4.0	—	—	None	—	None
			April	2.5-3.5	3.0-4.0	—	—	None	—	None
			May	2.5-3.5	3.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DaA—Dana silt loam, 0 to 2 percent slopes										
Dana	C	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	2.0-3.0	3.0-6.0	—	—	None	—	None
			April	2.0-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DaB—Dana silt loam, 2 to 6 percent slopes										
Dana	C	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	2.0-3.0	3.0-6.0	—	—	None	—	None
			April	2.0-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
DAM—Dam										
Dam	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DuA--Dubois silt loam, 0 to 2 percent slopes										
Dubois	C/D	High	January	0.5-1.0	>6.0	—	—	None	—	None
			February	0.5-1.0	>6.0	—	—	None	—	None
			March	0.5-1.0	>6.0	—	—	None	—	None
			April	0.5-1.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DuB—Dubois silt loam, 2 to 6 percent slopes										
Dubois	C/D	High	January	0.5-1.0	>6.0	—	—	None	—	None
			February	0.5-1.0	>6.0	—	—	None	—	None
			March	0.5-1.0	>6.0	—	—	None	—	None
			April	0.5-1.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EaF—Eden flaggy silt loam, 40 to 70 percent slopes										
Eden	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EbC2—Edenton silt loam, 6 to 12 percent slopes, moderately eroded										
Edenton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EbD2—Edenton silt loam, 12 to 18 percent slopes, moderately eroded										
Edenton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EbF2—Edenton silt loam, 18 to 35 percent slopes, moderately eroded										
Edenton	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EcE2—Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded										
Eden	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ee--Eel silt loam										
Eel	C	Low	January	2.0-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	2.0-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	2.0-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	2.0-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			October	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EfC2—Eldean loam, 6 to 12 percent slopes, eroded										
Eldean	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EkB—Elkinsville silt loam, 1 to 6 percent slopes										
Elkinsville	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaC2—Faywood silt loam, 8 to 15 percent slopes, eroded										
Faywood	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FbA—Fincastle silt loam, 0 to 2 percent slopes										
Fincastle	C/D	Low	January	1.0-1.5	1.5-2.0	—	—	None	—	None
			February	1.0-1.5	1.5-2.0	—	—	None	—	None
			March	1.0-1.5	1.5-2.0	—	—	None	—	None
			April	1.0-1.5	1.5-2.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FbB—Fincastle silt loam, 2 to 4 percent slopes										
Fincastle	C/D	Low	January	1.0-1.5	1.5-2.0	—	—	None	—	None
			February	1.0-1.5	1.5-2.0	—	—	None	—	None
			March	1.0-1.5	1.5-2.0	—	—	None	—	None
			April	1.0-1.5	1.5-2.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcA—Fitchville silt loam, 0 to 2 percent slopes										
Fitchville	C/D	Medium	January	0.0-1.0	2.5-5.0	—	—	None	—	None
			February	0.0-1.0	2.5-5.0	—	—	None	—	None
			March	0.0-1.0	2.5-5.0	—	—	None	—	None
			April	0.0-1.0	2.5-5.0	—	—	None	—	None
			May	0.0-1.0	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-1.0	2.5-5.0	—	—	None	—	None
			December	0.0-1.0	2.5-5.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcB—Fitchville silt loam, 2 to 6 percent slopes										
Fitchville	C/D	Medium	January	0.0-1.0	2.5-5.0	—	—	None	—	None
			February	0.0-1.0	2.5-5.0	—	—	None	—	None
			March	0.0-1.0	2.5-5.0	—	—	None	—	None
			April	0.0-1.0	2.5-5.0	—	—	None	—	None
			May	0.0-1.0	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-1.0	2.5-5.0	—	—	None	—	None
			December	0.0-1.0	2.5-5.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FdD2—Faywood silty clay loam, 15 to 25 percent slopes, eroded										
Faywood	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FIC2--Fox loam, 6 to 12 percent slopes, moderately eroded										
Fox	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FID2--Fox loam, 12 to 18 percent slopes, moderately eroded										
Fox	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FnA--Fox silt loam, 0 to 2 percent slopes										
Fox	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FnB--Fox silt loam, 2 to 6 percent slopes										
Fox	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FoC3—Fox clay loam, 6 to 12 percent slopes, severely eroded										
Fox	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FpC3—Fox and Casco soils, 6 to 12 percent slopes, severely eroded										
Casco	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Fox	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GaC—Gasconade silty clay loam, 6 to 12 percent slopes										
Gasconade	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GaD2—Gasconade silty clay loam, 12 to 18 percent slopes, moderately eroded										
Gasconade	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GbF2—Gasconade flaggy silty clay loam, 18 to 35 percent slopes, moderately eroded										
Gasconade	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GbG—Gasconade flaggy silty clay loam, 35 to 50 percent slopes										
Gasconade	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Gd—Gessie loam, frequently flooded										
Gessie	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			March	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			April	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			October	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ge—Gessie silt loam, occasionally flooded										
Gessie	B	Negligible	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			October	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Gn--Genesee silt loam										
Genesee	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			October	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GuB—Guernsey silt loam, 2 to 6 percent slopes										
Guernsey	C	Medium	January	1.0-3.0	1.5-4.0	—	—	None	—	None
			February	1.0-3.0	1.5-4.0	—	—	None	—	None
			March	1.0-3.0	1.5-4.0	—	—	None	—	None
			April	1.0-3.0	1.5-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GuC—Guernsey silt loam, 6 to 12 percent slopes										
Guernsey	C	High	January	1.0-3.0	1.5-4.0	—	—	None	—	None
			February	1.0-3.0	1.5-4.0	—	—	None	—	None
			March	1.0-3.0	1.5-4.0	—	—	None	—	None
			April	1.0-3.0	1.5-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GvC3—Guernsey silty clay loam, 6 to 12 percent slopes, severely eroded										
Guernsey	C	High	January	1.0-3.0	1.5-4.0	—	—	None	—	None
			February	1.0-3.0	1.5-4.0	—	—	None	—	None
			March	1.0-3.0	1.5-4.0	—	—	None	—	None
			April	1.0-3.0	1.5-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GxD3--Guernsey soils, 12 to 18 percent slopes, severely eroded										
Guernsey	C	High	January	1.0-3.0	1.5-4.0	—	—	None	—	None
			February	1.0-3.0	1.5-4.0	—	—	None	—	None
			March	1.0-3.0	1.5-4.0	—	—	None	—	None
			April	1.0-3.0	1.5-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HbA—Haubstadt silt loam, 0 to 2 percent slopes										
Haubstadt	D	High	January	1.0-3.0	2.0-4.5	—	—	None	—	None
			February	1.0-3.0	2.0-4.5	—	—	None	—	None
			March	1.0-3.0	2.0-4.5	—	—	None	—	None
			April	1.0-3.0	2.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HbB—Haubstadt silt loam, 2 to 6 percent slopes										
Haubstadt	D	Low	January	1.0-3.0	2.0-4.5	—	—	None	—	None
			February	1.0-3.0	2.0-4.5	—	—	None	—	None
			March	1.0-3.0	2.0-4.5	—	—	None	—	None
			April	1.0-3.0	2.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HbC2—Haubstadt silt loam, 6 to 12 percent slopes, moderately eroded										
Haubstadt	D	Medium	January	1.0-3.0	2.0-4.5	—	—	None	—	None
			February	1.0-3.0	2.0-4.5	—	—	None	—	None
			March	1.0-3.0	2.0-4.5	—	—	None	—	None
			April	1.0-3.0	2.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HbC3—Haubstadt silt loam, 6 to 12 percent slopes, severely eroded										
Haubstadt	D	Medium	January	1.0-3.0	2.0-4.5	—	—	None	—	None
			February	1.0-3.0	2.0-4.5	—	—	None	—	None
			March	1.0-3.0	2.0-4.5	—	—	None	—	None
			April	1.0-3.0	2.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HbD2—Haubstadt silt loam, 12 to 18 percent slopes, moderately eroded										
Haubstadt	D	Medium	January	1.0-3.0	2.0-4.5	—	—	None	—	None
			February	1.0-3.0	2.0-4.5	—	—	None	—	None
			March	1.0-3.0	2.0-4.5	—	—	None	—	None
			April	1.0-3.0	2.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HbD3—Haubstadt silt loam, 12 to 18 percent slopes, severely eroded										
Haubstadt	D	Medium	January	1.0-3.0	2.0-4.5	—	—	None	—	None
			February	1.0-3.0	2.0-4.5	—	—	None	—	None
			March	1.0-3.0	2.0-4.5	—	—	None	—	None
			April	1.0-3.0	2.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HcB—Haubstadt-Urban land complex, gently sloping										
Haubstadt	D	Low	January	1.0-3.0	2.0-4.5	—	—	None	—	None
			February	1.0-3.0	2.0-4.5	—	—	None	—	None
			March	1.0-3.0	2.0-4.5	—	—	None	—	None
			April	1.0-3.0	2.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HcC--Haubstadt-Urban land complex, sloping										
Haubstadt	D	Medium	January	1.0-3.0	2.0-4.5	—	—	None	—	None
			February	1.0-3.0	2.0-4.5	—	—	None	—	None
			March	1.0-3.0	2.0-4.5	—	—	None	—	None
			April	1.0-3.0	2.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HeF2--Hennepin-Miamian silt loams, 18 to 35 percent slopes, moderately eroded										
Hennepin	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Miamian	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HeG2--Hennepin-Miamian silt loams, 35 to 50 percent slopes, moderately eroded										
Hennepin	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Miamian	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HfE3--Hennepin-Miamian complex, 12 to 25 percent slopes, severely eroded										
Hennepin	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Miamian	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HkC2—Hickory silt loam, 6 to 12 percent slopes, moderately eroded										
Hickory	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HkD2—Hickory silt loam, 12 to 18 percent slopes, moderately eroded										
Hickory	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HkE2—Hickory silt loam, 18 to 25 percent slopes, moderately eroded										
Hickory	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HkF2—Hickory silt loam, 25 to 35 percent slopes, moderately eroded										
Hickory	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HyC3—Hickory clay loam, 6 to 12 percent slopes, severely eroded										
Hickory	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HyD3—Hickory clay loam, 12 to 18 percent slopes, severely eroded										
Hickory	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HyE3—Hickory clay loam, 18 to 25 percent slopes, severely eroded										
Hickory	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JeD—Jessup silt loam, 12 to 18 percent slopes										
Jessup	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JfC2—Jessup silt loam, 8 to 15 percent slopes, eroded										
Jessup	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JfD2—Jessup silt loam, 15 to 25 percent slopes, eroded										
Jessup	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JoC—Johnsburg silt loam, 2 to 8 percent slopes										
Johnsburg	C	High	January	1.0-3.0	1.5-5.0	—	—	None	—	None
			February	1.0-3.0	1.5-5.0	—	—	None	—	None
			March	1.0-3.0	1.5-5.0	—	—	None	—	None
			April	1.0-3.0	1.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JoR1A1—Jonesboro-Rossmoyne silt loams, 0 to 2 percent slopes										
Jonesboro	C	—	January	1.5-3.0	2.4-4.0	—	—	None	—	None
			February	1.5-3.0	2.4-4.0	—	—	None	—	None
			March	1.5-3.0	2.4-4.0	—	—	None	—	None
			April	1.5-3.0	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rossmoyne	D	—	January	1.6-2.5	2.4-4.0	—	—	None	—	None
			February	1.6-2.5	2.4-4.0	—	—	None	—	None
			March	1.6-2.5	2.4-4.0	—	—	None	—	None
			April	1.6-2.5	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JoR1B1—Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes										
Jonesboro	C	—	January	1.5-3.0	2.4-4.0	—	—	None	—	None
			February	1.5-3.0	2.4-4.0	—	—	None	—	None
			March	1.5-3.0	2.4-4.0	—	—	None	—	None
			April	1.5-3.0	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rossmoyne	D	—	January	1.5-2.5	2.4-4.0	—	—	None	—	None
			February	1.5-2.5	2.4-4.0	—	—	None	—	None
			March	1.5-2.5	2.4-4.0	—	—	None	—	None
			April	1.5-2.5	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JoR1B2--Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes, eroded										
Jonesboro, eroded	D	—	January	1.5-3.0	2.4-4.0	—	—	None	—	None
			February	1.5-3.0	2.4-4.0	—	—	None	—	None
			March	1.5-3.0	2.4-4.0	—	—	None	—	None
			April	1.5-3.0	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rossmoyne, eroded	D	—	January	1.5-2.5	2.4-4.0	—	—	None	—	None
			February	1.5-2.5	2.4-4.0	—	—	None	—	None
			March	1.5-2.5	2.4-4.0	—	—	None	—	None
			April	1.5-2.5	2.4-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JrC2--Jonesboro-Rossmoyne silt loams, 6 to 12 percent slopes, eroded										
Jonesboro	D	Very high	January	1.5-2.5	1.6-3.0	—	—	None	—	None
			February	1.5-2.5	1.6-3.0	—	—	None	—	None
			March	1.5-2.5	1.6-3.0	—	—	None	—	None
			April	1.5-2.5	1.6-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rossmoyne	C	Medium	January	1.5-2.5	1.6-3.0	—	—	None	—	None
			February	1.5-2.5	1.6-3.0	—	—	None	—	None
			March	1.5-2.5	1.6-3.0	—	—	None	—	None
			April	1.5-2.5	1.6-3.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KeB--Kendallville silt loam, 2 to 6 percent slopes										
Kendallville	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KeC2—Kendallville silt loam, 6 to 12 percent slopes, moderately eroded										
Kendallville	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KeD2—Kendallville silt loam, 12 to 18 percent slopes, moderately eroded										
Kendallville	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KfD3—Kendallville clay loam, 12 to 18 percent slopes, severely eroded										
Kendallville	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KoA--Kokomo silty clay loam, 0 to 1 percent slopes										
Kokomo	C/D	Negligible	January	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			February	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			March	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			April	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			May	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LhB—Lawshe silty clay loam, 2 to 6 percent slopes										
Lawshe	D	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LhC2—Lawshe silty clay loam, 6 to 12 percent slopes, moderately eroded										
Lawshe	D	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LhD2—Lawshe silty clay loam, 12 to 18 percent slopes, moderately eroded										
Lawshe	D	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LID3—Lawshe silty clay, 12 to 18 percent slopes, severely eroded										
Lawshe	D	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LmC2—Libre silt loam, 6 to 12 percent slopes, eroded										
Libre	C	Medium	January	2.0-3.5	2.5-5.0	—	—	None	—	None
			February	2.0-3.5	2.5-5.0	—	—	None	—	None
			March	2.0-3.5	2.5-5.0	—	—	None	—	None
			April	2.0-3.5	2.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LoB--Loudon silt loam, 2 to 6 percent slopes										
Loudon	C	Medium	January	1.0-3.0	3.5-5.0	—	—	None	—	None
			February	1.0-3.0	3.5-5.0	—	—	None	—	None
			March	1.0-3.0	3.5-5.0	—	—	None	—	None
			April	1.0-3.0	3.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LoB2--Loudon silt loam, 2 to 6 percent slopes, moderately eroded										
Loudon	C	Medium	January	1.0-3.0	3.5-5.0	—	—	None	—	None
			February	1.0-3.0	3.5-5.0	—	—	None	—	None
			March	1.0-3.0	3.5-5.0	—	—	None	—	None
			April	1.0-3.0	3.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LoC2—Loudon silt loam, 6 to 12 percent slopes, moderately eroded										
Loudon	C	High	January	1.0-3.0	3.5-5.0	—	—	None	—	None
			February	1.0-3.0	3.5-5.0	—	—	None	—	None
			March	1.0-3.0	3.5-5.0	—	—	None	—	None
			April	1.0-3.0	3.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LoD2—Loudon silt loam, 12 to 18 percent slopes, moderately eroded										
Loudon	C	High	January	1.0-3.0	3.5-5.0	—	—	None	—	None
			February	1.0-3.0	3.5-5.0	—	—	None	—	None
			March	1.0-3.0	3.5-5.0	—	—	None	—	None
			April	1.0-3.0	3.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LpE2--Loudon-Edenton silt loams, 18 to 25 percent slopes, moderately eroded										
Loudon	C	Very high	January	1.0-3.0	3.5-5.0	—	—	None	—	None
			February	1.0-3.0	3.5-5.0	—	—	None	—	None
			March	1.0-3.0	3.5-5.0	—	—	None	—	None
			April	1.0-3.0	3.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Edenton	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LrC2—Loudon silt loam, 6 to 15 percent slopes, eroded										
Loudon	C	High	January	2.0-3.5	3.5-5.0	—	—	None	—	None
			February	2.0-3.5	3.5-5.0	—	—	None	—	None
			March	2.0-3.5	3.5-5.0	—	—	None	—	None
			April	2.0-3.5	3.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MdB--Markland silt loam, 2 to 6 percent slopes										
Markland	D	High	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-3.0	>6.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MdC2—Markland silt loam, 6 to 12 percent slopes, moderately eroded										
Markland	D	Very high	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-3.0	>6.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MdD2—Markland silt loam, 12 to 18 percent slopes, moderately eroded										
Markland	D	Very high	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-3.0	>6.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MgB--McGary silt loam, 0 to 4 percent slopes										
Mcgary	C/D	High	January	0.5-1.5	>6.0	—	—	None	—	None
			February	0.5-1.5	>6.0	—	—	None	—	None
			March	0.5-1.5	>6.0	—	—	None	—	None
			April	0.5-1.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MIB--Miamiian silt loam, 2 to 6 percent slopes										
Miamian	C	Medium	January	2.5-3.0	2.5-3.3	—	—	None	—	None
			February	2.5-3.0	2.5-3.3	—	—	None	—	None
			March	2.5-3.0	2.5-3.3	—	—	None	—	None
			April	2.5-3.0	2.5-3.3	—	—	None	—	None
			May	2.5-3.0	2.5-3.3	—	—	None	—	None
			June	2.5-3.0	2.5-3.3	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	2.5-3.0	2.5-3.3	—	—	None	—	None
			November	2.5-3.0	2.5-3.3	—	—	None	—	None
			December	2.0-3.0	2.5-3.3	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MIB2--Miamian silt loam, 2 to 6 percent slopes, eroded										
Miamian, eroded	C	Medium	January	2.5-3.5	3.0-4.0	—	—	None	—	None
			February	2.5-3.5	3.0-4.0	—	—	None	—	None
			March	2.5-3.5	3.0-4.0	—	—	None	—	None
			April	2.5-3.5	3.0-4.0	—	—	None	—	None
			May	2.5-3.5	3.0-4.0	—	—	None	—	None
			June	2.7-3.5	3.0-4.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	2.7-3.5	3.0-4.0	—	—	None	—	None
			November	2.7-3.5	3.0-4.0	—	—	None	—	None
			December	2.7-3.5	3.0-4.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MIC2--Miamian silt loam, 6 to 12 percent slopes, moderately eroded										
Miamian	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MID2--Miamian silt loam, 12 to 18 percent slopes, moderately eroded										
Miamian	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MIE--Miamiian silt loam, 18 to 25 percent slopes										
Miamian	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MmC3--Miamian clay loam, 6 to 12 percent slopes, severely eroded										
Miamian, severely eroded	C	High	January	2.5-3.5	3.0-4.0	—	—	None	—	None
			February	2.5-3.5	3.0-4.0	—	—	None	—	None
			March	2.5-3.5	3.0-4.0	—	—	None	—	None
			April	2.5-3.5	3.0-4.0	—	—	None	—	None
			May	2.5-3.5	3.0-4.0	—	—	None	—	None
			June	2.7-3.5	3.0-4.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	2.7-3.5	3.0-4.0	—	—	None	—	None
			November	2.7-3.5	3.0-4.0	—	—	None	—	None
			December	2.7-3.5	3.0-4.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MmD3—Miamian clay loam, 12 to 18 percent slopes, severely eroded										
Miamian	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MnE2--Miamian-Thrifton complex, 18 to 25 percent slopes, eroded										
Miamian	C	Very high	January	2.5-3.5	3.0-4.0	—	—	None	—	None
			February	2.5-3.5	3.0-4.0	—	—	None	—	None
			March	2.5-3.5	3.0-4.0	—	—	None	—	None
			April	2.5-3.5	3.0-4.0	—	—	None	—	None
			May	2.5-3.5	3.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Thrifton	D	Very high	January	1.0-2.0	1.5-2.5	—	—	None	—	None
			February	1.0-2.0	1.5-2.5	—	—	None	—	None
			March	1.0-2.0	1.5-2.5	—	—	None	—	None
			April	1.0-2.0	1.5-2.5	—	—	None	—	None
			May	1.0-2.0	1.5-2.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.0	1.5-2.5	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MpF2--Miamian and Hennepin silt loams, 25 to 35 percent slopes, moderately eroded										
Hennepin	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Miamian	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MrB--Miamian-Russell silt loams, 2 to 6 percent slopes										
Miamian	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Russell	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MrB2--Miamian-Russell silt loams, 2 to 6 percent slopes, moderately eroded										
Miamian	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Russell	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MrC2--Miamiian-Russell silt loams, 6 to 12 percent slopes, moderately eroded										
Miamian	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Russell	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MsB--Miamian-Urban land complex, gently sloping										
Miamian	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Mt--Millsdale silty clay loam										
Millsdale	C/D	Medium	January	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			May	—	—	—	—	—	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	—	—	—	—	—	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MuB—Milton silt loam, 2 to 6 percent slopes										
Milton	C	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MuB2—Milton silt loam, 2 to 6 percent slopes, moderately eroded										
Milton	C	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MuC2—Milton silt loam, 6 to 12 percent slopes, moderately eroded										
Milton	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MuD2—Milton silt loam, 12 to 18 percent slopes, moderately eroded										
Milton	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MwC3—Milton clay loam, 6 to 12 percent slopes, severely eroded										
Milton	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
My--Montgomery silty clay loam										
Montgomery	C/D	High	January	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MzD2--Morrisville silty clay loam, 12 to 18 percent slopes, eroded										
Morrisville	C	High	January	2.0-3.5	3.5-5.0	—	—	None	—	None
			February	2.0-3.5	3.5-5.0	—	—	None	—	None
			March	2.0-3.5	3.5-5.0	—	—	None	—	None
			April	2.0-3.5	3.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.5	3.5-5.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NcD--Negley loam, 15 to 25 percent slopes										
Negley	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NdC--Negley loam, 6 to 12 percent slopes										
Negley	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NdC2--Negley loam, 6 to 12 percent slopes, eroded										
Negley	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NdD--Negley loam, 12 to 18 percent slopes										
Negley	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NdE--Negley loam, 18 to 25 percent slopes										
Negley	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NdF--Negley loam, 25 to 35 percent slopes										
Negley	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NeB--Negley silt loam, 2 to 6 percent slopes										
Negley	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NeE2--Negley loam, 20 to 35 percent slopes, eroded										
Negley	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NfC3--Negley clay loam, 6 to 12 percent slopes, severely eroded										
Negley	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NfD3--Negley clay loam, 12 to 18 percent slopes, severely eroded										
Negley	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NgF--Negley-Fox complex, 18 to 35 percent slopes										
Negley	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Fox	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NhC2—Nicely silt loam, 6 to 12 percent slopes, eroded										
Nicely	C	High	January	1.5-2.5	4.0-6.0	—	—	None	—	None
			February	1.5-2.5	4.0-6.0	—	—	None	—	None
			March	1.5-2.5	4.0-6.0	—	—	None	—	None
			April	1.5-2.5	4.0-6.0	—	—	None	—	None
			May	1.5-2.5	4.0-6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Nk—Newark silt loam, frequently flooded										
Newark	B/D	Low	January	0.5-1.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			February	0.5-1.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			March	0.5-1.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			April	0.5-1.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			May	0.5-1.5	>6.0	—	—	None	—	—
			December	0.5-1.5	>6.0	—	—	None	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NmB--Nicholson silt loam, 1 to 6 percent slopes										
Nicholson	C	Medium	January	1.5-2.5	2.0-5.0	—	—	None	—	None
			February	1.5-2.5	2.0-5.0	—	—	None	—	None
			March	1.5-2.5	2.0-5.0	—	—	None	—	None
			April	1.5-2.5	2.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NnB--Nicholson silt loam, 2 to 6 percent slopes										
Nicholson	C	Medium	January	1.1-2.3	1.3-2.5	—	—	None	—	None
			February	1.1-2.3	1.3-2.5	—	—	None	—	None
			March	1.1-2.3	1.3-2.5	—	—	None	—	None
			April	1.1-2.3	1.3-2.5	—	—	None	—	None
			May	1.1-2.3	1.3-2.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.1-2.3	1.3-2.5	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NnB2--Nicholson silt loam, 2 to 6 percent slopes, eroded										
Nicholson, eroded	C/D	High	January	1.0-2.1	1.2-2.3	—	—	None	—	None
			February	1.0-2.1	1.2-2.3	—	—	None	—	None
			March	1.0-2.1	1.2-2.3	—	—	None	—	None
			April	1.0-2.1	1.2-2.3	—	—	None	—	None
			May	1.0-2.1	1.2-2.3	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.1	1.2-2.3	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
NnC2—Nicholson silt loam, 6 to 12 percent slopes, moderately eroded										
Nicholson	C	High	January	1.0-3.0	2.0-5.0	—	—	None	—	None
			February	1.0-3.0	2.0-5.0	—	—	None	—	None
			March	1.0-3.0	2.0-5.0	—	—	None	—	None
			April	1.0-3.0	2.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded										
Nolin, occasionally flooded	B	—	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ObB--Ockley loam, 2 to 6 percent slopes										
Ockley	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OcA—Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes										
Ockley	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OcB—Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes										
Ockley	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OcC2—Ockley silt loam, 6 to 12 percent slopes, moderately eroded										
Ockley	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OdB--Ockley-Urban land complex, gently sloping										
Ockley	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OnD2—Opequon silt loam, 15 to 30 percent slopes, eroded										
Opequon	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OoC2—Opequon-Bratton silt loams, 8 to 15 percent slopes, eroded										
Opequon	D	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Bratton	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OpD2—Opequon silt loam, 6 to 18 percent slopes, moderately eroded										
Opequon	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OpE2—Opequon silt loam, 18 to 25 percent slopes, moderately eroded										
Opequon	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OrD2—Opequon silty clay loam, 15 to 25 percent slopes, eroded										
Opequon	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OrE2—Opequon silty clay loam, 25 to 40 percent slopes, eroded										
Opequon	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OrF--Opequon silty clay loam, 40 to 60 percent slopes, very rocky										
Opequon	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OsF2—Opequon stony silt loam, 18 to 35 percent slopes, moderately eroded										
Opequon	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OsG—Opequon stony silt loam, 35 to 50 percent slopes										
Opequon	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OtD3—Opequon clay, 6 to 18 percent slopes, severely eroded										
Opequon	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ou--Orrville silt loam, frequently flooded										
Orrville	B/D	Low	January	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OwB—Otwell silt loam, 2 to 6 percent slopes										
Otwell	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OwC2—Otwell silt loam, 6 to 12 percent slopes, moderately eroded										
Otwell	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OwD2—Otwell silt loam, 12 to 18 percent slopes, moderately eroded										
Otwell	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OwE2—Otwell silt loam, 18 to 25 percent slopes, moderately eroded										
Otwell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OwF—Otwell silt loam, 25 to 35 percent slopes										
Otwell	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OxB--Otwell silt loam, 3 to 8 percent slopes										
Otwell	D	Very high	January	2.0-3.5	3.5-6.0	—	—	None	—	None
			February	2.0-3.5	3.5-6.0	—	—	None	—	None
			March	2.0-3.5	3.5-6.0	—	—	None	—	None
			April	2.0-3.5	3.5-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OyC2—Otwell silt loam, 6 to 15 percent slopes, eroded										
Otwell	C	High	January	2.0-3.5	3.5-6.0	—	—	None	—	None
			February	2.0-3.5	3.5-6.0	—	—	None	—	None
			March	2.0-3.5	3.5-6.0	—	—	None	—	None
			April	2.0-3.5	3.5-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pa--Patton silt loam										
Patton	C/D	High	January	—	—	—	—	—	—	None
			February	—	—	—	—	—	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			June	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	—	—	—	—	—	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pb—Patton silt loam, till substratum										
Patton	C/D	High	January	—	—	—	—	—	—	None
			February	—	—	—	—	—	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			June	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	—	—	—	—	—	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pe--Peoga silt loam										
Peoga	C/D	Medium	January	0.0-1.0	>6.0	—	—	None	—	None
			February	0.0-1.0	>6.0	—	—	None	—	None
			March	0.0-1.0	>6.0	—	—	None	—	None
			April	0.0-1.0	>6.0	—	—	None	—	None
			May	0.0-1.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Pg--Pits, gravel										
Pits, gravel	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pn--Philo silt loam										
Philo	C	Medium	January	1.0-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			February	1.0-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			March	1.0-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			April	1.0-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			May	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			December	1.0-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
Pq--Pits, quarry										
Pits, quarry	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RbB--Rainsboro silt loam, 2 to 6 percent slopes										
Rainsboro	C	Low	January	2.0-3.5	2.5-5.0	—	—	None	—	None
			February	2.0-3.5	2.5-5.0	—	—	None	—	None
			March	2.0-3.5	2.5-5.0	—	—	None	—	None
			April	2.0-3.5	2.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Rn--Ross silt loam										
Ross	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RpC2--Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded										
Rossmoyne	C	Medium	January	3.0-6.0	3.1-6.1	—	—	None	—	None
			February	3.0-6.0	3.1-6.1	—	—	None	—	None
			March	3.0-6.0	3.1-6.1	—	—	None	—	None
			April	3.0-6.0	3.1-6.1	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RpD2--Rossmoyne silt loam, 12 to 18 percent slopes, moderately eroded										
Rossmoyne	C	Medium	January	3.0-6.0	3.1-6.1	—	—	None	—	None
			February	3.0-6.0	3.1-6.1	—	—	None	—	None
			March	3.0-6.0	3.1-6.1	—	—	None	—	None
			April	3.0-6.0	3.1-6.1	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsC3—Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded										
Rossmoyne	C	Medium	January	3.0-6.0	3.1-6.1	—	—	None	—	None
			February	3.0-6.0	3.1-6.1	—	—	None	—	None
			March	3.0-6.0	3.1-6.1	—	—	None	—	None
			April	3.0-6.0	3.1-6.1	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RtB--Rossmoyne-Urban land complex, gently sloping										
Rossmoyne	C	Low	January	3.0-6.0	3.1-6.1	—	—	None	—	None
			February	3.0-6.0	3.1-6.1	—	—	None	—	None
			March	3.0-6.0	3.1-6.1	—	—	None	—	None
			April	3.0-6.0	3.1-6.1	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RuB—Russell silt loam, 2 to 6 percent slopes										
Russell	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RxB2--Russell-Xenia silt loams, 2 to 6 percent slopes, eroded										
Russell	B	Low	January	3.5-6.0	4.0-6.0	—	—	None	—	None
			February	3.5-6.0	4.0-6.0	—	—	None	—	None
			March	3.5-6.0	4.0-6.0	—	—	None	—	None
			April	3.5-6.0	4.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	3.5-6.0	4.0-6.0	—	—	None	—	None
Xenia	C	Low	January	2.0-3.5	4.0-6.0	—	—	None	—	None
			February	2.0-3.5	4.0-6.0	—	—	None	—	None
			March	2.0-3.5	4.0-6.0	—	—	None	—	None
			April	2.0-3.5	4.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.5	4.0-6.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SaA—Sardinia silt loam, 0 to 2 percent slopes										
Sardinia	C	Low	January	1.0-3.0	3.0-6.0	—	—	None	—	None
			February	1.0-3.0	3.0-6.0	—	—	None	—	None
			March	1.0-3.0	3.0-6.0	—	—	None	—	None
			April	1.0-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SaB—Sardinia silt loam, 2 to 6 percent slopes										
Sardinia	C	Low	January	1.0-3.0	3.0-6.0	—	—	None	—	None
			February	1.0-3.0	3.0-6.0	—	—	None	—	None
			March	1.0-3.0	3.0-6.0	—	—	None	—	None
			April	1.0-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SaC2—Sardinia silt loam, 6 to 12 percent slopes, moderately eroded										
Sardinia	C	Medium	January	1.0-3.0	3.0-6.0	—	—	None	—	None
			February	1.0-3.0	3.0-6.0	—	—	None	—	None
			March	1.0-3.0	3.0-6.0	—	—	None	—	None
			April	1.0-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sec3A--Secondcreek silty clay loam, 0 to 1 percent slopes										
Secondcreek, drained	C/D	—	January	0.0-0.5	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	0.0-0.5	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SeE--Shelocta-Berks association, steep										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SeF—Shelocta-Berks association, very steep										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SfE--Shelocta-Muse-Colyer association, steep										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Muse	C	Very high	January	4.0	>6.0	—	—	None	—	None
			February	4.0	>6.0	—	—	None	—	None
			March	4.0	>6.0	—	—	None	—	None
			April	4.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Colyer	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SgE--Shelocta-Cruze-Weikert association, steep										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Cruze	C	Very high	January	1.5-3.0	3.0-6.0	—	—	None	—	None
			February	1.5-3.0	3.0-6.0	—	—	None	—	None
			March	1.5-3.0	3.0-6.0	—	—	None	—	None
			April	1.5-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Weikert	D	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Sh—Shoals silt loam										
Shoals	B/D	Low	January	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			October	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sk—Skidmore gravelly loam, occasionally flooded										
Skidmore	A	Very low	January	3.0-4.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			February	3.0-4.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			March	3.0-4.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			April	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			May	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			December	3.0-4.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SIA—Sleeth silt loam, 0 to 2 percent slopes										
Sleeth	B/D	Low	January	0.5-1.5	>6.0	—	—	None	—	None
			February	0.5-1.5	>6.0	—	—	None	—	None
			March	0.5-1.5	>6.0	—	—	None	—	None
			April	0.5-1.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SmA—Sligo silt loam, 0 to 1 percent slopes, occasionally flooded										
Sligo	C	Low	January	2.5-3.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	2.5-3.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	2.5-3.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	2.5-3.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	2.5-3.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			June	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sn--Sloan silt loam										
Sloan	B/D	Low	January	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			November	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SoA—Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded										
Sloan	B/D	Negligible	January	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Brief (2 to 7 days)	Occasional
			February	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Brief (2 to 7 days)	Occasional
			March	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Brief (2 to 7 days)	Occasional
			April	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Brief (2 to 7 days)	Occasional
			May	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Brief (2 to 7 days)	Occasional
			June	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Brief (2 to 7 days)	Occasional
			November	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Brief (2 to 7 days)	Occasional
			December	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Brief (2 to 7 days)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
St--Stonelick loam										
Stonelick	A	Very low	January	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			February	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			March	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			April	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			May	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			June	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			November	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional
			December	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TbA—Taggart silt loam, 0 to 2 percent slopes										
Taggart	C/D	Low	January	0.5-2.0	>6.0	—	—	None	—	None
			February	0.5-2.0	>6.0	—	—	None	—	None
			March	0.5-2.0	>6.0	—	—	None	—	None
			April	0.5-2.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-2.0	>6.0	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TcA—Taggart silt loam, 0 to 4 percent slopes										
Taggart	D	High	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ThA—Thackery silt loam, 0 to 2 percent slopes										
Thackery	C	Low	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ThB—Thackery silt loam, 2 to 6 percent slopes										
Thackery	C	Low	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TkA—Tilsit silt loam, 0 to 4 percent slopes										
Tilsit	C	Medium	January	1.5-2.5	2.0-5.0	—	—	None	—	None
			February	1.5-2.5	2.0-5.0	—	—	None	—	None
			March	1.5-2.5	2.0-5.0	—	—	None	—	None
			April	1.5-2.5	2.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ToC--Trappist silt loam, 8 to 15 percent slopes										
Trappist	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ToD—Trappist silt loam, 15 to 25 percent slopes										
Trappist	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ToD2—Trappist silt loam, 15 to 25 percent slopes, eroded										
Trappist	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TrE--Trappist silt loam, 18 to 25 percent slopes										
Trappist	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TsB—Trappist-Muse silt loams, 2 to 6 percent slopes										
Trappist	D	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Muse	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TsC2--Trappist-Muse silt loams, 6 to 12 percent slopes, moderately eroded										
Trappist	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Muse	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TsD2--Trappist-Muse silt loams, 12 to 18 percent slopes, moderately eroded										
Trappist	D	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Muse	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TtA--Treaty silty clay loam, 0 to 1 percent slopes										
Treaty	B/D	Negligible	January	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TuD—Tuscarawas channery silt loam, 6 to 18 percent slopes										
Tuscarawas	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TuF—Tuscarawas channery silt loam, 18 to 35 percent slopes										
Tuscarawas	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TvA—Treaty silt loam, 0 to 1 percent slopes, overwash										
Treaty	B/D	Negligible	January	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	0.0-1.0	>6.0	0.0-0.5	Very long (more than 30 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TwE--Trappist-Shelocta association, steep										
Trappist	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ud--Udorthents										
Udorthents	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Uf--Udorthents, sanitary landfill										
Udorthents	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
W--Water										
Water	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WaA--Warsaw silt loam, 0 to 2 percent slopes										
Warsaw	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WbC3--Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded										
Wapahani	D	Very high	January	1.0-2.0	1.5-2.5	—	—	None	—	None
			February	1.0-2.0	1.5-2.5	—	—	None	—	None
			March	1.0-2.0	1.5-2.5	—	—	None	—	None
			April	1.0-2.0	1.5-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Miamian	C	High	January	2.5-3.5	3.0-4.0	—	—	None	—	None
			February	2.5-3.5	3.0-4.0	—	—	None	—	None
			March	2.5-3.5	3.0-4.0	—	—	None	—	None
			April	2.5-3.5	3.0-4.0	—	—	None	—	None
			May	2.5-3.5	3.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WeA--Wea silt loam, 0 to 2 percent slopes										
Wea	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WeB--Wea silt loam, 2 to 6 percent slopes										
Wea	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WIC--Wellston silt loam, 6 to 12 percent slopes										
Wellston	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WID--Wellston silt loam, 12 to 18 percent slopes										
Wellston	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WoC—Wernock silt loam, 8 to 15 percent slopes										
Wernock	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ws--Westland silt loam, overwash										
Westland	B/D	Low	January	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WsS1A1—Westboro-Schaffer silt loams, 0 to 2 percent slopes										
Westboro	C/D	Low	January	0.5-1.5	1.5-3.5	—	—	None	—	None
			February	0.5-1.5	1.5-3.5	—	—	None	—	None
			March	0.5-1.5	1.5-3.5	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Schaffer	D	High	January	0.5-1.5	1.5-3.5	—	—	None	—	None
			February	0.5-1.5	1.5-3.5	—	—	None	—	None
			March	0.5-1.5	1.5-3.5	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WsS1B1--Westboro-Schaffer silt loams, 2 to 4 percent slopes										
Westboro	C/D	Low	January	0.5-1.5	1.5-3.5	—	—	None	—	None
			February	0.5-1.5	1.5-3.5	—	—	None	—	None
			March	0.5-1.5	1.5-3.5	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Schaffer	D	High	January	0.5-1.5	1.5-3.5	—	—	None	—	None
			February	0.5-1.5	1.5-3.5	—	—	None	—	None
			March	0.5-1.5	1.5-3.5	—	—	None	—	None
			April	0.5-1.5	1.5-3.5	—	—	None	—	None
			May	0.5-1.5	1.5-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wt--Westland silty clay loam										
Westland	B/D	Low	January	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WvA--Williamsburg silt loam, 0 to 2 percent slopes										
Williamsburg	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WvB--Williamsburg silt loam, 2 to 6 percent slopes										
Williamsburg	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WvC—Williamsburg silt loam, 6 to 12 percent slopes										
Williamsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Highland County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
XeB--Xenia silt loam, 2 to 6 percent slopes										
Xenia	C	Low	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-3.0	>6.0	—	—	None	—	None

## Data Source Information

Soil Survey Area: Highland County, Ohio  
 Survey Area Data: Version 13, Sep 19, 2014