

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AcC2—Alexandria silt loam, 6 to 12 percent slopes, moderately eroded			
Alexandria	90	A-6	
		A-6	0.06
AcD—Alexandria silt loam, 12 to 18 percent slopes			
Alexandria	90	A-6	
		A-6	0.06
AcF—Alexandria silt loam, 25 to 50 percent slopes			
Alexandria	85	A-3	
		A-3	0.03
AdD2—Alexandria silty clay loam, 12 to 18 percent slopes, eroded			
Alexandria	80	A-1	
		A-1	0.01
AfD2—Amanda loam, 12 to 18 percent slopes, eroded			
Amanda	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AgG—Amanda-Dekalb-Rock outcrop association, 40 to 70 percent slopes			
Amanda	50	H-1	
		H-1	0.71
Dekalb	25	H-1	
		H-1	0.71
Rock outcrop	20	Not rated	
BeD—Belmore loam, 12 to 18 percent slopes			
Belmore	95	A-1	
		A-1	0.01
BgA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BgB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BgB2—Bennington silt loam, 2 to 6 percent slopes, moderately eroded			
Bennington	90	C-1	
		C-1	0.11
BkA—Bixler loamy fine sand, 0 to 2 percent slopes			
Bixler	85	C-1	
		C-1	0.11
Ble1A1—Blount silt loam, end moraine, 0 to 2 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Ble1B1—Blount silt loam, end moraine, 2 to 4 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Blg1B1--Blount silt loam, ground moraine, 2 to 4 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
BrF--Brecksville silt loam, 40 to 70 percent slopes			
Brecksville	85	H-1	
		H-1	0.71
CcC2--Cardington silty clay loam, 6 to 12 percent slopes, eroded			
Cardington	90	A-6	
		A-6	0.06
CdB--Cardington silt loam, 2 to 6 percent slopes			
Cardington	85	A-6	
		A-6	0.06
CdB2--Cardington silt loam, 2 to 6 percent slopes, eroded			
Cardington	95	A-6	
		A-6	0.06
CdC--Cardington silt loam, 6 to 12 percent slopes			
Cardington	95	A-6	
		A-6	0.06
CdC2--Cardington silt loam, 6 to 12 percent slopes, eroded			
Cardington	90	A-6	
		A-6	0.06
Ce--Carlisle muck			
Carlisle	90	D-1	
		D-1	0.30
Cf--Carlisle muck, ponded			
Carlisle	90	D-1	
		D-1	0.30
CgB--Castalia channery silt loam, 2 to 6 percent slopes			
Castalia	90	F-1	
		F-1	0.51

Selected Soil Interpretations--Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ChB—Chili loam, loamy substratum, 2 to 6 percent slopes			
Chili	85	A-1	
		A-1	0.01
ChC—Chili loam, loamy substratum, 6 to 12 percent slopes			
Chili	85	A-1	
		A-1	0.01
CjB—Castalia very channery loam, 2 to 6 percent slopes			
Castalia	85	F-1	
		F-1	0.51
CkE—Chili-Udorthents complex, 18 to 30 percent slopes			
Chili	60	Not assigned	
Udorthents	25	Not rated	
CIB—Chili loam, 2 to 6 percent slopes			
Chili	100	A-1	
		A-1	0.01
Cm—Colwood silt loam			
Colwood	90	C-1	
		C-1	0.11
Co—Condit silty clay loam			
Condit	90	C-1	
		C-1	0.11
CpA—Colwood loam, 0 to 1 percent slopes			
Colwood	90	C-1	
		C-1	0.11
CrA—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
EmA—Elnora loamy fine sand, 0 to 4 percent slopes			
Elnora	95	B-1	
		B-1	0.07
EnA—Elnora loamy fine sand, 1 to 3 percent slopes			
Elnora	90	B-1	
		B-1	0.07

Selected Soil Interpretations--Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FcA--Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FpA--Fries silty clay loam, 0 to 1 percent slopes			
Fries	85	C-2	
		C-2	0.12
Fr--Fries silty clay loam			
Fries	85	C-1	
		C-1	0.11
Gwd5C2--Glynwood clay loam, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
Gwe5B2--Glynwood clay loam, end moraine, 2 to 6 percent slopes, eroded			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwg1B1--Glynwood silt loam, ground moraine, 2 to 6 percent slopes			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
Gwg5B2--Glynwood clay loam, ground moraine, 2 to 6 percent slopes, eroded			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
HhA--Haskins loam, 0 to 2 percent slopes			
Haskins	85	C-1	
		C-1	0.11
HkA--Haskins loam, 0 to 3 percent slopes			
Haskins	80	C-1	
		C-1	0.11
HnA--Holly silt loam, 0 to 1 percent slopes, occasionally flooded			
Holly	90	C-3	
		C-3	0.13
Ho--Holly silt loam, frequently flooded			
Holly	85	C-3	
		C-3	0.13

Selected Soil Interpretations—Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HrA—Hornell silty clay loam, 0 to 2 percent slopes			
Hornell	85	C-2	
		C-2	0.12
JsA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	85	C-1	
		C-1	0.11
JtA—Jimtown loam, 0 to 3 percent slopes			
Jimtown	80	C-1	
		C-1	0.11
KaA—Kibbie fine sandy loam, 0 to 2 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
KbA—Kibbie loam, 0 to 2 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
Le—Lenawee silty clay loam			
Lenawee	85	C-1	
		C-1	0.11
Lf—Lenawee variant silty clay loam			
Lenawee variant	85	C-2	
		C-2	0.12
Lm—Linwood muck			
Linwood	90	G-1	
		G-1	0.61
		D-1	0.30
Ln—Lobdell silt loam, rarely flooded			
Lobdell	80	A-6	
		A-6	0.06
Lo—Lobdell silt loam, frequently flooded			
Lobdell	80	A-5	
		A-5	0.05
Lp—Lobdell silt loam			
Lobdell	95	A-5	
		A-5	0.05

Selected Soil Interpretations--Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Lq--Lorain silty clay loam			
Lorain	90	C-2	
		C-2	0.12
LrB--Lordstown loam, 2 to 6 percent slopes			
Lordstown	85	F-1	
		F-1	0.51
Lu--Luray silty clay loam			
Luray	100	C-1	
		C-1	0.11
LzB--Lykens silt loam, 2 to 6 percent slopes			
Lykens	100	A-6	
		A-6	0.06
MkA--Millsdale silty clay loam, 0 to 1 percent slopes			
Millsdale	85	C-2	
		C-2	0.12
Mm--Millsdale silty clay loam			
Millsdale	85	C-2	
		C-2	0.12
MnA--Milton silt loam, 0 to 2 percent slopes			
Milton	85	F-1	
		F-1	0.51
MnB--Milton silt loam, 2 to 6 percent slopes			
Milton	85	F-1	
		F-1	0.51
Mr--Miner silty clay loam, 0 to 2 percent slopes			
Miner	85	C-2	
		C-2	0.12
MwB--Mitiwanga silt loam, 1 to 4 percent slopes			
Mitiwanga	90	C-1	
		C-1	0.11
MxB--Mitiwanga silt loam, 2 to 6 percent slopes			
Mitiwanga	85	C-1	
		C-1	0.11
Om--Orrville silt loam			
Orrville	85	C-3	
		C-3	0.13

Selected Soil Interpretations--Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
OnA—Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, occasionally flooded			
Orrville	85	C-3	
		C-3	0.13
OpA—Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
Or—Orrville silt loam, frequently flooded			
Orrville	90	C-3	
		C-3	0.13
OsB—Oshtemo fine sandy loam, 2 to 6 percent slopes			
Oshtemo	85	A-1	
		A-1	0.01
OtB—Otisville gravelly sandy loam, 2 to 6 percent slopes			
Otisville	90	B-1	
		B-1	0.07
OvB—Oshtemo loamy sand, 0 to 6 percent slopes			
Oshtemo	90	A-1	
		A-1	0.01
Pa—Pandora silty clay loam			
Pandora	85	C-1	
		C-1	0.11
PkA—Pewamo silty clay loam, 0 to 1 percent slopes			
Pewamo	90	C-1	
		C-1	0.11
Pm—Pewamo silty clay loam			
Pewamo	90	C-1	
		C-1	0.11
Pn—Pinnebog muck			
Pinnebog	90	D-1	
		D-1	0.30
Ps—Pits			
Pits	100	Not rated	

Selected Soil Interpretations—Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
PuA—Prout silt loam, 0 to 2 percent slopes			
Prout	90	C-1	
		C-1	0.11
SaF—Saylesville silt loam, 25 to 40 percent slopes			
Saylesville	90	A-3	
		A-3	0.03
Sb—Sebring silt loam			
Sebring	100	C-1	
		C-1	0.11
ScB—Shinrock silt loam, 2 to 6 percent slopes			
Shinrock	85	A-6	
		A-6	0.06
Sd—Shoals silt loam, 0 to 2 percent slopes, frequently flooded			
Shoals	85	C-3	
		C-3	0.13
SeA—Seward loamy fine sand, 0 to 2 percent slopes			
Seward	85	F-5	
		F-5	0.55
Sh—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
SnB—Spinks loamy fine sand, 0 to 6 percent slopes			
Spinks	95	B-1	
		B-1	0.07
SpB—Spinks loamy fine sand, 2 to 6 percent slopes			
Spinks	90	B-1	
		B-1	0.07
Tg—Tioga loam, occasionally flooded			
Tioga	80	A-5	
		A-5	0.05
TrA—Tiro silt loam, 0 to 2 percent slopes			
Tiro	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Huron County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
TrB—Tiro silt loam, 2 to 6 percent slopes			
Tiro	85	C-1	
		C-1	0.11
TuA—Tuscola fine sandy loam, 0 to 2 percent slopes			
Tuscola	90	A-6	
		A-6	0.06
TuB—Tuscola fine sandy loam, 2 to 6 percent slopes			
Tuscola	85	A-6	
		A-6	0.06
Ud—Udorthents, loamy			
Udorthents	90	Not rated	
W—Water			
Water	100	Not rated	
Wa—Walkkill silt loam, lacustrine substratum, occasionally flooded			
Walkkill	90	C-3	
		C-3	0.13

Data Source Information

Soil Survey Area: Huron County, Ohio
 Survey Area Data: Version 14, Sep 18, 2014