

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AkB—Allegheny loam, 3 to 8 percent slopes			
Allegheny	80	A-1	
		A-1	0.01
AkC—Allegheny loam, 8 to 15 percent slopes			
Allegheny	80	A-1	
		A-1	0.01
AkD—Allegheny loam, 15 to 25 percent slopes			
Allegheny	80	A-2	
		A-2	0.02
BaD—Barkcamp gravelly loamy sand, 8 to 25 percent slopes			
Barkcamp	90	H-1	
		H-1	0.71
BbE—Bethesda silty clay loam, 20 to 40 percent slopes			
Bethesda	90	E-2	
		E-2	0.41
BdD—Bethesda channery silty clay loam, 8 to 25 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BhB—Bethesda shaly clay loam, 0 to 8 percent slopes			
Bethesda	85	E-3	
		E-3	0.42

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BhD—Bethesda shaly clay loam, 8 to 25 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BhE—Bethesda shaly clay loam, 25 to 40 percent slopes			
Bethesda	85	E-2	
		E-2	0.41
BkD—Bethesda channery clay loam, 8 to 20 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BkE—Bethesda channery clay loam, 20 to 40 percent slopes			
Bethesda	85	E-2	
		E-2	0.41
BmC—Blairton-Rarden-Gilpin association, rolling			
Blairton	30	A-6	
		A-6	0.06
Rarden	25	F-1	
		F-1	0.51
Gilpin	20	F-1	
		F-1	0.51
BrD—Brownsville channery silt loam, 15 to 25 percent slopes			
Brownsville	85	B-1	
		B-1	0.07
BsF—Brownsville-Shelocta association, steep			
Brownsville	50	H-1	
		H-1	0.71
Shelocta	25	H-1	
		H-1	0.71
ChD—Clymer loam, 15 to 25 percent slopes			
Clymer	85	B-1	
		B-1	0.07
CkB—Clymer silt loam, 3 to 8 percent slopes			
Clymer	85	B-1	
		B-1	0.07

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CkC—Clymer silt loam, 8 to 15 percent slopes			
Clymer	85	B-1	
		B-1	0.07
CoB—Coolville silt loam, 3 to 8 percent slopes			
Coolville	90	A-6	
		A-6	0.06
CrD—Cruze silt loam, 12 to 20 percent slopes			
Cruze	90	A-6	
		A-6	0.06
CtB—Coolville-Tilsit silt loams, 2 to 6 percent slopes			
Coolville	60	A-6	
		A-6	0.06
Tilsit	25	F-3	
		F-3	0.53
Cub1AO—Cuba silt loam, 0 to 3 percent slopes, occasionally flooded			
Cuba	90	A-5	
		A-5	0.05
Dd—Dumps			
Dumps	100	Not rated	
Dm—Dumps, mine			
Dumps	100	Not rated	
Dol1A1—Doles silt loam, 0 to 2 percent slopes			
Doles	85	C-1	
		C-1	0.11
ErC—Ernest silt loam, 8 to 15 percent slopes			
Ernest	80	F-3	
		F-3	0.53
ErD—Ernest silt loam, 15 to 25 percent slopes			
Ernest	80	F-3	
		F-3	0.53
FaB—Fairpoint silty clay loam, 0 to 8 percent slopes			
Fairpoint	80	B-4	
		B-4	0.10

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FaD—Fairpoint silty clay loam, 8 to 25 percent slopes			
Fairpoint	80	B-4	
		B-4	0.10
FbB—Fairpoint channery silty clay loam, 1 to 8 percent slopes			
Fairpoint	90	E-3	
		E-3	0.42
FbD—Fairpoint channery silty clay loam, 8 to 25 percent slopes			
Fairpoint	85	E-3	
		E-3	0.42
FcB—Fairpoint clay loam, 0 to 8 percent slopes			
Fairpoint	85	B-4	
		B-4	0.10
FcC—Fairpoint clay loam, 8 to 20 percent slopes			
Fairpoint	85	B-4	
		B-4	0.10
GbC—Germano-Gilpin complex, 6 to 15 percent slopes			
Germano	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
GbD—Germano-Gilpin complex, 15 to 25 percent slopes			
Germano	40	F-1	
		F-1	0.51
Gilpin	35	F-1	
		F-1	0.51
GbE—Germano-Gilpin complex, 25 to 40 percent slopes			
Germano	65	F-2	
		F-2	0.52
Gilpin	15	F-2	
		F-2	0.52

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GhC—Gilpin-Tilsit complex, 6 to 12 percent slopes			
Gilpin	60	F-1	
		F-1	0.51
Tilsit	30	F-3	
		F-3	0.53
GIRZE1—Gilpin-Rarden association, steep			
Gilpin	45	F-2	
		F-2	0.52
Rarden	35	F-6	
		F-6	0.56
GpC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
Ha—Haymond silt loam, occasionally flooded			
Haymond	90	A-5	
		A-5	0.05
LaG1D1—Latham-Gilpin silt loams, 15 to 25 percent slopes			
Latham	50	F-1	
		F-1	0.51
Gilpin	35	F-1	
		F-1	0.51
Lah1D1—Latham silt loam, 15 to 25 percent slopes			
Latham	85	F-1	
		F-1	0.51
LaSXD1—Latham-Steinsburg complex, 15 to 25 percent slopes			
Latham	45	F-1	
		F-1	0.51
Steinsburg	40	F-1	
		F-1	0.51
LaSZE1—Latham-Steinsburg association, steep			
Latham	45	F-2	
		F-2	0.52
Steinsburg	40	F-2	
		F-2	0.52

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LhW1D2—Latham-Wharton silt loams, 15 to 25 percent slopes, eroded			
Latham	45	F-1	
		F-1	0.51
Wharton	35	A-2	
		A-2	0.02
LiLXD1—Lily-Latham complex, 15 to 25 percent slopes			
Lily	45	F-1	
		F-1	0.51
Latham	40	F-1	
		F-1	0.51
LiRXD1—Lily-Rarden complex, 15 to 25 percent slopes			
Lily	45	F-1	
		F-1	0.51
Rarden	40	F-1	
		F-1	0.51
LtC—Lily loam, 8 to 15 percent slopes			
Lily	90	F-1	
		F-1	0.51
LtD—Lily loam, 15 to 25 percent slopes			
Lily	90	F-1	
		F-1	0.51
MdA—McGary silt loam, 0 to 2 percent slopes			
Mcgary	90	C-2	
		C-2	0.12
MfA—McGary silty clay loam, 0 to 2 percent slopes			
Mcgary	85	C-2	
		C-2	0.12
MgA—McGary silt loam, 0 to 4 percent slopes			
Mcgary	85	C-2	
		C-2	0.12
MoC—Monongahela loam, 8 to 15 percent slopes			
Monongahela	85	F-3	
		F-3	0.53

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MpC2—Monongahela silt loam, 8 to 15 percent slopes, eroded			
Monongahela	95	F-3	
		F-3	0.53
Omu1A1—Omulga silt loam, 0 to 2 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Omu1B1—Omulga silt loam, 2 to 6 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Omu1C1—Omulga silt loam, 6 to 12 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Pb—Piopolis silt loam, frequently flooded			
Piopolis	85	C-3	
		C-3	0.13
Pc—Piopolis silt loam, ponded			
Piopolis	100	C-3	
		C-3	0.13
Pio1AF—Piopolis silt loam, 0 to 2 percent slopes, frequently flooded			
Piopolis	85	C-3	
		C-3	0.13
Pio1AP—Piopolis silt loam, 0 to 2 percent slopes, ponded			
Piopolis	85	C-3	
		C-3	0.13
Pop1AF—Pope silt loam, 0 to 3 percent slopes, frequently flooded			
Pope	85	A-5	
		A-5	0.05
Pop6AF—Pope fine sandy loam, 0 to 3 percent slopes, frequently flooded			
Pope	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Pop6AR—Pope fine sandy loam, 0 to 3 percent slopes, rarely flooded			
Pope	90	A-1	
		A-1	0.01
Pt—Pits, quarry			
Pits	100	Not rated	
Pv—Pope sandy loam, frequently flooded			
Pope	85	A-5	
		A-5	0.05
Pw—Pope fine sandy loam, rarely flooded			
Pope	90	A-1	
		A-1	0.01
Px—Pope silt loam, frequently flooded			
Pope	85	A-5	
		A-5	0.05
Py—Pope loam, frequently flooded			
Pope	85	A-5	
		A-5	0.05
Rar1B1—Rarden silt loam, 3 to 8 percent slopes			
Rarden	85	F-1	
		F-1	0.51
Rar1C1—Rarden silt loam, 8 to 15 percent slopes			
Rarden	85	F-1	
		F-1	0.51
Rar1C2—Rarden silt loam, 8 to 15 percent slopes, eroded			
Rarden	85	F-1	
		F-1	0.51
RcC—Richland silt loam, clayey substratum, 8 to 15 percent slopes			
Richland	80	A-1	
		A-1	0.01
RgC—Rigley sandy loam, 8 to 15 percent slopes			
Rigley	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RgD—Rigley sandy loam, 15 to 25 percent slopes			
Rigley	85	A-2	
		A-2	0.02
RgLXD1—Rigley-Latham complex, 15 to 25 percent slopes			
Rigley	45	A-2	
		A-2	0.02
Latham	40	F-1	
		F-1	0.51
RgLZE1—Rigley-Latham association, steep			
Rigley	45	A-3	
		A-3	0.03
Latham	30	F-2	
		F-2	0.52
RgRXD1—Rigley-Rarden complex, 15 to 25 percent slopes			
Rigley	45	A-2	
		A-2	0.02
Rarden	40	F-1	
		F-1	0.51
RgRZE1—Rigley-Rarden association, steep			
Rigley	45	A-3	
		A-3	0.03
Rarden	30	F-2	
		F-2	0.52
RmE—Rigley-Clymer association, steep			
Rigley	50	A-3	
		A-3	0.03
Clymer	25	B-2	
		B-2	0.08
RrG—Rigley-Rock outcrop association, very steep			
Rigley	60	H-1	
		H-1	0.71
Rock outcrop	15	Not rated	

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RrG1C1—Rarden-Gilpin silt loams, 8 to 15 percent slopes			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
RrG1C2—Rarden-Gilpin silt loams, 8 to 15 percent slopes, eroded			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
RrG1D1—Rarden-Gilpin silt loams, 15 to 25 percent slopes			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
RrG1D2—Rarden-Gilpin silt loams, 15 to 25 percent slopes, eroded			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
RrSZE1—Rarden-Steinsburg association, steep			
Rarden	45	F-2	
		F-2	0.52
Steinsburg	35	F-2	
		F-2	0.52
RrW1C2—Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded			
Rarden	45	F-1	
		F-1	0.51
Wharton	40	A-1	
		A-1	0.01

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RrW1D2--Rarden-Wharton silt loams, 15 to 25 percent slopes, eroded			
Rarden	45	F-1	
		F-1	0.51
Wharton	45	A-2	
		A-2	0.02
SbE--Shelocta-Brownsville association, steep			
Brownsville	40	A-3	
		A-3	0.03
Shelocta	40	A-3	
		A-3	0.03
SbF--Shelocta-Brownsville association, very steep			
Shelocta	50	H-1	
		H-1	0.71
Brownsville	30	H-1	
		H-1	0.71
SeF--Shelocta-Steinsburg association, very steep			
Shelocta	50	H-1	
		H-1	0.71
Steinsburg	35	H-1	
		H-1	0.71
ShLZE1--Shelocta-Latham association, steep			
Shelocta	50	A-3	
		A-3	0.03
Latham	25	F-2	
		F-2	0.52
ShRZE1--Shelocta-Rarden association, steep			
Shelocta	50	A-3	
		A-3	0.03
Rarden	25	F-2	
		F-2	0.52
Sk--Skidmore gravelly loam, frequently flooded			
Skidmore	85	B-3	
		B-3	0.09

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SkP1AF—Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded			
Stokly	55	C-3	
		C-3	0.13
Philo	30	A-5	
		A-5	0.05
Sm—Skidmore silt loam, occasionally flooded			
Skidmore	85	B-3	
		B-3	0.09
SrE—Steinsburg-Clymer association, steep			
Steinsburg	50	F-2	
		F-2	0.52
Clymer	30	B-2	
		B-2	0.08
St—Stendal silt loam, occasionally flooded			
Stendal	85	C-3	
		C-3	0.13
Stn1AO—Stendal silt loam, 0 to 3 percent slopes, occasionally flooded			
Stendal	85	C-3	
		C-3	0.13
SWLZE1—Shelocta-Wharton-Latham association, steep			
Shelocta	45	A-3	
		A-3	0.03
Wharton	30	A-3	
		A-3	0.03
Latham	15	F-2	
		F-2	0.52
TeB—Tilsit silt loam, 3 to 8 percent slopes			
Tilsit	85	F-3	
		F-3	0.53
To—Tioga loam, occasionally flooded			
Tioga	90	A-5	
		A-5	0.05
TrA—Tygart silt loam, 0 to 3 percent slopes			
Tygart	85	C-2	
		C-2	0.12

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ud—Udorthents			
Udorthents	100	Not rated	
W—Water			
Water	100	Not rated	
WeB—Wellston silt loam, 3 to 8 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WeC—Wellston silt loam, 8 to 15 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WhC—Wharton silt loam, 8 to 15 percent slopes			
Wharton	80	A-1	
		A-1	0.01
WhD—Wharton silt loam, 15 to 25 percent slopes			
Wharton	80	A-2	
		A-2	0.02
WhL1C1—Wharton-Latham silt loams, 6 to 15 percent slopes			
Wharton	30	A-6	
		A-6	0.06
Latham	25	F-1	
		F-1	0.51
WhL1D1—Wharton-Latham silt loams, 15 to 25 percent slopes			
Wharton	55	A-2	
		A-2	0.02
Latham	25	F-1	
		F-1	0.51
WhL1E1—Wharton-Latham silt loams, 25 to 40 percent slopes			
Wharton	65	A-3	
		A-3	0.03
Latham	25	F-2	
		F-2	0.52
Wya1B1—Wyatt silt loam, 2 to 6 percent slopes			
Wyatt	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Jackson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Wya3C2--Wyatt silty clay loam, 6 to 12 percent slopes, eroded			
Wyatt	85	A-1	
		A-1	0.01
Wya3D2--Wyatt silty clay loam, 12 to 18 percent slopes, eroded			
Wyatt	85	B-1	
		B-1	0.07

Data Source Information

Soil Survey Area: Jackson County, Ohio
 Survey Area Data: Version 13, Sep 18, 2014