

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AoC2—Aaron silty clay loam, 6 to 15 percent slopes, eroded			
Aaron	85	A-6	
		A-6	0.06
BeB—Berks channery silt loam, 2 to 6 percent slopes			
Berks	85	F-1	
		F-1	0.51
BeC—Berks channery silt loam, 6 to 15 percent slopes			
Berks	85	F-1	
		F-1	0.51
BeD—Berks channery silt loam, 15 to 25 percent slopes			
Berks	85	F-1	
		F-1	0.51
BkB—Berks channery silt loam, 3 to 8 percent slopes			
Berks	85	F-1	
		F-1	0.51
BkC—Berks channery silt loam, 8 to 15 percent slopes			
Berks	85	F-1	
		F-1	0.51

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BkD—Berks shaly silt loam, 15 to 25 percent slopes			
Berks	90	F-1	
		F-1	0.51
B1C—Berks-Aaron complex, 6 to 15 percent slopes			
Berks	60	F-1	
		F-1	0.51
Aaron	25	A-6	
		A-6	0.06
BmC—Berks-Guernsey complex, 8 to 15 percent slopes			
Berks	55	F-1	
		F-1	0.51
Guernsey	30	A-6	
		A-6	0.06
BmD—Berks-Guernsey complex, 15 to 25 percent slopes			
Berks	55	F-1	
		F-1	0.51
Guernsey	30	A-2	
		A-2	0.02
BmE—Berks-Guernsey complex, 25 to 40 percent slopes			
Berks	55	F-2	
		F-2	0.52
Guernsey	30	A-3	
		A-3	0.03
BnD—Bethesda silt loam, 8 to 25 percent slopes			
Bethesda	90	B-4	
		B-4	0.10
BpC—Bethesda very channery clay loam, 3 to 15 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BpF—Bethesda very channery clay loam, 25 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BsC—Brookside silty clay loam, 8 to 15 percent slopes			
Brookside	80	A-1	
		A-1	0.01
BsD—Brookside silty clay loam, 15 to 25 percent slopes			
Brookside	80	A-2	
		A-2	0.02
BsE—Brookside silty clay loam, 25 to 40 percent slopes			
Brookside	80	A-3	
		A-3	0.03
CkD—Clarksburg silt loam, 15 to 25 percent slopes			
Clarksburg	83	F-3	
		F-3	0.53
CmD—Clarksburg-Urban land complex, 15 to 25 percent slopes			
Clarksburg	60	Not assigned	
Urban land	30	Not rated	
CnB—Coshocton silt loam, 1 to 7 percent slopes			
Coshocton	85	A-6	
		A-6	0.06
CoB—Coshocton silt loam, 2 to 6 percent slopes			
Coshocton	90	A-6	
		A-6	0.06
CoC—Coshocton silt loam, 6 to 15 percent slopes			
Coshocton	85	A-6	
		A-6	0.06
DkE—DeKalb channery loam, 25 to 40 percent slopes			
DeKalb	90	F-2	
		F-2	0.52
DkF—DeKalb channery loam, 40 to 70 percent slopes			
DeKalb	85	H-1	
		H-1	0.71
Ds—Dumps, mine			
Dumps	100	Not rated	

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EbC2—Elba silty clay loam, 8 to 15 percent slopes, eroded			
Elba	95	F-5	
		F-5	0.55
EbD2—Elba silty clay loam, 15 to 25 percent slopes, eroded			
Elba	95	F-5	
		F-5	0.55
FaC—Fairpoint silt loam, 3 to 15 percent slopes			
Fairpoint	95	B-4	
		B-4	0.10
FbC—Fairpoint very shaly clay loam, 3 to 15 percent slopes			
Fairpoint	85	E-3	
		E-3	0.42
FbF—Fairpoint very shaly clay loam, 25 to 70 percent slopes			
Fairpoint	90	H-1	
		H-1	0.71
FcB—Fitchville variant silt loam, 1 to 6 percent slopes			
Fitchville variant	90	C-1	
		C-1	0.11
GkB—Gilpin silt loam, 2 to 6 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GkC—Gilpin silt loam, 6 to 15 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GmC—Gilpin-Coshocton complex, 6 to 15 percent slopes			
Gilpin	55	F-1	
		F-1	0.51
Coshocton	30	A-6	
		A-6	0.06
GnB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51

Selected Soil Interpretations—Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GnC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GnD—Gilpin silt loam, 15 to 25 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GoC—Gilpin-Coshocton silt loams, 8 to 15 percent slopes			
Gilpin	50	F-1	
		F-1	0.51
Coshocton	40	A-6	
		A-6	0.06
GoD—Gilpin-Coshocton silt loams, 15 to 25 percent slopes			
Gilpin	55	F-1	
		F-1	0.51
Coshocton	30	A-2	
		A-2	0.02
GpC—Gilpin-Lowell silt loams, 8 to 15 percent slopes			
Gilpin	55	F-1	
		F-1	0.51
Lowell	35	A-1	
		A-1	0.01
GpD—Gilpin-Lowell silt loams, 15 to 25 percent slopes			
Gilpin	55	F-1	
		F-1	0.51
Lowell	35	A-2	
		A-2	0.02
GrC—Gilpin-Lowell complex, 6 to 15 percent slopes			
Gilpin	55	F-1	
		F-1	0.51
Lowell	30	A-1	
		A-1	0.01
GsB—Glenford silt loam, 3 to 8 percent slopes			
Glenford	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GsC—Glenford silt loam, 8 to 15 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GtC—Germano fine sandy loam, 6 to 15 percent slopes			
Germano	85	F-1	
		F-1	0.51
GtD—Germano fine sandy loam, 15 to 25 percent slopes			
Germano	85	F-1	
		F-1	0.51
GuB—Guernsey silt loam, 1 to 7 percent slopes			
Guernsey	85	A-6	
		A-6	0.06
GvC2—Guernsey silty clay loam, 7 to 15 percent slopes, eroded			
Guernsey	85	A-6	
		A-6	0.06
GyC—Guernsey silt loam, 6 to 15 percent slopes			
Guernsey	85	A-6	
		A-6	0.06
HeE—Hazleton channery loam, 25 to 40 percent slopes			
Hazleton	90	B-2	
		B-2	0.08
HfE—Hazleton-Summitville complex, 15 to 40 percent slopes			
Hazleton	50	B-2	
		B-2	0.08
Summitville	30	A-2	
		A-2	0.02
HgE—Hazleton-Westmoreland complex, 25 to 40 percent slopes			
Hazleton	55	B-2	
		B-2	0.08
Westmoreland	30	A-3	
		A-3	0.03

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HgF—Hazleton-Westmoreland complex, 40 to 70 percent slopes			
Hazleton	55	H-1	
		H-1	0.71
Westmoreland	30	H-1	
		H-1	0.71
KeB—Keene silt loam, 3 to 8 percent slopes			
Keene	90	A-6	
		A-6	0.06
KnB—Keene silt loam, 2 to 6 percent slopes			
Keene	85	A-6	
		A-6	0.06
LnC—Lowell silt loam, 6 to 15 percent slopes			
Lowell	85	A-1	
		A-1	0.01
LnB—Lowell silt loam, 1 to 7 percent slopes			
Lowell	90	F-5	
		F-5	0.55
LnC—Lowell silt loam, 8 to 15 percent slopes			
Lowell	85	A-1	
		A-1	0.01
LoD2—Lowell silty clay loam, 15 to 25 percent slopes, eroded			
Lowell	80	A-2	
		A-2	0.02
LoE—Lowell silty clay loam, 25 to 40 percent slopes			
Lowell	85	A-3	
		A-3	0.03
LoE2—Lowell silty clay loam, 25 to 40 percent slopes, eroded			
Lowell	85	A-3	
		A-3	0.03
LoF—Lowell silty clay loam, 40 to 70 percent slopes			
Lowell	90	H-1	
		H-1	0.71

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Me—Melvin silt loam, ponded			
Melvin	90	C-3	
		C-3	0.13
MkD—Morristown silty clay loam, 8 to 25 percent slopes			
Morristown	90	B-1	
		B-1	0.07
MnA—Morristown silty clay loam, 0 to 3 percent slopes			
Morristown	90	B-4	
		B-4	0.10
MnC—Morristown silty clay loam, 3 to 15 percent slopes			
Morristown	90	B-4	
		B-4	0.10
MnE—Morristown silty clay loam, 15 to 40 percent slopes			
Morristown	95	E-2	
		E-2	0.41
MoA—Morristown shaly silty clay loam, 0 to 3 percent slopes, stony			
Morristown	95	E-3	
		E-3	0.42
MoC—Morristown shaly silty clay loam, 3 to 15 percent slopes, stony			
Morristown	85	E-3	
		E-3	0.42
MpF—Morristown channery silt loam, 25 to 70 percent slopes, bouldery			
Morristown	85	H-1	
		H-1	0.71
MrF—Morristown shaly silty clay loam, 25 to 70 percent slopes, bouldery			
Morristown	85	H-1	
		H-1	0.71
MuB—Morristown channery silty clay loam, 0 to 8 percent slopes, stony			
Morristown	85	E-3	
		E-3	0.42

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MuD—Morristown channery silty clay loam, 8 to 25 percent slopes, stony			
Morristown	85	E-3	
		E-3	0.42
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded			
Nolin, occasionally flooded	85	A-5	
		A-5	0.05
OIC—Omulga silt loam, 6 to 15 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Omm1B1—Omulga silt loam, mixed substratum, 2 to 6 percent slopes			
Omulga, mixed mineralogy substratum phase	85	F-3	
		F-3	0.53
Omm1C1—Omulga silt loam, mixed substratum, 6 to 12 percent slopes			
Omulga, mixed mineralogy substratum phase	85	F-3	
		F-3	0.53
Or—Orrville silt loam, occasionally flooded			
Orrville	85	C-3	
		C-3	0.13
RaB—Richland silt loam, 2 to 6 percent slopes			
Richland	85	A-1	
		A-1	0.01
RcB—Richland silt loam, 1 to 7 percent slopes			
Richland	85	A-1	
		A-1	0.01
RcC—Richland silt loam, 7 to 15 percent slopes			
Richland	85	A-1	
		A-1	0.01
RgC—Rigley sandy loam, 8 to 15 percent slopes			
Rigley	100	A-1	
		A-1	0.01
RgD—Rigley sandy loam, 15 to 25 percent slopes			
Rigley	100	A-2	
		A-2	0.02

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
StB—Steinsburg-Rigley variant fine sandy loams, 3 to 8 percent slopes			
Steinsburg	60	F-1	
		F-1	0.51
Rigley variant	25	A-1	
		A-1	0.01
StC—Steinsburg-Rigley variant fine sandy loams, 8 to 15 percent slopes			
Steinsburg	60	F-1	
		F-1	0.51
Rigley variant	25	A-1	
		A-1	0.01
StD—Steinsburg-Rigley variant fine sandy loams, 15 to 25 percent slopes			
Steinsburg	65	F-1	
		F-1	0.51
Rigley variant	20	A-2	
		A-2	0.02
Tf—Tioga loam, rarely flooded			
Tioga	90	A-1	
		A-1	0.01
Tg—Tioga silt loam, occasionally flooded			
Tioga	90	A-5	
		A-5	0.05
ToA—Tioga loam, 0 to 2 percent slopes, occasionally flooded			
Tioga	90	A-5	
		A-5	0.05
Ua—Udorthents, loamy, 2 to 25 percent slopes			
Udorthents, loamy	85	B-1	
		B-1	0.07
Ub—Udorthents, loamy			
Udorthents	90	Not rated	
Uc—Udorthents-Pits complex			
Udorthents	70	Not rated	
Pits	20	Not rated	

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ud—Udorthents-Urban land complex			
Udorthents	60	Not rated	
Urban land	30	Not rated	
UkC2—Upshur-Berks complex, 6 to 15 percent slopes, eroded			
Upshur	70	A-6	
		A-6	0.06
Berks	20	F-1	
		F-1	0.51
UpC2—Upshur silty clay loam, 8 to 15 percent slopes, eroded			
Upshur	90	A-1	
		A-1	0.01
Ur—Urban land			
Urban land	90	Not rated	
UsA—Urban land-Chavies complex, 0 to 3 percent slopes			
Urban land	65	Not rated	
Chavies	35	Not assigned	
UtC—Urban land-Gilpin-Lowell complex, 8 to 15 percent slopes			
Urban land	40	Not rated	
Gilpin	35	Not assigned	
Lowell	25	Not assigned	
UtD—Urban land-Gilpin-Lowell complex, 15 to 25 percent slopes			
Urban land	40	Not rated	
Gilpin	35	Not assigned	
Lowell	25	Not assigned	
UvC—Urban land-Omulga complex, 3 to 15 percent slopes			
Urban land	60	Not rated	
Omulga	35	Not assigned	
UwB—Urban land-Steinsburg complex, 3 to 8 percent slopes			
Urban land	60	Not rated	
Steinsburg	30	Not assigned	
W—Water			
Water	100	Not rated	

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WeB—Wellston silt loam, 1 to 7 percent slopes			
Wellston	90	A-6	
		A-6	0.06
WkC—Westmoreland silt loam, 8 to 15 percent slopes			
Westmoreland	80	A-1	
		A-1	0.01
WkD—Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	A-2	
		A-2	0.02
WmC—Westmoreland-Coshocton silt loams, 8 to 15 percent slopes			
Westmoreland	55	A-1	
		A-1	0.01
Coshocton	30	A-6	
		A-6	0.06
WnE—Westmoreland-Dekalb complex, 25 to 40 percent slopes			
Westmoreland	55	A-3	
		A-3	0.03
Dekalb	30	F-2	
		F-2	0.52
WtE—Westmoreland-Berks complex, 25 to 40 percent slopes			
Westmoreland	50	A-3	
		A-3	0.03
Berks	40	F-2	
		F-2	0.52
WtF—Westmoreland-Berks complex, 40 to 70 percent slopes			
Westmoreland	50	H-1	
		H-1	0.71
Berks	40	H-1	
		H-1	0.71

Selected Soil Interpretations--Jefferson County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WuF—Westmoreland-Lowell complex, 40 to 70 percent slopes			
Westmoreland	45	H-1	
		H-1	0.71
Lowell	35	H-1	
		H-1	0.71
WvA—Wheeling silt loam, 0 to 3 percent slopes			
Wheeling	85	A-1	
		A-1	0.01

### Data Source Information

Soil Survey Area: Jefferson County, Ohio  
 Survey Area Data: Version 13, Sep 18, 2014