

## Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

*Hydrologic soil groups* are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

*Surface runoff* refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

*Water table* refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

*Ponding* is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

*Flooding* is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

*Duration* and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

## Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BcF--Berks-Upshur association, very steep										
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BdD—Bethesda channery silty clay loam, 8 to 25 percent slopes										
Bethesda	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BdF--Bethesda channery silty clay loam, 25 to 70 percent slopes										
Bethesda	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhF--Bethesda channery clay loam, 40 to 70 percent slopes										
Bethesda	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cg—Chagrin loam, 0 to 3 percent slopes, frequently flooded										
Chagrin, frequently flooded	B	—	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			March	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			April	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Chg1AF--Chagrin silt loam, 0 to 3 percent slopes, frequently flooded										
Chagrin	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CtB--Coolville-Tilsit silt loams, 2 to 6 percent slopes										
Coolville	D	High	January	—	—	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Tilsit	C	Medium	January	1.5-2.5	2.0-5.0	—	—	None	—	None
			February	1.5-2.5	2.0-5.0	—	—	None	—	None
			March	1.5-2.5	2.0-5.0	—	—	None	—	None
			April	1.5-2.5	2.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Cu—Cuba silt loam, occasionally flooded										
Cuba	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cub1AO—Cuba silt loam, 0 to 3 percent slopes, occasionally flooded										
Cuba	B	Low	January	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
Dp—Dumps										
Dumps	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EkB—Elkinsville silt loam, 1 to 6 percent slopes										
Elkinsville	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EkE--Elkinsville silt loam, 15 to 40 percent slopes										
Elkinsville	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EmB—Elkinsville-Urban land complex, 1 to 8 percent slopes										
Elkinsville	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaD—Fairpoint channery silty clay loam, 8 to 25 percent slopes										
Fairpoint	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GIL1D1—Gilpin-Latham silt loams, 15 to 25 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GUSZE1—Gilpin-Upshur-Steinsburg association, steep										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
KaB—Kanawha silt loam, 2 to 6 percent slopes										
Kanawha	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KaC--Kanawha silt loam, 6 to 12 percent slopes										
Kanawha	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Kg--Kyger loamy sand, frequently flooded										
Kyger	A/D	Very low	January	0.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			February	0.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			March	0.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			April	0.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			May	0.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			November	—	—	—	—	—	Long (7 to 30 days)	Frequent
			December	0.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LaD--Lakin loamy fine sand, 8 to 25 percent slopes										
Lakin	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LaG1D1—Latham-Gilpin silt loams, 15 to 25 percent slopes										
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LaSXD1--Latham-Steinsburg complex, 15 to 25 percent slopes										
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lic1B1—Licking silt loam, 2 to 6 percent slopes										
Licking	C/D	Low	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lic1C2—Licking silt loam, 6 to 12 percent slopes, eroded										
Licking	C/D	Medium	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LtC—Lily loam, 8 to 15 percent slopes										
Lily	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LtD—Lily loam, 15 to 25 percent slopes										
Lily	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
McA--McGary silt loam, 0 to 2 percent slopes										
Mcgary	D	High	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Me--Melvin silt loam, ponded										
Melvin	B/D	Negligible	January	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			February	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			March	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			April	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			May	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			June	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			July	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	—
			August	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	—
			September	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			October	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			November	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			December	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
MrB--Morristown channery silty clay loam, 0 to 8 percent slopes										
Morristown	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MrD--Morristown channery silty clay loam, 8 to 25 percent slopes										
Morristown	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MrF--Morristown channery silty clay loam, 25 to 70 percent slopes										
Morristown	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
No--Nolin silt loam, 0 to 3 percent slopes, occasionally flooded										
Nolin, occasionally flooded	B	—	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OmC2—Omulga silt loam, 6 to 15 percent slopes, eroded										
Omulga	C	High	January	2.0-3.5	2.5-4.0	—	—	None	—	None
			February	2.0-3.5	2.5-4.0	—	—	None	—	None
			March	2.0-3.5	2.5-4.0	—	—	None	—	None
			April	2.0-3.5	2.5-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Omu1C1—Omulga silt loam, 6 to 12 percent slopes										
Omulga	C	Medium	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.5-3.5	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Orr1AF—Orrville silt loam, 0 to 3 percent slopes, frequently flooded										
Orrville	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pe—Peoga silt loam, rarely flooded										
Peoga	C/D	Medium	January	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			February	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			March	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			April	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			May	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			June	—	—	—	—	None	Brief (2 to 7 days)	Rare
			July	—	—	—	—	None	Brief (2 to 7 days)	Rare
			August	—	—	—	—	None	Brief (2 to 7 days)	Rare
			September	—	—	—	—	None	Brief (2 to 7 days)	Rare
			October	—	—	—	—	None	Brief (2 to 7 days)	Rare
			November	—	—	—	—	None	Brief (2 to 7 days)	Rare
			December	—	—	—	—	None	Brief (2 to 7 days)	Rare

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PgD—Pinegrove loamy coarse sand, 8 to 25 percent slopes										
Pinegrove	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PgF—Pinegrove loamy coarse sand, 25 to 70 percent slopes										
Pinegrove	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pio1AF—Piopolis silt loam, 0 to 2 percent slopes, frequently flooded										
Piopolis	C/D	Very low	January	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			February	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			March	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			April	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			May	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			June	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			November	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			December	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pio1AP—Piopolis silt loam, 0 to 2 percent slopes, ponded										
Piopolis	C/D	Negligible	January	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			February	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			March	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			April	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			May	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			June	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			November	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			December	0.0-1.0	>6.0	0.0-2.0	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PkD—Pinegrove silty clay loam, 8 to 25 percent slopes										
Pinegrove	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Pop1AF—Pope silt loam, 0 to 3 percent slopes, frequently flooded										
Pope	B	Very low	January	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PpS1AF--Pope-Stokly silt loams, 0 to 3 percent slopes, frequently flooded										
Pope	B	Low	January	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Stokly	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Ps--Pits, sand and gravel										
Pits	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Px—Pope silt loam, frequently flooded										
Pope	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			March	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			April	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RgLXD1--Rigley-Latham complex, 15 to 25 percent slopes										
Rigley	A	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RgLZE1--Rigley-Latham association, steep										
Rigley	A	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrG1C1--Rarden-Gilpin silt loams, 8 to 15 percent slopes										
Rarden	D	High	January	1.0-2.5	2.0-3.5	—	—	None	—	None
			February	1.0-2.5	2.0-3.5	—	—	None	—	None
			March	1.0-2.5	2.0-3.5	—	—	None	—	None
			April	1.0-2.5	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.0-2.5	2.0-3.5	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrG1D1--Rarden-Gilpin silt loams, 15 to 25 percent slopes										
Rarden	D	Very high	January	1.0-2.5	2.0-3.5	—	—	None	—	None
			February	1.0-2.5	2.0-3.5	—	—	None	—	None
			March	1.0-2.5	2.0-3.5	—	—	None	—	None
			April	1.0-2.5	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.0-2.5	2.0-3.5	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrLXD1--Rarden-Lily complex, 15 to 25 percent slopes										
Rarden	D	Very high	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Lily	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SaB—Sciotoville silt loam, 1 to 6 percent slopes										
Sciotoville	C	Low	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None
			December	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SbB—Shelocta silt loam, 2 to 6 percent slopes										
Shelocta	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SbC—Shelocta silt loam, 6 to 15 percent slopes										
Shelocta	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SbD—Shelocta silt loam, 15 to 25 percent slopes										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ScB—Sciotoville silt loam, 1 to 8 percent slopes										
Sciotoville	C	Medium	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-3.5	—	—	None	—	None
			December	1.5-3.0	2.0-3.5	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SfE--Steinsburg-Clymer association, steep										
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Clymer	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SgB—Shelocta silt loam, 3 to 8 percent slopes										
Shelocta	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SgC—Shelocta silt loam, 8 to 15 percent slopes										
Shelocta	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ShLZE1—Shelocta-Latham association, steep										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SkP1AF--Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded										
Stokly	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Philo	B/D	Low	January	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			February	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			March	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			April	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			May	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			November	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			December	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SsF—Steinsburg-Shelocta association, very steep										
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
St—Stendal silt loam, occasionally flooded										
Stendal	C	Low	January	1.0-3.0	>6.0	—	—	None	Very long (more than 30 days)	Occasional
			February	1.0-3.0	>6.0	—	—	None	Very long (more than 30 days)	Occasional
			March	1.0-3.0	>6.0	—	—	None	Very long (more than 30 days)	Occasional
			April	1.0-3.0	>6.0	—	—	None	Very long (more than 30 days)	Occasional
			May	—	—	—	—	None	Very long (more than 30 days)	Occasional

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Stn1AO—Stendal silt loam, 0 to 3 percent slopes, occasionally flooded										
Stendal	B/D	Very high	January	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			February	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			March	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			April	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			May	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			November	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional
			December	0.5-1.0	>6.0	—	—	None	Long (7 to 30 days)	Occasional

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SWLZE1—Shelocta-Wharton-Latham association, steep										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wharton	C	Very high	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None
			December	1.5-3.0	2.0-5.0	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Tg—Tioga loam, occasionally flooded										
Tioga	A	Very low	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
To—Tioga loam, frequently flooded										
Tioga	A	Very low	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent
Ud—Udorthents										
Udorthents	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UgC—Upshur-Gilpin complex, 8 to 15 percent slopes										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UgD—Upshur-Gilpin complex, 15 to 25 percent slopes										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UgE--Upshur-Gilpin complex, 25 to 40 percent slopes										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UgF—Upshur-Gilpin complex, 40 to 70 percent slopes										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UtF—Upshur-Rock outcrop association, very steep										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Rock outcrop	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
VaD3—Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded										
Vandalia	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
W—Water										
Water	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WaB--Watertown sandy loam, 1 to 8 percent slopes										
Watertown	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WeA--Weinbach silt loam, 0 to 2 percent slopes										
Weinbach	C	High	January	1.0-3.0	1.5-4.0	—	—	None	—	None
			February	1.0-3.0	1.5-4.0	—	—	None	—	None
			March	1.0-3.0	1.5-4.0	—	—	None	—	None
			April	1.0-3.0	1.5-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WmB--Wheeling silt loam, 1 to 6 percent slopes										
Wheeling	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WmC2--Wheeling silt loam, 6 to 15 percent slopes, eroded										
Wheeling	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Lawrence County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WoB--Woodsfield silt loam, 3 to 8 percent slopes										
Woodsfield	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

## Data Source Information

Soil Survey Area: Lawrence County, Ohio  
 Survey Area Data: Version 12, Sep 19, 2014