

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Marion County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ApUXA—Aeric Epiaquents-Urban land complex, till substratum, 0 to 3 percent slopes			
Aeric epiaquents, till substratum	65	Not assigned	
Urban land, residential	30	Not rated	
AqUXA—Aquents, clayey-Urban land complex, 0 to 3 percent slopes			
Aquents, clayey	65	Not assigned	
Urban land, commercial/industrial	30	Not rated	
AtUXB—Alfic Udarents-Urban land complex, till substratum, 1 to 8 percent slopes			
Alfic udarents, till substratum	65	Not assigned	
Urban land, residential	30	Not rated	
BfA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	85	C-1	
		C-1	0.11
BgA—Bennington silt loam, 0 to 3 percent slopes			
Bennington	85	C-1	
		C-1	0.11
Ble1A1—Blount silt loam, end moraine, 0 to 2 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Ble1B1—Blount silt loam, end moraine, 2 to 4 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Marion County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
Blg1B1—Blount silt loam, ground moraine, 2 to 4 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
Bz—Bono silty clay			
Bono	85	C-2	
		C-2	0.12
Cb—Carlisle muck			
Carlisle	90	D-1	
		D-1	0.30
CdB—Cardington silt loam, 2 to 6 percent slopes			
Cardington	90	A-6	
		A-6	0.06
CdB2—Cardington silt loam, 2 to 6 percent slopes, moderately eroded			
Cardington	92	A-6	
		A-6	0.06
CdC2—Cardington silt loam, 6 to 12 percent slopes, eroded			
Cardington	85	A-6	
		A-6	0.06
CeB—Centerburg silt loam, 1 to 4 percent slopes			
Centerburg	85	A-6	
		A-6	0.06
DdA—Del Rey silt loam, 0 to 2 percent slopes			
Del rey	91	C-1	
		C-1	0.11
DdB—Del Rey silt loam, 2 to 6 percent slopes			
Del rey	91	C-1	
		C-1	0.11
DeA—Del Rey silt loam, 0 to 3 percent slopes			
Del rey	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Marion County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EsA—Elliott silt loam, 0 to 3 percent slopes			
Elliott	88	C-1	
		C-1	0.11
EtA—Elliott silty clay loam, 0 to 3 percent slopes			
Elliott	90	C-1	
		C-1	0.11
FcA—Fitchville silt loam, 0 to 3 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FoA—Fox loam, 0 to 2 percent slopes			
Fox	90	A-1	
		A-1	0.01
FoB—Fox loam, 2 to 6 percent slopes			
Fox	90	A-1	
		A-1	0.01
FtA—Fulton silty clay loam, 0 to 2 percent slopes			
Fulton	90	C-2	
		C-2	0.12
FtB—Fulton silty clay loam, 2 to 6 percent slopes			
Fulton	90	C-2	
		C-2	0.12
GwA—Glynwood silt loam, 0 to 2 percent slopes			
Glynwood	90	A-6	
		A-6	0.06
GwD2—Glynwood silt loam, 12 to 18 percent slopes, eroded			
Glynwood	90	A-6	
		A-6	0.06
Gwd5C2—Glynwood clay loam, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
Gwe1B1—Glynwood silt loam, end moraine, 2 to 6 percent slopes			
Glynwood, end moraine	85	F-5	
		F-5	0.55

Selected Soil Interpretations--Marion County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Gwe5B2—Glynwood clay loam, end moraine, 2 to 6 percent slopes, eroded			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
Gwg1B2—Glynwood silt loam, ground moraine, 2 to 6 percent slopes, eroded			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
Gwg5C2—Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
KeB—Kendallville loam, 2 to 6 percent slopes			
Kendallville	85	A-1	
		A-1	0.01
KeD2—Kendallville loam, 12 to 18 percent slopes, eroded			
Kendallville	85	A-1	
		A-1	0.01
KfA—Kibbie loam, 0 to 3 percent slopes			
Kibbie	85	C-1	
		C-1	0.11
La—Latty silty clay			
Latty	90	C-2	
		C-2	0.12
Le—Lenawee silty clay loam			
Lenawee	100	C-1	
		C-1	0.11
Lu—Luray silty clay loam			
Luray	100	C-1	
		C-1	0.11
MaA—Martinsville loam, 0 to 2 percent slopes			
Martinsville	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Marion County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MaB--Martinsville loam, 2 to 6 percent slopes			
Martinsville	90	A-1	
		A-1	0.01
Mc--Medway silt loam, rarely flooded			
Medway	80	A-6	
		A-6	0.06
Md--Medway silt loam			
Medway	95	A-5	
		A-5	0.05
Me--Medway clay loam, rarely flooded			
Medway	80	A-6	
		A-6	0.06
Mf--Milford silty clay loam			
Milford	90	C-1	
		C-1	0.11
Mg--Millgrove silt loam			
Millgrove	90	C-1	
		C-1	0.11
MhA--Millgrove silty clay loam, 0 to 2 percent slopes			
Millgrove	95	C-1	
		C-1	0.11
MnB--Milton silt loam, 1 to 4 percent slopes			
Milton	85	F-1	
		F-1	0.51
MrF2--Morley silt loam, 18 to 50 percent slopes, eroded			
Morley	85	A-3	
		A-3	0.03
Mu--Muskego muck			
Muskego	95	D-1	
		D-1	0.30
Ne--Newark silt loam, occasionally flooded			
Newark	85	C-3	
		C-3	0.13

Selected Soil Interpretations--Marion County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
No--Nolin silt loam, occasionally flooded			
Nolin	85	A-5	
		A-5	0.05
OcA--Ockley loam, 0 to 2 percent slopes			
Ockley	90	A-1	
		A-1	0.01
OcB--Ockley loam, 2 to 6 percent slopes			
Ockley	95	A-1	
		A-1	0.01
OdB--Ockley silt loam, 2 to 6 percent slopes			
Ockley	85	A-1	
		A-1	0.01
OnUXB--Orthents, clayey-Urban land complex, 1 to 8 percent slopes			
Orthents, clayey	65	Not assigned	
Urban land, commercial/industrial	30	Not rated	
Pa--Paulding clay			
Paulding	90	F-7	
		F-7	0.57
Pk--Pewamo silty clay loam, 0 to 1 percent slopes			
Pewamo	85	C-1	
		C-1	0.11
Pm--Pewamo silty clay loam			
Pewamo	90	C-1	
		C-1	0.11
Ps--Pits, gravel			
Pits	100	Not rated	
Pt--Pits, quarry			
Pits	100	Not rated	
Ro--Rosburg silt loam, 0 to 2 percent slopes, occasionally flooded			
Rosburg	85	A-5	
		A-5	0.05
Sa--Saranac silty clay loam, occasionally flooded			
Saranac	85	C-3	
		C-3	0.13

Selected Soil Interpretations--Marion County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Sc--Saranac silty clay loam, frequently flooded			
Saranac	90	C-3	
		C-3	0.13
ShB--Shinrock silt loam, 2 to 6 percent slopes			
Shinrock	90	A-6	
		A-6	0.06
ShC2--Shinrock silt loam, 6 to 12 percent slopes, eroded			
Shinrock	90	A-6	
		A-6	0.06
Sj--Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
SkA--Sleeth loam, 0 to 3 percent slopes			
Sleeth	85	C-1	
		C-1	0.11
SmA--Sleeth silt loam, loamy substratum, 0 to 3 percent slopes			
Sleeth	85	C-1	
		C-1	0.11
So--Sloan silty clay loam, occasionally flooded			
Sloan	85	C-3	
		C-3	0.13
Sp--Sloan silty clay loam, till substratum, 0 to 2 percent slopes, occasionally flooded			
Sloan	85	C-3	
		C-3	0.13
St--Stone clay loam, 0 to 2 percent slopes, rarely flooded			
Stone	85	C-1	
		C-1	0.11
TrB--Tiro silt loam, 2 to 6 percent slopes			
Tiro	94	C-1	
		C-1	0.11
TyUXA--Typic Endoaquents-Urban land complex, till substratum, 0 to 3 percent slopes			
Typic endoaquents, till substratum	65	Not assigned	
Urban land, residential	30	Not rated	

Selected Soil Interpretations--Marion County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
UAzXA—Urban land-Aquents, clayey, complex, 0 to 3 percent slopes			
Urban land, commercial/industrial	65	Not rated	
Aquents, clayey	30	Not assigned	
Ud—Udorthents, loamy			
Udorthents	80	Not rated	
UEBXA—Urban land-Aeric Epiaquents-Blount complex, 0 to 3 percent slopes			
Urban land, residential	40	Not rated	
Aeric epiaquents, till substratum	35	Not assigned	
Blount, urban	20	Not assigned	
UFGXB—Urban land-Alfic Udarents-Glynwood complex, 1 to 8 percent slopes			
Urban land, residential	40	Not rated	
Alfic udarents, till substratum	35	Not assigned	
Glynwood, urban	20	Not assigned	
UOrXB—Urban land-Orthents, clayey, complex, 1 to 8 percent slopes			
Urban land, commercial/industrial	65	Not rated	
Orthents, clayey	30	Not assigned	
Ur—Urban land			
Urban land, commercial/industrial	95	Not rated	
Orthents, clayey	5	Not assigned	
UTWXA—Urban land-Typic Endoaquents-Pewamo complex, 0 to 3 percent slopes			
Urban land, residential	40	Not rated	
Typic endoaquents, till substratum	35	Not assigned	
Pewamo, urban	20	Not assigned	
W—Water			
Water	100	Not rated	
We—Westland clay loam			
Westland	90	C-1	
		C-1	0.11
WhA—Whitaker loam, 0 to 3 percent slopes			
Whitaker	85	C-1	
		C-1	0.11

## Data Source Information

Soil Survey Area: Marion County, Ohio  
Survey Area Data: Version 16, Sep 19, 2014