

Hydric Soil List - All Components

This table lists the map unit components and their hydric status in the survey area. This list can help in planning land uses; however, onsite investigation is recommended to determine the hydric soils on a specific site (National Research Council, 1995; Hurt and others, 2002).

The three essential characteristics of wetlands are hydrophytic vegetation, hydric soils, and wetland hydrology (Cowardin and others, 1979; U.S. Army Corps of Engineers, 1987; National Research Council, 1995; Tiner, 1985). Criteria for all of the characteristics must be met for areas to be identified as wetlands. Undrained hydric soils that have natural vegetation should support a dominant population of ecological wetland plant species. Hydric soils that have been converted to other uses should be capable of being restored to wetlands.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (Federal Register, 1994). These soils, under natural conditions, are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.

The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 2002). These criteria are used to identify map unit components that normally are associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (Soil Survey Staff, 1999) and "Keys to Soil Taxonomy" (Soil Survey Staff, 2006) and in the "Soil Survey Manual" (Soil Survey Division Staff, 1993).

If soils are wet enough for a long enough period of time to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils are specified in "Field Indicators of Hydric Soils in the United States" (Hurt and Vasilas, 2006).

Hydric soils are identified by examining and describing the soil to a depth of about 20 inches. This depth may be greater if determination of an appropriate indicator so requires. It is always recommended that soils be excavated and described to the depth necessary for an understanding of the redoximorphic processes. Then, using the completed soil descriptions, soil scientists can compare the soil features required by each indicator and specify which indicators have been matched with the conditions observed in the soil. The soil can be identified as a hydric soil if at least one of the approved indicators is present.

Map units that are dominantly made up of hydric soils may have small areas, or inclusions, of nonhydric soils in the higher positions on the landform, and map units dominantly made up of nonhydric soils may have inclusions of hydric soils in the lower positions on the landform.

The criteria for hydric soils are represented by codes in the table (for example, 2). Definitions for the codes are as follows:

1. All Histels except for Folistels, and Histosols except for Folistels.
2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Historthels great group, Histoturbels great group, Pachic subgroups, or Cumulic subgroups that:
 - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
 - B. Show evidence that the soil meets the definition of a hydric soil;
3. Soils that are frequently ponded for long or very long duration during the growing season.
 - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
 - B. Show evidence that the soil meets the definition of a hydric soil;
4. Map unit components that are frequently flooded for long duration or very long duration during the growing season that:
 - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
 - B. Show evidence that the soil meets the definition of a hydric soil;

Hydric Condition: Food Security Act information regarding the ability to grow a commodity crop without removing woody vegetation or manipulating hydrology.

References:

- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
Federal Register. Doc. 2012-4733 Filed 2-28-12. February, 28, 2012. Hydric soils of the United States.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18.
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service. U.S. Department of Agriculture Handbook 436.
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service.
- Vasilas, L.M., G.W. Hurt, and C.V. Noble, editors. Version 7.0, 2010. Field indicators of hydric soils in the United States.

Report—Hydric Soil List - All Components

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
AgC: Aaron-Gilpin complex, 8 to 15 percent slopes	Aaron	50	Hills	No	—
	Gilpin	35	Hills	No	—
	shallow to bedrock	5	—	—	—
	Keene	5	Hills	—	—
	Upshur	5	Hills	—	—
AuC2: Aaron-Upshur complex, 8 to 15 percent slopes, eroded	Aaron	50	Hills	No	—
	Upshur	35	Hills	No	—
	Gilpin	8	Hills	—	—
	shallow to bedrock	7	—	—	—
BkF: Berks-Westmoreland silt loams, 40 to 70 percent slopes	Berks	55	Hills	No	—
	Westmoreland	35	Hills	No	—
	Guernsey	4	Hills	—	—
	Elba	3	Hills	—	—
	bedrock escarpment	3	—	—	—
Chg1AF: Chagrin silt loam, 0 to 3 percent slopes, frequently flooded	Chagrin	75-100	Flood plains	No	—
	Orrville	0-15	Flood plains	No	—
	Melvin	0-15	Depressions on flood plains	Yes	2,3,4
CkA: Cidermill silt loam, 0 to 2 percent slopes	Cidermill	90	Terraces	No	—
	Conotton	5	Terraces	—	—
	Taggart	3	Terraces	—	—
	Newark	2	Flood plains	—	—
CkB: Cidermill silt loam, 2 to 6 percent slopes	Cidermill	90	Terraces	No	—
	Conotton	5	Terraces	—	—
	Taggart	3	Terraces	—	—
	Newark	2	Flood plains	—	—
CnA: Conotton gravelly loam, 0 to 2 percent slopes	Conotton	90	Terraces	No	—
	Cidermill	5	Terraces	—	—
	Lakin	5	Terraces	—	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
CnC: Conotton gravelly loam, 6 to 12 percent slopes	Conotton	90	Terraces	No	—
	Lakin	5	Terraces	—	—
	Cidermill	5	Terraces	—	—
CnE: Conotton gravelly loam, 18 to 40 percent slopes	Conotton	85	Terraces	No	—
	Lakin	8	Terraces	—	—
	Cidermill	7	Terraces	—	—
DeF: Dekalb-Westmoreland complex, 40 to 70 percent slopes	Dekalb	55	Hills	No	—
	Westmoreland	35	Hills	No	—
	Guernsey	5	Hills	—	—
	bedrock escarpment	5	—	—	—
Dol1A1: Doles silt loam, 0 to 2 percent slopes	Doles	85-100	Terraces	No	—
	Omulga	0-15	Terraces	No	—
	Vincent	0-10	Terraces	No	—
	Tygart	0-10	Stream terraces	No	—
	Bonnie	0-15	Flood plains	Yes	2,4
Dp: Dumps, mine	Dumps	100	—	Unranked	—
DuC: Duncannon silt loam, 6 to 12 percent slopes	Duncannon	95	Terraces	No	—
	Lakin	5	Terraces	—	—
EkA: Elkinsville silt loam, 0 to 2 percent slopes	Elkinsville	90	Terraces	No	—
	Taggart	5	Terraces	—	—
	Chagrin	5	Flood plains	—	—
Gal2C1: Gallia loam, 6 to 12 percent slopes	Gallia	80-90	Terraces	No	—
	Omulga	5-20	Terraces	No	—
	Vincent	0-15	Terraces	No	—
Gal2D1: Gallia loam, 12 to 18 percent slopes	Gallia	0-10	Terraces	No	—
	Gilpin	0-10	Hills	No	—
	Vincent	0-10	Terraces	No	—
GbA: Gallipolis silt loam, 0 to 2 percent slopes	Gallia-Eroded	0-15	Terraces	No	—
	Gallipolis	90	Terraces	No	—
	Licking	5	Terraces	—	—
	Taggart	5	Terraces	—	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio						
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)	
GbB: Gallipolis silt loam, 2 to 6 percent slopes	Gallipolis	85	Terraces	No	—	
	Licking	8	Terraces	—	—	
	Taggart	7	Terraces	—	—	
GeD: Germano-Gilpin complex, 15 to 25 percent slopes	Germano	40	Hills	No	—	
	Gilpin	35	Hills	No	—	
	Guernsey	10	Hills	—	—	
	Latham	5	Hills	—	—	
	Wellston	5	Hills	—	—	
	Wharton	5	Hills	—	—	
	moderately well drained Gilpin-like soils		—	—	—	—
	Germano-like soils with less clay in the subsoil		—	—	—	
GeE: Germano-Gilpin complex, 25 to 40 percent slopes	Germano	65	Hills	No	—	
	Gilpin	15	Hills	No	—	
	Rarden	10	Hills	—	—	
	Tarhollow	5	Hills	—	—	
	rock outcrop	5	—	Unranked	—	
		Germano-like soil with less clay in the subsoil		—	—	—
		moderately well drained Gilpin-like soils		—	—	—
GhB: Gilpin silt loam, 3 to 8 percent slopes	Gilpin	75-100	Ridges	No	—	
	Berks	0-15	Ridges	No	—	
	Coolville	0-10	Ridges	No	—	
	Coshocton	0-10	Ridges	No	—	
GhC2: Gilpin silt loam, 8 to 15 percent slopes	Gilpin	70-100	Ridges	No	—	
	Upshur	0-20	Ridges	No	—	
	Berks	0-15	Ridges	No	—	
GIR1D1: Gilpin-Rarden silt loams, 15 to 25 percent slopes	Gilpin	50	Hills	No	—	
	Rarden	30	Hills	No	—	

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Upshur	5	Hillslopes	No	—
	Guernsey	5	Hills	No	—
	Weikert	5	Hills	No	—
	Steinsburg	5	Hills	No	—
GIR1D2: Gilpin-Rarden silt loams, 15 to 25 percent slopes, eroded	Gilpin	50	Hills	No	—
	Rarden	30	Hills	No	—
	Steinsburg	5	Hills	No	—
	Weikert	5	Hills	No	—
	Guernsey	5	Hills	No	—
	Upshur	5	Hillslopes	No	—
GIR1E1: Gilpin-Rarden silt loams, 25 to 40 percent slopes	Gilpin	50	Hills	No	—
	Rarden	30	Hills	No	—
	Steinsburg	5	Hills	No	—
	Upshur	5	Hillslopes	No	—
	Guernsey	5	Hills	No	—
	Weikert	5	Hills	No	—
GuC: Gilpin-Upshur silt loams, 8 to 15 percent slopes	Gilpin	40-60	Ridges	No	—
	Upshur	25-40	Ridges	No	—
	Dormont	5-15	Ridges	No	—
	Peabody	0-10	Ridges	No	—
	Coolville	0-10	Ridges	No	—
GuD: Gilpin-Upshur silt loams, 15 to 25 percent slopes	Gilpin	40-60	Hillslopes	No	—
	Upshur	25-40	Hillslopes	No	—
	Guernsey	5-15	Hillslopes	No	—
	Dormont	0-10	Hillslopes	No	—
	Peabody	0-15	Hillslopes	No	—
GuE: Gilpin-Upshur complex, 25 to 50 percent slopes	Gilpin	45	Hills	No	—
	Upshur	35	Hills	No	—
	Rarden	5	Hills	—	—
	Steinsburg	5	Hills	—	—
	Guernsey	5	Hills	—	—
	slopes of less than 40 percent	3	—	—	—
	shallow soils	2	—	—	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
GwD: Guernsey-Gilpin complex, 15 to 25 percent slopes	Guernsey	45	Hills	No	—
	Gilpin	40	Hills	No	—
	Upshur	10	Hills	—	—
	shallow soils	3	—	—	—
	slopes of less than 25 percent	2	—	—	—
GwE: Guernsey-Gilpin complex, 25 to 40 percent slopes	Gilpin	45	Hills	No	—
	Guernsey	45	Hills	No	—
	Upshur	3	Hills	—	—
	Rarden	3	Hills	—	—
	Steinsburg	3	Hills	—	—
	shallow soils	1	—	—	—
Hay1AF: Haymond silt loam, 0 to 3 percent slopes, frequently flooded	Haymond	80-100	Flood-plain steps	No	—
	Lindside	0-15	Flood plains	No	—
	Haymond-Occasionally flooded	0-10	Flood-plain steps	No	—
KeB: Keene silt loam, 3 to 8 percent slopes	Keene	80-100	Ridges	No	—
	Gilpin	0-20	Ridges	No	—
KeC: Keene silt loam, 6 to 12 percent slopes	Keene	80	Hills	No	—
	Upshur	5	Hills	—	—
	Aaron	5	Hills	—	—
	Woodsfield	5	Hills	—	—
	Gilpin	5	Hills	—	—
KnL1AF: Kinnick-Lindside silt loams, 0 to 3 percent slopes, frequently flooded	Kinnick	60-80	Flood plains	No	—
	Lindside	10-30	Flood plains	No	—
	Melvin	0-15	Depressions on flood plains	Yes	2,3,4
	Newark	0-20	Flood plains	No	—
Ky: Kyger loamy sand, frequently flooded	Kyger	95	Flood plains	Yes	2,3,4
	Orrville	5	Flood plains	No	—
LaB: Lakin loamy fine sand, 1 to 6 percent slopes	Lakin	95	Terraces	No	—
	Cidermill	5	Terraces	—	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
LaC: Lakin loamy fine sand, 6 to 12 percent slopes	Lakin	95	Terraces	No	—
	Cidermill	5	Terraces	—	—
LaD: Lakin loamy fine sand, 12 to 18 percent slopes	Lakin	95	Terraces	No	—
	Conotton	5	Terraces	—	—
LaE: Lakin loamy fine sand, 18 to 40 percent slopes	Lakin	90	Terraces	No	—
	Conotton	10	Terraces	—	—
Lic1B1: Licking silt loam, 2 to 6 percent slopes	Licking	80-90	Stream terraces	No	—
	Vandalia	0-10	Hills	No	—
	Glenford	0-15	Terraces	No	—
Lic1C2: Licking silt loam, 6 to 12 percent slopes, eroded	Licking	80-95	Stream terraces	No	—
	Licking	0-20	Stream terraces	No	—
	Vandalia	0-15	Hillslopes	No	—
Lic1D2: Licking silt loam, 12 to 18 percent slopes, eroded	Glenford	0-20	Terraces	No	—
	Licking	75-100	Stream terraces	No	—
	unnamed	0-25	Stream terraces	No	—
Mel1AF: Melvin silt loam, 0 to 2 percent slopes, frequently flooded	Licking-Severely eroded	0-15	Stream terraces	No	—
	Gilpin	0-10	Hills	No	—
	Melvin	80-100	Depressions on flood plains	Yes	2,3,4
Mos1AF: Moshannon silt loam, 0 to 3 percent slopes, frequently flooded	Newark	0-15	Flood plains	No	—
	Senecaville-Rarely flooded	0-20	Stream terraces	No	—
	Melvin	0-5	Depressions on flood plains	Yes	2,3,4
New1AF: Newark silt loam, 0 to 3 percent slopes, frequently flooded	Newark	85-100	Flood plains	No	—
	Melvin	0-15	Flood plains	Yes	2,3,4
	Lindside	0-15	Flood plains	No	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
No: Nolin silt loam, 0 to 3 percent slopes, frequently flooded	Nolin	80-95	Flood plains	No	—
	Melvin	0-20	Backswamps	Yes	2
	Newark	0-20	Flood plains	No	—
Omu1B1: Omulga silt loam, 2 to 6 percent slopes	Omulga	75-100	Terraces	No	—
	Wyatt	0-10	Terraces	No	—
	Gallia	0-15	Terraces	No	—
	Doles	0-15	Terraces	No	—
	Vincent	0-15	Terraces	No	—
	Westmoreland	0-15	Hills	No	—
	Allegheny	0-10	Stream terraces	No	—
	Wharton	0-10	Hills	No	—
Omu1C1: Omulga silt loam, 6 to 12 percent slopes	Omulga	75-100	Terraces	No	—
	Wyatt	0-15	Terraces	No	—
	Gallia	0-15	Terraces	No	—
	Allegheny	0-15	Stream terraces	No	—
	Westmoreland	0-15	Hills	No	—
	Wharton	0-15	Hills	No	—
	Vincent	0-10	Terraces	No	—
Orr1AF: Orrville silt loam, 0 to 3 percent slopes, frequently flooded	Orrville	80-90	Flood plains	No	—
	Chagrin	0-15	Flood plains	No	—
	Melvin	0-10	Flood plains	Yes	2,3,4
PnB: Pinegrove coarse sandy loam, 0 to 8 percent slopes	Pinegrove	90	Hills	No	—
	Steinsburg	4	Hills	—	—
	Gilpin	4	Hills	—	—
	highwalls	2	—	—	—
PnD: Pinegrove coarse sandy loam, 8 to 25 percent slopes	Pinegrove	85	Hills	No	—
	Steinsburg	5	Hills	—	—
	highwalls	5	—	—	—
	Gilpin	5	Hills	—	—
PnF: Pinegrove coarse sandy loam, 25 to 70 percent slopes	Pinegrove	85	Hills	No	—
	highwalls	3	—	—	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Upshur	3	Hills	—	—
	Steinsburg	3	Hills	—	—
	Guernsey	3	Hills	—	—
	Gilpin	3	Hills	—	—
Pop1AF: Pope silt loam, 0 to 3 percent slopes, frequently flooded	Pope	70-95	Flood plains	No	—
	Stokly	0-15	Flood plains	No	—
	Stendal	0-10	Flood plains	No	—
	Bonnie	0-5	Flood plains	Yes	2,4
PpS1AF: Pope-Stokly silt loams, 0 to 3 percent slopes, frequently flooded	Pope	30-60	Flood plains	No	—
	Stokly	20-50	Flood plains	No	—
	Bonnie	0-15	Flood plains	Yes	2,4
	Stokly-Occasionally flooded	0-10	Flood plains	No	—
	Pope-Occasionally flooded	0-10	Flood plains	No	—
PuB: Pinegrove silty clay loam, 0 to 8 percent slopes	Pinegrove	95	Hills	No	—
	Gilpin	3	Hills	—	—
	Steinsburg	2	Hills	—	—
PuD: Pinegrove silty clay loam, 8 to 25 percent slopes	Pinegrove	90	Hills	No	—
	Guernsey	3	Hills	—	—
	Gilpin	3	Hills	—	—
	Upshur	2	Hills	—	—
	Steinsburg	2	Hills	—	—
PuF: Pinegrove silty clay loam, 25 to 70 percent slopes	Pinegrove	85	Hills	No	—
	Steinsburg	4	Hills	—	—
	Gilpin	4	Hills	—	—
	Guernsey	4	Hills	—	—
	Upshur	3	Hills	—	—
Px: Pits, gravel	Pits	100	—	Unranked	—
Rar1C2: Rarden silt loam, 8 to 15 percent slopes, eroded	Rarden	85	Hills	No	—
	Clymer	5	Hills	No	—
	Tilsit	5	Hills	No	—
	Wellston	3	Hills	No	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Wharton	2	Hills	No	—
RcB: Richland silt loam, 2 to 6 percent slopes	Richland	85	Hills	No	—
	Gallipolis	8	Terraces	—	—
	Taggart	7	Terraces	—	—
RdD: Richland loam, 15 to 25 percent slopes	Richland	85	Hills	No	—
	Brookside	5	Hills	—	—
	Dekalb	5	Hills	—	—
	Steinsburg	5	Hills	—	—
RdE: Richland loam, 25 to 40 percent slopes	Richland	85	Hills	No	—
	Steinsburg	5	Hills	—	—
	Brookside	5	Hills	—	—
	Vandalia	5	Hills	—	—
SkP1AF: Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded	Stokly	40-70	Flood plains	No	—
	Philo	10-50	Flood plains	No	—
	Pope	0-15	Flood plains	No	—
	Bonnie	0-15	Flood plains	Yes	2,4
SsE: Steinsburg sandy loam, 25 to 40 percent slopes	Steinsburg	85	Hills	No	—
	Westmoreland	4	Hills	—	—
	Clymer	4	Hills	—	—
	Richland	4	Hills	—	—
	bedrock outcrop	3	—	—	—
SsF: Steinsburg sandy loam, 40 to 70 percent slopes	Steinsburg	90	Hills	No	—
	Richland	4	Hills	—	—
	bedrock outcrop	3	—	—	—
	Westmoreland	3	Hills	—	—
StF: Steinsburg fine sandy loam, 40 to 70 percent slopes	Steinsburg	85	Hills	No	—
	Gilpin	10	Hills	—	—
	less sloping soils	5	—	—	—
TaA: Taggart silt loam, 0 to 2 percent slopes	Taggart	85	Terraces	No	—
	Licking	5	Terraces	—	—
	poorly drained soils	5	Depressions	Yes	2
	Gallipolis	5	Terraces	—	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
UbC: Upshur silt loam, 8 to 15 percent slopes	Upshur	75-90	Hills	No	—
	Gilpin	10-25	Hills	No	—
Ud: Udorthents	Udorthents	100	—	Unranked	—
UgC2: Upshur-Gilpin complex, 8 to 15 percent slopes, eroded	Upshur	45	Hills	No	—
	Gilpin	40	Hills	No	—
	Aaron	5	Hills	—	—
	Rarden	5	Hills	—	—
	Steinsburg	4	Hills	—	—
	shallow soils	1	—	—	—
UgD: Upshur-Gilpin complex, 15 to 25 percent slopes	Upshur	60	Hills	No	—
	Gilpin	25	Hills	No	—
	Rarden	5	Hills	—	—
	Guernsey	5	Hills	—	—
	Steinsburg	4	Hills	—	—
	shallow soils	1	—	—	—
UgE: Upshur-Gilpin complex, 25 to 50 percent slopes	Upshur	45	Hills	No	—
	Gilpin	35	Hills	No	—
	Rarden	6	Hills	—	—
	Steinsburg	6	Hills	—	—
	Guernsey	6	Hills	—	—
		shallow soils	1	—	—
	escarpments	1	—	—	—
UpC: Upshur silty clay loam, 8 to 15 percent slopes	Upshur	85	Hills	No	—
	Elba	5	Hills	—	—
	Westmoreland	5	Hills	—	—
	Guernsey	5	Hills	—	—
UsD: Upshur-Steinsburg complex, 15 to 25 percent slopes	Upshur	50	Hills	No	—
	Steinsburg	30	Hills	No	—
	Guernsey	7	Hills	—	—
	Gilpin	7	Hills	—	—
	Rarden	6	Hills	—	—
UsE: Upshur-Steinsburg complex, 25 to 50 percent slopes	Upshur	45	Hills	No	—
	Steinsburg	30	Hills	No	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Gilpin	10	Hills	—	—
	Guernsey	8	Hills	—	—
	Rarden	7	Hills	—	—
VaC2: Vandalia silt loam, 8 to 15 percent slopes	Vandalia	75-85	Hillslopes	No	—
	Upshur	5-10	Hillslopes	No	—
	Sensabaugh	5-10	Flood plains	No	—
	Gilpin	2-10	Hillslopes	No	—
VaD2: Vandalia silt loam, 15 to 25 percent slopes	Vandalia	75-85	Hillslopes	No	—
	Upshur	5-10	Hillslopes	No	—
	Sensabaugh	5-10	Flood plains	No	—
	Gilpin	2-10	Hillslopes	No	—
VbD: Vandalia-Brookside complex, 15 to 25 percent slopes	Vandalia	55	Hills	No	—
	Brookside	35	Hills	No	—
	Richland	10	Hills	—	—
VcD: Vandalia-Richland complex, 15 to 25 percent slopes	Vandalia	50	Hills	No	—
	Richland	35	Hills	No	—
	Dekalb	10	Hills	—	—
	Steinsburg	5	Hills	—	—
VnB2: Vincent silty clay loam, 2 to 6 percent slopes, eroded	Vincent	90	Terraces	No	—
	Omulga	4	Terraces	—	—
	Licking	4	Terraces	—	—
	Gallia	2	Terraces	—	—
VnC2: Vincent silty clay loam, 6 to 12 percent slopes, eroded	Vincent	90	Terraces	No	—
	Licking	4	Terraces	—	—
	Omulga	4	Terraces	—	—
	Gallia	2	Terraces	—	—
W: Water	water	100	—	Unranked	—
WeC: Wellston silt loam, 8 to 15 percent slopes	Wellston	80-95	Ridges	No	—
	Zanesville	0-15	Ridges	No	—
	Guernsey	0-15	Ridges	No	—
	Gilpin	0-15	Ridges	No	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
WgD: Westmoreland-Gilpin complex, 15 to 25 percent slopes	Westmoreland	40	Hills	No	—
	Gilpin	35	Hills	No	—
	Upshur	8	Hills	—	—
	Rarden	7	Hills	—	—
	Steinsburg	5	Hills	—	—
	Guernsey	5	Hills	—	—
WgE: Westmoreland-Gilpin complex, 25 to 40 percent slopes	Westmoreland	40	Hills	No	—
	Gilpin	35	Hills	No	—
	Upshur	8	Hills	—	—
	Rarden	7	Hills	—	—
	Steinsburg	5	Hills	—	—
	Guernsey	5	Hills	—	—
WgF: Westmoreland-Gilpin complex, 40 to 70 percent slopes	Westmoreland	40	Hills	No	—
	Gilpin	35	Hills	No	—
	Upshur	8	Hills	—	—
	Rarden	7	Hills	—	—
	Steinsburg	5	Hills	—	—
	Guernsey	5	Hills	—	—
WoB: Woodsfield silt loam, 2 to 6 percent slopes	Woodsfield	95	Hills	No	—
	Upshur	5	Hills	—	—
WpB: Woodsfield silt loam, 3 to 8 percent slopes	Woodsfield	90	Hills	No	—
	Westmore	10	Hills	—	—
Wya1B1: Wyatt silt loam, 2 to 6 percent slopes	Wyatt	80-100	Terraces	No	—
	Omulga	0-15	Terraces	No	—
	Doles	0-7	Terraces	No	—
	Allegheny	0-5	Stream terraces	No	—
	Gallia	0-7	Terraces	No	—
Wya3C2: Wyatt silty clay loam, 6 to 12 percent slopes, eroded	Wyatt	80-100	Terraces	No	—
	Omulga	0-15	Terraces	No	—
	Allegheny	0-10	Stream terraces	No	—
	Vandalia	0-15	Hillslopes	No	—

Hydric Soil List - All Components--OH105-Meigs County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
Wya3D2: Wyatt silty clay loam, 12 to 18 percent slopes, eroded	Wyatt	80-100	Terraces	No	—
	Gilpin	0-15	Hills	No	—
	Rock Outcrop	0-10	—	Unranked	—
	Newark	0-8	Flood plains	No	—
	Vandalia	0-5	Hillslopes	No	—
ZnB: Zanesville silt loam, 3 to 8 percent slopes	Zanesville	100	Hills	No	—

Data Source Information

Soil Survey Area: Meigs County, Ohio
 Survey Area Data: Version 10, Sep 19, 2014