

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AaB—Aaron silt loam, 2 to 8 percent slopes			
Aaron	80	A-6	
		A-6	0.06
AaC2—Aaron silt loam, 8 to 15 percent slopes, eroded			
Aaron	80	A-6	
		A-6	0.06
AaD2—Aaron silt loam, 15 to 25 percent slopes, eroded			
Aaron	80	A-2	
		A-2	0.02
AcB—Aaron-Upshur complex, 2 to 6 percent slopes			
Aaron	45	A-6	
		A-6	0.06
Upshur	30	A-1	
		A-1	0.01
AfB—Alford silt loam, 2 to 8 percent slopes			
Alford	85	A-6	
		A-6	0.06
AfC2—Alford silt loam, 8 to 15 percent slopes, eroded			
Alford	80	A-6	
		A-6	0.06

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BeB—Berks channery silt loam, 3 to 8 percent slopes			
Berks	85	F-1	
		F-1	0.51
BeD—Berks channery silt loam, 15 to 25 percent slopes			
Berks	85	F-1	
		F-1	0.51
BeD2—Berks channery silt loam, 15 to 25 percent slopes, eroded			
Berks	80	F-1	
		F-1	0.51
BeE—Berks channery silt loam, 25 to 35 percent slopes			
Berks	85	F-2	
		F-2	0.52
BfF—Bethesda channery loam, 40 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71
BgB—Berks channery silt loam, 2 to 6 percent slopes			
Berks	100	F-1	
		F-1	0.51
BhB—Bethesda channery loam, 0 to 8 percent slopes			
Bethesda	90	E-3	
		E-3	0.42
BhD—Bethesda channery loam, 8 to 25 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BhF—Bethesda channery loam, 25 to 70 percent slopes			
Bethesda	90	H-1	
		H-1	0.71

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BkF—Berks-Westmoreland complex, 40 to 70 percent slopes			
Berks	40	H-1	
		H-1	0.71
Westmoreland	35	H-1	
		H-1	0.71
BoB—Bethesda shaly silt loam, 1 to 15 percent slopes			
Bethesda	80	E-3	
		E-3	0.42
BoD—Bethesda shaly silt loam, 15 to 25 percent slopes			
Bethesda	80	E-3	
		E-3	0.42
BpF—Bethesda flaggy silt loam, 25 to 70 percent slopes			
Bethesda	80	H-1	
		H-1	0.71
BrE—Brownsville channery silt loam, 25 to 35 percent slopes			
Brownsville	85	A-3	
		A-3	0.03
BrF—Brownsville channery silt loam, 35 to 70 percent slopes			
Brownsville	85	H-1	
		H-1	0.71
BsC2—Brookside silty clay loam, 8 to 15 percent slopes, eroded			
Brookside	80	A-1	
		A-1	0.01
BsE—Brookside silty clay loam, 15 to 40 percent slopes			
Brookside	75	A-3	
		A-3	0.03
Cb—Chagrin loam, rarely flooded			
Chagrin	80	A-1	
		A-1	0.01
CcA—Chavies loam, 0 to 2 percent slopes			
Chavies	80	A-1	
		A-1	0.01

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CcB—Chavies loam, 2 to 6 percent slopes			
Chavies	80	A-1	
		A-1	0.01
CeA—Chili loam, 0 to 3 percent slopes			
Chili	85	A-1	
		A-1	0.01
CeB—Chili loam, 3 to 8 percent slopes			
Chili	85	A-1	
		A-1	0.01
CfA—Chili loam, 0 to 2 percent slopes			
Chili	100	A-1	
		A-1	0.01
CfB—Chili loam, 2 to 6 percent slopes			
Chili	100	A-1	
		A-1	0.01
CfC2—Chili loam, 6 to 12 percent slopes, eroded			
Chili	100	A-1	
		A-1	0.01
ChA—Chili gravelly loam, 0 to 3 percent slopes			
Chili	85	A-1	
		A-1	0.01
ChB—Chili gravelly loam, 3 to 8 percent slopes			
Chili	85	A-1	
		A-1	0.01
ChC—Chili gravelly loam, 8 to 15 percent slopes			
Chili	85	A-1	
		A-1	0.01
CkA—Cidermill silt loam, 0 to 3 percent slopes			
Cidermill	85	A-1	
		A-1	0.01
CnB—Cincinnati silt loam, 2 to 6 percent slopes			
Cincinnati	85	F-3	
		F-3	0.53
CnC2—Cincinnati silt loam, 6 to 15 percent slopes, eroded			
Cincinnati	80	F-3	
		F-3	0.53

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CpC2—Clarksburg silt loam, 8 to 15 percent slopes, eroded			
Clarksburg	85	F-3	
		F-3	0.53
CrC—Claysville-Guernsey silty clay loams, 8 to 15 percent slopes			
Claysville	50	C-1	
		C-1	0.11
Guernsey	30	A-6	
		A-6	0.06
CsC2—Coshocton silt loam, 8 to 15 percent slopes, eroded			
Coshocton	80	A-6	
		A-6	0.06
CsD—Coshocton silt loam, 15 to 25 percent slopes			
Coshocton	75	A-2	
		A-2	0.02
CtE—Coshocton-Westmoreland silt loams, 25 to 40 percent slopes			
Coshocton	45	A-3	
		A-3	0.03
Westmoreland	35	A-3	
		A-3	0.03
Ds—Dumps and Pits, mine			
Dumps and pits	100	Not rated	
FaB—Fairpoint silty clay loam, 1 to 15 percent slopes			
Fairpoint	80	B-4	
		B-4	0.10
FaD—Fairpoint silty clay loam, 15 to 25 percent slopes			
Fairpoint	80	B-4	
		B-4	0.10
FaE—Fairpoint silty clay loam, 25 to 50 percent slopes			
Fairpoint	80	E-2	
		E-2	0.41

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FbF—Fairpoint channery silty clay loam, 25 to 70 percent slopes			
Fairpoint	85	H-1	
		H-1	0.71
FcA—Fitchville silt loam, 0 to 3 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 3 to 8 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FdB—Fairpoint loam, 0 to 8 percent slopes			
Fairpoint	90	B-4	
		B-4	0.10
FdD—Fairpoint loam, 8 to 25 percent slopes			
Fairpoint	90	B-4	
		B-4	0.10
FdE—Fairpoint loam, 25 to 35 percent slopes			
Fairpoint	90	E-2	
		E-2	0.41
FfB—Fairpoint silty clay loam, 0 to 8 percent slopes			
Fairpoint	90	B-4	
		B-4	0.10
FfD—Fairpoint silty clay loam, 8 to 25 percent slopes			
Fairpoint	90	B-4	
		B-4	0.10
FkB—Frankstown variant-Mertz complex, 3 to 8 percent slopes			
Frankstown variant	45	F-1	
		F-1	0.51
Mertz	35	A-1	
		A-1	0.01
GcB—Gilpin silt loam, 2 to 6 percent slopes			
Gilpin	85	F-1	
		F-1	0.51

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GdB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GdC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GdC2—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GeD2—Gilpin-Upshur complex, 15 to 25 percent slopes			
Gilpin	50	F-1	
		F-1	0.51
Upshur	30	A-2	
		A-2	0.02
GeE2—Gilpin-Upshur complex, 25 to 40 percent slopes, eroded			
Gilpin	40	F-2	
		F-2	0.52
Upshur	35	A-3	
		A-3	0.03
GfA—Glenford silt loam, 0 to 3 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GfB—Glenford silt loam, 3 to 8 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GfC2—Glenford silt loam, 8 to 15 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GnD—Guernsey silt loam, 12 to 18 percent slopes			
Guernsey	100	A-6	
		A-6	0.06
GpD—Guernsey silt loam, 15 to 25 percent slopes			
Guernsey	85	A-2	
		A-2	0.02

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GpD2—Guernsey silt loam, 15 to 25 percent slopes, eroded			
Guernsey	80	A-2	
		A-2	0.02
GsC—Guernsey-Upshur complex, 8 to 15 percent slopes			
Guernsey	50	A-6	
		A-6	0.06
Upshur	35	A-1	
		A-1	0.01
GtC2—Guernsey-Upshur silty clay loams, 6 to 15 percent slopes, eroded			
Guernsey	50	A-6	
		A-6	0.06
Upshur	30	A-1	
		A-1	0.01
GtD2—Guernsey-Upshur silty clay loams, 15 to 25 percent slopes, eroded			
Guernsey	45	A-2	
		A-2	0.02
Upshur	30	A-2	
		A-2	0.02
HaC2—Homewood silt loam, 8 to 15 percent slopes, eroded			
Homewood	80	F-3	
		F-3	0.53
HaD2—Homewood silt loam, 15 to 20 percent slopes, eroded			
Homewood	80	F-3	
		F-3	0.53
Hay1AO—Haymond silt loam, 0 to 3 percent slopes, occasionally flooded			
Haymond	88	A-5	
		A-5	0.05
HoC2—Homewood silt loam, 6 to 12 percent slopes, eroded			
Homewood	100	F-3	
		F-3	0.53

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HoD2—Homewood silt loam, 12 to 18 percent slopes, eroded			
Homewood	100	F-3	
		F-3	0.53
JtA—Jimtown loam, 0 to 3 percent slopes			
Jimtown	80	C-1	
		C-1	0.11
KeB—Keene silt loam, 3 to 8 percent slopes			
Keene	90	A-6	
		A-6	0.06
KeC2—Keene silt loam, 6 to 15 percent slopes, eroded			
Keene	80	A-6	
		A-6	0.06
KfC—Keene silt loam, 8 to 15 percent slopes			
Keene	85	A-6	
		A-6	0.06
Kk—Killbuck silt loam, frequently flooded			
Killbuck	100	C-3	
		C-3	0.13
Km—Killbuck silt loam, occasionally flooded			
Killbuck	85	C-3	
		C-3	0.13
LaC—Lakin loamy fine sand, 8 to 15 percent slopes			
Lakin	80	B-1	
		B-1	0.07
LbB—Lakin loamy sand, 1 to 8 percent slopes			
Lakin	90	B-1	
		B-1	0.07
LcD—Lakin-Alford complex, 15 to 25 percent slopes			
Lakin	45	B-1	
		B-1	0.07
Alford	35	A-2	
		A-2	0.02

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Lk—Lindside silt loam, occasionally flooded			
Lindside	80	A-5	
		A-5	0.05
Lm—Lobdell loam, channery substratum, occasionally flooded			
Lobdell	80	A-5	
		A-5	0.05
Lo—Lorain silty clay			
Lorain	85	C-2	
		C-2	0.12
LpC—Lowell silt loam, 8 to 15 percent slopes			
Lowell	85	A-1	
		A-1	0.01
LpC2—Lowell silt loam, moderately wet, 8 to 15 percent slopes			
Lowell, moderately wet	85	A-1	
		A-1	0.01
LpD—Lowell silt loam, 15 to 25 percent slopes			
Lowell	85	A-2	
		A-2	0.02
LpD2—Lowell silt loam, moderately wet, 15 to 25 percent slopes			
Lowell, moderately wet	85	A-2	
		A-2	0.02
LrE2—Lowell-Gilpin complex, 25 to 40 percent slopes, eroded			
Lowell	45	A-3	
		A-3	0.03
Gilpin	35	F-2	
		F-2	0.52
LrF—Lowell-Gilpin complex, 40 to 70 percent slopes			
Lowell	45	H-1	
		H-1	0.71
Gilpin	30	H-1	
		H-1	0.71
Lu—Luray silty clay loam			
Luray	80	C-1	
		C-1	0.11

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LwF—Lowell-Westmoreland silt loams, 35 to 70 percent slopes			
Lowell	45	H-1	
		H-1	0.71
Westmoreland	30	H-1	
		H-1	0.71
MaB—Markland silt loam, 2 to 6 percent slopes			
Markland	85	F-5	
		F-5	0.55
MbC2—Markland silty clay loam, 6 to 15 percent slopes, eroded			
Markland	80	F-5	
		F-5	0.55
McD2—Markland-Glenford complex, 15 to 35 percent slopes, eroded			
Markland	40	F-5	
		F-5	0.55
Glenford	30	A-2	
		A-2	0.02
MdA—McGary silt loam, 0 to 3 percent slopes			
Mcgary	80	C-2	
		C-2	0.12
Me—Melvin silt loam, frequently flooded			
Melvin	75	C-3	
		C-3	0.13
MkD—Mertz very cherty silt loam, 15 to 35 percent slopes			
Mertz	70	Not assigned	
MoB—Morristown silty clay loam, 0 to 8 percent slopes			
Morristown	85	B-4	
		B-4	0.10
MrB—Morristown shaly silty clay loam, 1 to 15 percent slopes			
Morristown	80	E-3	
		E-3	0.42

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MrD—Morristown shaly silty clay loam, 15 to 25 percent slopes			
Morristown	75	E-3	
		E-3	0.42
MrF—Morristown shaly silty clay loam, 25 to 70 percent slopes			
Morristown	85	H-1	
		H-1	0.71
MsB—Morristown silty clay loam, 1 to 8 percent slopes			
Morristown	80	B-4	
		B-4	0.10
MsC—Morristown silty clay loam, 8 to 15 percent slopes			
Morristown	85	B-4	
		B-4	0.10
MsD—Morristown silty clay loam, 15 to 25 percent slopes			
Morristown	80	B-4	
		B-4	0.10
MsE—Morristown silty clay loam, 25 to 50 percent slopes			
Morristown	80	E-2	
		E-2	0.41
MtF—Morristown channery silty clay loam, 25 to 70 percent slopes			
Morristown	75	H-1	
		H-1	0.71
Ne—Newark silt loam, frequently flooded			
Newark	80	C-3	
		C-3	0.13
Nn—Nolin silt loam, rarely flooded			
Nolin	90	A-1	
		A-1	0.01
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded			
Nolin, occasionally flooded	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Omu1B1—Omulga silt loam, 2 to 6 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Omu1C1—Omulga silt loam, 6 to 12 percent slopes			
Omulga	85	F-3	
		F-3	0.53
RaB—Rawson silt loam, 2 to 6 percent slopes			
Rawson	75	F-5	
		F-5	0.55
RfC—Rigley loam, 8 to 15 percent slopes			
Rigley	80	A-1	
		A-1	0.01
RgD—Rigley channery loam, 15 to 25 percent slopes			
Rigley	80	A-2	
		A-2	0.02
RhE—Rigley-Coshocton complex, 25 to 40 percent slopes			
Rigley	40	A-3	
		A-3	0.03
Coshocton	35	A-3	
		A-3	0.03
RoF—Rodman gravelly sandy loam, 25 to 70 percent slopes			
Rodman	80	H-1	
		H-1	0.71
Se—Sebring silt loam			
Sebring	80	C-1	
		C-1	0.11
St—Stonelick loam, occasionally flooded			
Stonelick	80	A-5	
		A-5	0.05
Ta—Tioga fine sandy loam, rarely flooded			
Tioga	80	A-1	
		A-1	0.01

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Tf—Tioga fine sandy loam, occasionally flooded			
Tioga	85	A-5	
		A-5	0.05
Ud—Udorthents, loamy, hilly			
Udorthents	70	Not rated	
Ug—Udorthents, sandy, rolling			
Udorthents	75	Not rated	
Uh—Udorthents, sandy-skeletal, steep			
Udorthents	80	Not rated	
Uk—Udorthents-Pits complex			
Udorthents	60	Not rated	
Pits	20	Not rated	
UsB—Urban land-Glenford complex, 2 to 8 percent slopes			
Urban land	50	Not rated	
Glenford	25	Not assigned	
UtA—Urban land-Nolin complex, rarely flooded			
Urban land	50	Not rated	
Nolin	30	Not assigned	
UvB—Urban land-Watertown complex, 1 to 15 percent slopes			
Urban land	50	Not rated	
Watertown	25	Not assigned	
UwC—Urban land-Wellston complex, 5 to 15 percent slopes			
Urban land	50	Not rated	
Wellston	25	Not assigned	
W—Water			
Water	100	Not rated	
WaB—Watertown sandy loam, 1 to 8 percent slopes			
Watertown	80	B-1	
		B-1	0.07
WaC—Watertown sandy loam, 8 to 15 percent slopes			
Watertown	80	B-1	
		B-1	0.07

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WbB—Watertown sandy loam, 2 to 6 percent slopes			
Watertown	90	B-1	
		B-1	0.07
WbC—Watertown sandy loam, 6 to 15 percent slopes			
Watertown	90	B-1	
		B-1	0.07
WhB—Wellston silt loam, 3 to 8 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WhC—Wellston silt loam, 8 to 15 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WhC2—Wellston silt loam, 8 to 15 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WmB—Westgate silt loam, 2 to 6 percent slopes			
Westgate	80	A-6	
		A-6	0.06
WmC2—Westgate silt loam, 6 to 15 percent slopes, eroded			
Westgate	80	A-6	
		A-6	0.06
WnB—Westmore silt loam, 1 to 8 percent slopes			
Westmore	80	A-6	
		A-6	0.06
WnC—Westmore silt loam, 8 to 15 percent slopes			
Westmore	85	A-6	
		A-6	0.06
WoB—Woodsfield silt loam, 1 to 6 percent slopes			
Woodsfield	85	A-1	
		A-1	0.01
WoC—Woodsfield silt loam, 6 to 15 percent slopes			
Woodsfield	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WrF—Westmoreland-Berks complex, 40 to 70 percent slopes			
Westmoreland	55	H-1	
		H-1	0.71
Berks	30	H-1	
		H-1	0.71
WtC—Westmoreland silt loam, 8 to 15 percent slopes			
Westmoreland	90	B-1	
		B-1	0.07
WtC2—Westmoreland silt loam, 8 to 15 percent slopes			
Westmoreland	80	A-1	
		A-1	0.01
WtD—Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	B-1	
		B-1	0.07
WtD2—Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	A-2	
		A-2	0.02
WtE—Westmoreland silt loam, 25 to 35 percent slopes			
Westmoreland	80	A-3	
		A-3	0.03
WuC2—Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded			
Westmoreland	45	A-1	
		A-1	0.01
Guernsey	35	A-6	
		A-6	0.06
WuD2—Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded			
Westmoreland	45	A-2	
		A-2	0.02
Guernsey	35	A-2	
		A-2	0.02

Selected Soil Interpretations--Muskingum County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WuE2—Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded			
Westmoreland	45	A-3	
		A-3	0.03
Guernsey	35	A-3	
		A-3	0.03
WvD—Westmoreland-Urban land complex, 15 to 35 percent slopes			
Westmoreland	50	Not assigned	
Urban land	20	Not rated	
ZmC—Zanesville silt loam, 8 to 15 percent slopes			
Zanesville	85	F-3	
		F-3	0.53
ZnB—Zanesville silt loam, 2 to 6 percent slopes			
Zanesville	80	F-3	
		F-3	0.53
ZnC2—Zanesville silt loam, 6 to 15 percent slopes, eroded			
Zanesville	75	F-3	
		F-3	0.53

### Data Source Information

Soil Survey Area: Muskingum County, Ohio  
 Survey Area Data: Version 10, Sep 19, 2014