

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Ottawa County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ag—Alganssee fine sand, occasionally flooded			
Alganssee	85	B-3	
		B-3	0.09
Bo—Bono silty clay			
Bono	95	C-2	
		C-2	0.12
ChB—Castalia very stony fine sandy loam, 1 to 6 percent slopes			
Castalia	90	F-1	
		F-1	0.51
Co—Colwood loam			
Colwood	85	C-1	
		C-1	0.11
DeA—Del Rey silt loam, 1 to 3 percent slopes			
Del rey	85	C-1	
		C-1	0.11
DuB—Dunbridge fine sandy loam, 2 to 6 percent slopes			
Dunbridge	85	F-1	
		F-1	0.51
Gn—Genesee silt loam, frequently flooded			
Genesee	90	A-5	
		A-5	0.05

Selected Soil Interpretations--Ottawa County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Go—Genesee variant loam, frequently flooded			
Genesee variant	90	B-3	
		B-3	0.09
Gr—Glendora loamy fine sand, frequently flooded			
Glendora	90	B-3	
		B-3	0.09
HaA—Haskins loam, 0 to 3 percent slopes			
Haskins	85	C-2	
		C-2	0.12
HcA—Hoytville silty clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
KfA—Kibbie fine sandy loam, 0 to 2 percent slopes			
Kibbie	85	C-1	
		C-1	0.11
Lc—Latty silty clay			
Latty	85	C-2	
		C-2	0.12
Lf—Lenawee silty clay loam			
Lenawee	85	C-1	
		C-1	0.11
Mh—Millsdale silty clay loam			
Millsdale	85	C-1	
		C-1	0.11
MtB—Milton silt loam, 2 to 6 percent slopes			
Milton	85	F-1	
		F-1	0.51
NpA—Nappanee silty clay loam, 0 to 3 percent slopes			
Nappanee	85	C-2	
		C-2	0.12
OaB—Oakville fine sand, 2 to 8 percent slopes			
Oakville	90	B-1	
		B-1	0.07

Selected Soil Interpretations--Ottawa County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Pt--Pits, quarry			
Pits	100	Not rated	
RaB--Rawson loam, 2 to 6 percent slopes			
Rawson	90	F-5	
		F-5	0.55
		A-1	0.01
RmA--Rimer loamy fine sand, stratified substratum, 0 to 2 percent slopes			
Rimer	85	C-1	
		C-1	0.11
SbC2--St. Clair silty clay loam, 4 to 12 percent slopes, eroded			
St. clair	100	F-5	
		F-5	0.55
Sh--Shoals silt loam, frequently flooded			
Shoals	85	C-3	
		C-3	0.13
To--Toledo silty clay			
Toledo	90	C-2	
		C-2	0.12
Tp--Toledo silty clay, ponded			
Toledo	95	C-2	
		C-2	0.12
Ud--Udorthents, gently sloping			
Udorthents	100	Not rated	
W--Water			
Water	100	Not rated	
Wa--Wabasha silty clay, frequently flooded			
Wabasha	85	C-3	
		C-3	0.13

Data Source Information

Soil Survey Area: Ottawa County, Ohio
 Survey Area Data: Version 12, Sep 19, 2014