

## Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

*Hydrologic soil groups* are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

*Surface runoff* refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

*Water table* refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

*Ponding* is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

*Flooding* is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

*Duration* and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

## Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

Water Features—Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ae—Aetna silt loam, occasionally flooded										
Aetna	B/D	Low	January	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			February	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			March	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			April	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			May	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			June	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			December	—	—	—	—	None	Very brief (4 to 48 hours)	Occasional

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AfB—Alford silt loam, 1 to 8 percent slopes										
Alford	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AfC—Alford silt loam, 8 to 15 percent slopes										
Alford	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AfC2--Alford silt loam, 8 to 15 percent slopes, eroded										
Alford	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AfD—Alford silt loam, 15 to 25 percent slopes										
Alford	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AgB—Alford silt loam, 2 to 8 percent slopes										
Alford	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AmB2—Amanda silt loam, 2 to 6 percent slopes, eroded										
Amanda	C	Low	January	4.0	4.0-5.0	—	—	None	—	None
			February	4.0	4.0-5.0	—	—	None	—	None
			March	4.0	4.0-5.0	—	—	None	—	None
			April	4.0	4.0-5.0	—	—	None	—	None
			May	4.0	4.0-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	4.0	4.0-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AmC2—Amanda silt loam, 6 to 12 percent slopes, eroded										
Amanda	C	Medium	January	4.0	4.0-5.0	—	—	None	—	None
			February	4.0	4.0-5.0	—	—	None	—	None
			March	4.0	4.0-5.0	—	—	None	—	None
			April	4.0	4.0-5.0	—	—	None	—	None
			May	4.0	4.0-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	4.0	4.0-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AmD2—Amanda silt loam, 12 to 18 percent slopes, eroded										
Amanda	C	Medium	January	4.0	4.0-5.0	—	—	None	—	None
			February	4.0	4.0-5.0	—	—	None	—	None
			March	4.0	4.0-5.0	—	—	None	—	None
			April	4.0	4.0-5.0	—	—	None	—	None
			May	4.0	4.0-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	4.0	4.0-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AoC3—Amanda silty clay loam, 6 to 12 percent slopes, severely eroded										
Amanda	C	Medium	January	3.5-5.0	4.0-7.0	—	—	None	—	None
			February	3.5-5.0	4.0-7.0	—	—	None	—	None
			March	3.5-5.0	4.0-7.0	—	—	None	—	None
			April	3.5-5.0	4.0-7.0	—	—	None	—	None
			May	3.5-5.0	4.0-7.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	3.5-5.0	4.0-7.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BbE--Berks channery silt loam, 25 to 35 percent slopes										
Berks	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BcF--Berks-Westmoreland complex, 40 to 70 percent slopes										
Berks	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BeA--Bennington silt loam, 0 to 3 percent slopes										
Bennington	C/D	Medium	January	1.0-2.5	2.5-4.5	—	—	None	—	None
			February	1.0-2.5	2.5-4.5	—	—	None	—	None
			March	1.0-2.5	2.5-4.5	—	—	None	—	None
			April	1.0-2.5	2.5-4.5	—	—	None	—	None
			May	1.0-2.5	2.5-4.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	2.5-4.5	—	—	None	—	None
			December	1.0-2.5	2.5-4.5	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhB—Bethesda silt loam, 0 to 8 percent slopes										
Bethesda	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhD--Bethesda silt loam, 8 to 20 percent slopes										
Bethesda	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BkB--Bethesda channery loam, 0 to 8 percent slopes										
Bethesda	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BkD--Bethesda channery loam, 8 to 20 percent slopes										
Bethesda	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BkF--Bethesda channery loam, 40 to 70 percent slopes										
Bethesda	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BvF--Brownsville silt loam, 40 to 70 percent slopes										
Brownsville	A	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdB—Centerburg silt loam, 2 to 6 percent slopes										
Centerburg	C	Medium	January	1.5-3.0	3.0-5.0	—	—	None	—	None
			February	1.5-3.0	3.0-5.0	—	—	None	—	None
			March	1.5-3.0	3.0-5.0	—	—	None	—	None
			April	1.5-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	3.0-5.0	—	—	None	—	None
			December	1.5-3.0	3.0-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Chg1AF—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded										
Chagrin	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CkB—Cincinnati silt loam, 1 to 8 percent slopes										
Cincinnati	C	Medium	January	2.5-4.0	2.5-6.0	—	—	None	—	None
			February	2.5-4.0	2.5-6.0	—	—	None	—	None
			March	2.5-4.0	2.5-6.0	—	—	None	—	None
			April	2.5-4.0	2.5-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CkC2—Cincinnati silt loam, 8 to 15 percent slopes, eroded										
Cincinnati	C	High	January	2.5-4.0	2.5-6.0	—	—	None	—	None
			February	2.5-4.0	2.5-6.0	—	—	None	—	None
			March	2.5-4.0	2.5-6.0	—	—	None	—	None
			April	2.5-4.0	2.5-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoC2—Cincinnati silt loam, 6 to 15 percent slopes, eroded										
Cincinnati	C	High	January	2.5-4.0	3.5-6.0	—	—	None	—	None
			February	2.5-4.0	3.5-6.0	—	—	None	—	None
			March	2.5-4.0	3.5-6.0	—	—	None	—	None
			April	2.5-4.0	3.5-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DkC--Dekalb loam, 8 to 15 percent slopes										
Dekalb	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DkD—DeKalb loam, 15 to 25 percent slopes										
Dekalb	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DkE--Dekalb loam, 25 to 40 percent slopes										
Dekalb	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DmF--Dekalb loam, 40 to 70 percent slopes, very stony										
Dekalb	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Ds--Dumps, mine										
Dumps	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EnE--Enoch shaly clay loam, 20 to 40 percent slopes										
Enoch	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EuA—Euclid silt loam, rarely flooded										
Euclid	C/D	Medium	January	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			February	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			March	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			April	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			May	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			June	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			July	—	—	—	—	None	Brief (2 to 7 days)	Rare
			August	—	—	—	—	None	Brief (2 to 7 days)	Rare
			September	—	—	—	—	None	Brief (2 to 7 days)	Rare
			October	—	—	—	—	None	Brief (2 to 7 days)	Rare
			November	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			December	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Rare

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FbD—Fairpoint channery clay loam, 8 to 20 percent slopes										
Fairpoint	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FbF--Fairpoint channery clay loam, 40 to 70 percent slopes										
Fairpoint	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcF—Fairpoint channery silty clay loam, 25 to 70 percent slopes										
Fairpoint	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FdA—Fitchville silt loam, 0 to 2 percent slopes										
Fitchville	C/D	Low	January	1.0-2.5	2.5-5.0	—	—	None	—	None
			February	1.0-2.5	2.5-5.0	—	—	None	—	None
			March	1.0-2.5	2.5-5.0	—	—	None	—	None
			April	1.0-2.5	2.5-5.0	—	—	None	—	None
			May	1.0-2.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	2.5-5.0	—	—	None	—	None
			December	1.0-2.5	2.5-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FtA--Fitchville silt loam, 0 to 3 percent slopes										
Fitchville	C/D	Medium	January	1.0-2.5	2.5-5.0	—	—	None	—	None
			February	1.0-2.5	2.5-5.0	—	—	None	—	None
			March	1.0-2.5	2.5-5.0	—	—	None	—	None
			April	1.0-2.5	2.5-5.0	—	—	None	—	None
			May	1.0-2.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	2.5-5.0	—	—	None	—	None
			December	1.0-2.5	2.5-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GdC—Gilpin silt loam, 8 to 15 percent slopes										
Gilpin	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GdC2—Gilpin silt loam, 8 to 15 percent slopes, eroded										
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GdD—Gilpin silt loam, 15 to 25 percent slopes										
Gilpin	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GnB—Glenford silt loam, 1 to 8 percent slopes										
Glenford	C	Medium	January	2.0-3.5	2.5-5.0	—	—	None	—	None
			February	2.0-3.5	2.5-5.0	—	—	None	—	None
			March	2.0-3.5	2.5-5.0	—	—	None	—	None
			April	2.0-3.5	2.5-5.0	—	—	None	—	None
			May	2.0-3.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.5-5.0	—	—	None	—	None
			December	2.0-3.5	2.5-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GoB—Glenford silt loam, 2 to 6 percent slopes										
Glenford	C	Medium	January	2.0-3.5	2.5-5.0	—	—	None	—	None
			February	2.0-3.5	2.5-5.0	—	—	None	—	None
			March	2.0-3.5	2.5-5.0	—	—	None	—	None
			April	2.0-3.5	2.5-5.0	—	—	None	—	None
			May	2.0-3.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.5-5.0	—	—	None	—	None
			December	2.0-3.5	2.5-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GwC—Guernsey- Westmoreland silt loams, 8 to 15 percent slopes										
Guernsey	C	High	January	2.0-3.5	3.0-4.5	—	—	None	—	None
			February	2.0-3.5	3.0-4.5	—	—	None	—	None
			March	2.0-3.5	3.0-4.5	—	—	None	—	None
			April	2.0-3.5	3.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Westmoreland	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GwD—Guernsey- Westmoreland silt loams, 15 to 25 percent slopes										
Guernsey	C	High	January	2.0-3.5	3.0-4.5	—	—	None	—	None
			February	2.0-3.5	3.0-4.5	—	—	None	—	None
			March	2.0-3.5	3.0-4.5	—	—	None	—	None
			April	2.0-3.5	3.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Westmoreland	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GwE--Guernsey- Westmoreland silt loams, 25 to 40 percent slopes										
Guernsey	C	Very high	January	2.0-3.5	3.0-4.5	—	—	None	—	None
			February	2.0-3.5	3.0-4.5	—	—	None	—	None
			March	2.0-3.5	3.0-4.5	—	—	None	—	None
			April	2.0-3.5	3.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HaD2--Homewood- Westmoreland silt loams, 15 to 25 percent slopes, eroded										
Homewood	D	High	January	2.5-4.0	2.5-5.0	—	—	None	—	None
			February	2.5-4.0	2.5-5.0	—	—	None	—	None
			March	2.5-4.0	2.5-5.0	—	—	None	—	None
			April	2.5-4.0	2.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.5-4.0	2.5-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	2.5-4.0	2.5-5.0	—	—	None	—	None
Westmoreland	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HaE2--Homewood- Westmoreland silt loams, 25 to 40 percent slopes, eroded										
Homewood	D	Very high	January	2.5-4.0	2.5-5.0	—	—	None	—	None
			February	2.5-4.0	2.5-5.0	—	—	None	—	None
			March	2.5-4.0	2.5-5.0	—	—	None	—	None
			April	2.5-4.0	2.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.5-4.0	2.5-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	2.5-4.0	2.5-5.0	—	—	None	—	None
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HoD2--Homewood silt loam, 15 to 20 percent slopes, eroded										
Homewood	C	High	January	2.5-4.0	3.5-5.0	—	—	None	—	None
			February	2.5-4.0	3.5-5.0	—	—	None	—	None
			March	2.5-4.0	3.5-5.0	—	—	None	—	None
			April	2.5-4.0	3.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.5-4.0	3.5-5.0	—	—	None	—	None
			December	2.5-4.0	3.5-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Km—Killbuck silt loam, frequently flooded										
Killbuck	C/D	Negligible	January	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			July	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			August	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			September	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			October	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
KnL1AF--Kinnick-Lindside silt loams, 0 to 3 percent slopes, frequently flooded										
Kinnick	B	Low	January	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Lindside	C	Low	January	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LaB--Lakin loamy sand, 1 to 8 percent slopes										
Lakin	A	Negligible	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Lk--Lindside silt loam, occasionally flooded										
Lindside	C	Low	January	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	1.5-3.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ln--Linwood muck										
Linwood	B/D	Negligible	January	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			May	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			June	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			December	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lu--Luray silt loam										
Luray	C/D	Negligible	January	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			February	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			March	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			April	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			May	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			June	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			July	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			December	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ma--Marengo clay loam										
Marengo	B/D	Negligible	January	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			May	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			June	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			December	0.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Mc—Melvin silt loam, ponded										
Melvin	B/D	Negligible	January	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			February	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			March	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			April	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			May	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			June	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			July	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	—
			August	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	—	—
			September	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			October	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			November	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
			December	0.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Very long (more than 30 days)	Frequent
MeB--Mentor silt loam, gravelly substratum, 1 to 8 percent slopes										
Mentor	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MeC—Mentor silt loam, gravelly substratum, 8 to 15 percent slopes										
Mentor	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Mel1AF—Melvin silt loam, 0 to 2 percent slopes, frequently flooded										
Melvin	B/D	Negligible	January	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			February	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			March	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			April	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			May	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			June	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			November	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			December	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ne--Newark silt loam, frequently flooded										
Newark	B/D	Negligible	January	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.5	>6.0	—	—	None	—	—
			December	0.5-1.5	>6.0	—	—	None	—	—
New1AF--Newark silt loam, 0 to 3 percent slopes, frequently flooded										
Newark	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			November	0.5-1.0	>6.0	—	—	None	—	—
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded										
Nolin, occasionally flooded	B	—	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
OcA—Ockley loam, 0 to 2 percent slopes										
Ockley	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OcB—Ockley loam, 2 to 6 percent slopes										
Ockley	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OcC2—Ockley loam, 6 to 12 percent slopes, eroded										
Ockley	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Orr1AF—Orrville silt loam, 0 to 3 percent slopes, frequently flooded										
Orrville	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pa--Patton silty clay loam										
Patton	B/D	Negligible	January	—	—	—	—	—	—	None
			February	—	—	—	—	—	—	None
			March	0.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	—	—	—	—	—	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pb—Patton silty clay loam, rarely flooded										
Patton	B/D	Negligible	January	—	—	—	—	—	Very brief (4 to 48 hours)	Rare
			February	—	—	—	—	—	Very brief (4 to 48 hours)	Rare
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			June	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			July	—	—	—	—	—	Very brief (4 to 48 hours)	Rare
			August	—	—	—	—	—	Very brief (4 to 48 hours)	Rare
			September	—	—	—	—	—	Very brief (4 to 48 hours)	Rare
			October	—	—	—	—	—	Very brief (4 to 48 hours)	Rare

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			November	—	—	—	—	—	Very brief (4 to 48 hours)	Rare
			December	—	—	—	—	—	Very brief (4 to 48 hours)	Rare

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pg--Peoga silt loam, rarely flooded										
Peoga	C/D	Low	January	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			February	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			March	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			April	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			May	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Rare
			June	—	—	—	—	None	Brief (2 to 7 days)	Rare
			July	—	—	—	—	None	Brief (2 to 7 days)	Rare
			August	—	—	—	—	None	Brief (2 to 7 days)	Rare
			September	—	—	—	—	None	Brief (2 to 7 days)	Rare
			October	—	—	—	—	None	Brief (2 to 7 days)	Rare
			November	—	—	—	—	None	Brief (2 to 7 days)	Rare
			December	—	—	—	—	None	Brief (2 to 7 days)	Rare

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pm--Pewamo silty clay loam										
Pewamo	C/D	Negligible	January	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			February	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			March	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			April	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			May	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	—	—	—	—	None
			December	0.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sc—Sebring silt loam, rarely flooded										
Sebring	C/D	Low	January	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			February	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			March	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			April	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			May	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			June	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	—
			November	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare
			December	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Very brief (4 to 48 hours)	Rare

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SfD—Shelocta-Cruze complex, 15 to 25 percent slopes										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Cruze	C	Very high	January	1.5-3.0	3.0-6.0	—	—	None	—	None
			February	1.5-3.0	3.0-6.0	—	—	None	—	None
			March	1.5-3.0	3.0-6.0	—	—	None	—	None
			April	1.5-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SfE--Shelocta-Cruze complex, 25 to 40 percent slopes										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Cruze	C	Very high	January	1.5-3.0	3.0-6.0	—	—	None	—	None
			February	1.5-3.0	3.0-6.0	—	—	None	—	None
			March	1.5-3.0	3.0-6.0	—	—	None	—	None
			April	1.5-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Uc—Udorthents-Pits complex										
Udorthents	—	—	Jan-Dec	—	—	—	—	—	—	—
Pits	—	—	Jan-Dec	—	—	—	—	—	—	—
Ud—Udorthents										
Udorthents	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UpC—Upshur silty clay loam, 8 to 15 percent slopes										
Upshur	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
UpD—Upshur silty clay loam, 15 to 25 percent slopes										
Upshur	D	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
W—Water										
Water	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WcB--Wellston silt loam, 3 to 8 percent slopes										
Wellston	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhB--Wellston silt loam, 1 to 8 percent slopes										
Wellston	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhC—Wellston silt loam, 8 to 15 percent slopes										
Wellston	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WkB--Westmore silt loam, 1 to 8 percent slopes										
Westmore	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WkC—Westmore silt loam, 8 to 15 percent slopes										
Westmore	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WmC—Westmoreland silt loam, 8 to 15 percent slopes										
Westmoreland	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WmD—Westmoreland silt loam, 15 to 25 percent slopes										
Westmoreland	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WmE—Westmoreland silt loam, 25 to 35 percent slopes										
Westmoreland	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WnE--Westmoreland loam, 20 to 40 percent slopes, very bouldery										
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WrC2--Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded										
Westmoreland	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Guernsey	C	Very high	January	1.5-3.0	3.0-5.0	—	—	None	—	None
			February	1.5-3.0	3.0-5.0	—	—	None	—	None
			March	1.5-3.0	3.0-5.0	—	—	None	—	None
			April	1.5-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WrD2--Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded										
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Guernsey	C	Very high	January	1.5-3.0	3.0-5.0	—	—	None	—	None
			February	1.5-3.0	3.0-5.0	—	—	None	—	None
			March	1.5-3.0	3.0-5.0	—	—	None	—	None
			April	1.5-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WrE2--Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded										
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Guernsey	C	Very high	January	1.5-3.0	3.0-5.0	—	—	None	—	None
			February	1.5-3.0	3.0-5.0	—	—	None	—	None
			March	1.5-3.0	3.0-5.0	—	—	None	—	None
			April	1.5-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WsF--Westmoreland-Guernsey silt loams, 40 to 70 percent slopes										
Westmoreland	B	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Guernsey	C	High	January	2.0-3.5	3.0-4.5	—	—	None	—	None
			February	2.0-3.5	3.0-4.5	—	—	None	—	None
			March	2.0-3.5	3.0-4.5	—	—	None	—	None
			April	2.0-3.5	3.0-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WtC--Woodsfield silt loam, 8 to 15 percent slopes										
Woodsfield	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ZnB--Zanesville silt loam, 1 to 8 percent slopes										
Zanesville	C	Medium	January	2.0-3.0	3.0-5.0	—	—	None	—	None
			February	2.0-3.0	3.0-5.0	—	—	None	—	None
			March	2.0-3.0	3.0-5.0	—	—	None	—	None
			April	2.0-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.0	3.0-5.0	—	—	None	—	None

Water Features--Perry County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ZnC--Zanesville silt loam, 8 to 15 percent slopes										
Zanesville	C	High	January	2.0-3.0	3.0-5.0	—	—	None	—	None
			February	2.0-3.0	3.0-5.0	—	—	None	—	None
			March	2.0-3.0	3.0-5.0	—	—	None	—	None
			April	2.0-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.0	3.0-5.0	—	—	None	—	None

## Data Source Information

Soil Survey Area: Perry County, Ohio  
 Survey Area Data: Version 11, Sep 19, 2014