

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BaA—Bogart loam, 0 to 2 percent slopes			
Bogart	85	A-1	
		A-1	0.01
BaB—Bogart loam, 2 to 6 percent slopes			
Bogart	85	A-1	
		A-1	0.01
BgA—Bogart silt loam, 0 to 2 percent slopes			
Bogart	100	A-6	
		A-6	0.06
BgB—Bogart silt loam, 2 to 6 percent slopes			
Bogart	100	A-6	
		A-6	0.06
BhB—Bogart-Haskins complex, 2 to 6 percent slopes			
Bogart	50	A-6	
		A-6	0.06
Haskins	40	C-2	
		C-2	0.12
Bp—Borrow pits			
Borrow pits	100	Not rated	
Ca—Canadice silt loam			
Canadice	100	C-2	
		C-2	0.12

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CcA—Caneadea silt loam, 0 to 2 percent slopes			
Caneadea	90	C-2	
		C-2	0.12
CcB—Caneadea silt loam, 2 to 6 percent slopes			
Caneadea	90	C-2	
		C-2	0.12
CdA—Canfield silt loam, 0 to 2 percent slopes			
Canfield	85	F-3	
		F-3	0.53
CdB—Canfield silt loam, 2 to 6 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdC—Canfield silt loam, 6 to 12 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdC2—Canfield silt loam, 6 to 12 percent slopes, eroded			
Canfield, eroded	90	F-3	
		F-3	0.53
Ce—Canadice silty clay loam			
Canadice	95	C-2	
		C-2	0.12
CfB—Canfield-Urban land complex, 2 to 6 percent slopes			
Canfield	45	Not assigned	
Urban land	35	Not rated	
CfC—Canfield-Urban land complex, 6 to 12 percent slopes			
Canfield	50	Not assigned	
Urban land	40	Not rated	
Cg—Carlisle muck			
Carlisle	100	D-1	
		D-1	0.30
CnA—Chili loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CnB—Chili loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07
CnC—Chili loam, 6 to 12 percent slopes			
Chili	100	B-1	
		B-1	0.07
CoC2—Chili gravelly loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CoD2—Chili gravelly loam, 12 to 18 percent slopes, moderately eroded			
Chili	85	B-1	
		B-1	0.07
CpA—Chili silt loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07
CpB—Chili silt loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07
CpC—Chili silt loam, 6 to 12 percent slopes			
Chili	100	B-1	
		B-1	0.07
CpC2—Chili silt loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
Cr—Carlisle muck, ponded			
Carlisle	85	D-1	
		D-1	0.30
CtD—Chili-Oshtemo complex, 12 to 18 percent slopes			
Chili	55	B-1	
		B-1	0.07
Oshtemo	45	B-1	
		B-1	0.07

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CtE—Chili-Oshtemo complex, 18 to 25 percent slopes			
Chili	55	B-1	
		B-1	0.07
Oshtemo	45	B-1	
		B-1	0.07
CtF—Chili-Oshtemo complex, 25 to 50 percent slopes			
Chili	55	B-2	
		B-2	0.08
Oshtemo	45	B-2	
		B-2	0.08
CuB—Chili-Urban land complex, undulating			
Chili	40	Not assigned	
Urban land	30	Not rated	
CuC—Chili-Urban land complex, rolling			
Chili	40	Not assigned	
Urban land	30	Not rated	
CwC2—Chili-Wooster complex, 6 to 12 percent slopes, moderately eroded			
Chili	50	B-1	
		B-1	0.07
Wooster	30	F-3	
		F-3	0.53
CwD2—Chili-Wooster complex, 12 to 18 percent slopes, moderately eroded			
Chili	50	B-1	
		B-1	0.07
Wooster	30	F-3	
		F-3	0.53
CwE—Chili-Wooster complex, 18 to 30 percent slopes			
Chili	50	B-1	
		B-1	0.07
Wooster	30	F-3	
		F-3	0.53

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CyE2—Conotton gravelly loam, 18 to 25 percent slopes, moderately eroded			
Conotton	100	B-1	
		B-1	0.07
Da—Damascus loam			
Damascus	100	C-1	
		C-1	0.11
DeF—DeKalb very stony loam, 25 to 50 percent slopes			
DeKalb	90	F-2	
		F-2	0.52
DkB—DeKalb channery loam, 2 to 6 percent slopes			
DeKalb	100	F-1	
		F-1	0.51
DkC—DeKalb channery loam, 6 to 12 percent slopes			
DeKalb	100	F-1	
		F-1	0.51
DkD—DeKalb channery loam, 12 to 25 percent slopes			
DeKalb	95	F-1	
		F-1	0.51
DkF—DeKalb channery loam, 25 to 70 percent slopes			
DeKalb	95	H-1	
		H-1	0.71
EhE—Ellsworth silt loam, 18 to 25 percent slopes			
Ellsworth	90	A-2	
		A-2	0.02
EIB—Ellsworth silt loam, 2 to 6 percent slopes			
Ellsworth	85	A-1	
		A-1	0.01
EIB2—Ellsworth silt loam, 2 to 6 percent slopes, eroded			
Ellsworth, eroded	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EIC—Ellsworth silt loam, 6 to 12 percent slopes			
Ellsworth	90	A-1	
		A-1	0.01
EIC2—Ellsworth silt loam, 6 to 12 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EID2—Ellsworth silt loam, 12 to 18 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EIE2—Ellsworth silt loam, 18 to 50 percent slopes, eroded			
Ellsworth, eroded	85	A-3	
		A-3	0.03
EsB—Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes			
Ellsworth, sandstone substratum	85	B-1	
		B-1	0.07
EuB—Ellsworth-Urban land complex, 2 to 6 percent slopes			
Ellsworth	45	Not assigned	
Urban land	30	Not rated	
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FnA—Fitchville-Urban land complex, nearly level			
Fitchville	40	Not assigned	
Urban land	30	Not rated	
Fr—Frenchtown silt loam			
Frenchtown	100	C-1	
		C-1	0.11
GbB—Geeburg silt loam, 2 to 6 percent slopes			
Geeburg	100	F-5	
		F-5	0.55

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GbB2—Geeburg silt loam, 2 to 6 percent slopes, moderately eroded			
Geeburg	100	F-5	
		F-5	0.55
GbC2—Geeburg silt loam, 6 to 12 percent slopes, moderately eroded			
Geeburg	100	F-5	
		F-5	0.55
GbD2—Geeburg silt loam, 12 to 18 percent slopes, moderately eroded			
Geeburg	100	F-5	
		F-5	0.55
GcB—Geeburg-Urban land complex, undulating			
Geeburg	40	Not assigned	
Urban land	30	Not rated	
GeF—Geeburg and Glenford silt loams, steep			
Geeburg	50	H-1	
		H-1	0.71
Glenford	50	H-1	
		H-1	0.71
GfA—Glenford silt loam, 0 to 2 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfC2—Glenford silt loam, 6 to 12 percent slopes, moderately eroded			
Glenford	100	A-6	
		A-6	0.06
GfD2—Glenford silt loam, 12 to 18 percent slopes, moderately eroded			
Glenford	100	A-6	
		A-6	0.06
HaB—Haskins loam, 2 to 6 percent slopes			
Haskins	100	C-2	
		C-2	0.12

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HK--Holly silt loam, alkaline			
Holly	95	C-3	
		C-3	0.13
Ho--Holly silt loam			
Holly	95	C-3	
		C-3	0.13
HrB--Hornell silt loam, 3 to 8 percent slopes			
Hornell	100	C-2	
		C-2	0.12
Hy--Holly silt loam, frequently flooded			
Holly	85	C-3	
		C-3	0.13
JtA--Jimtown loam, 0 to 2 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
JtB--Jimtown loam, 2 to 6 percent slopes			
Jimtown	100	C-1	
		C-1	0.11
LaB--Lakin loamy sand, 2 to 6 percent slopes			
Lakin	100	B-1	
		B-1	0.07
LaC--Lakin loamy sand, 6 to 12 percent slopes			
Lakin	100	B-1	
		B-1	0.07
Ld--Linwood muck			
Linwood	100	D-1	
		D-1	0.30
Ln--Lorain silty clay loam			
Lorain	100	C-1	
		C-1	0.11
LoB--Loudonville silt loam, 2 to 6 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LoC--Loudonville silt loam, 6 to 12 percent slopes			
Loudonville	100	F-1	
		F-1	0.51

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LoC2—Loudonville silt loam, 6 to 12 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LoD2—Loudonville silt loam, 12 to 18 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LoE—Loudonville silt loam, 18 to 25 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LrF—Lordstown-Rock outcrop complex, 18 to 70 percent slopes			
Lordstown	55	H-1	
		H-1	0.71
Rock outcrop	35	Not rated	
Ly—Luray silt loam			
Luray	100	C-1	
		C-1	0.11
MgA—Mahoning silt loam, 0 to 2 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MgB—Mahoning silt loam, 2 to 6 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MnB—Mahoning-Urban land complex, 2 to 6 percent slopes			
Mahoning	45	Not assigned	
Urban land	30	Not rated	
MtA—Mitiwanga silt loam, 0 to 2 percent slopes			
Mitiwanga	100	C-1	
		C-1	0.11
MtB—Mitiwanga silt loam, 2 to 6 percent slopes			
Mitiwanga	100	C-1	
		C-1	0.11

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MvB—Mitiwanga silt loam, moderately well drained variant, 2 to 6 percent slopes			
Mitiwanga variant	100	F-1	
		F-1	0.51
MvC—Mitiwanga silt loam, moderately well drained variant, 6 to 12 percent slopes			
Mitiwanga variant	100	F-1	
		F-1	0.51
Od—Olmsted loam			
Olmsted	100	C-1	
		C-1	0.11
Or—Orrville silt loam			
Orrville	90	C-3	
		C-3	0.13
OsB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	100	B-1	
		B-1	0.07
OsC—Oshtemo sandy loam, 6 to 12 percent slopes			
Oshtemo	100	B-1	
		B-1	0.07
Ov—Orrville silt loam, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
Pg—Pits, gravel			
Gravel pits	100	Not rated	
Pq—Pits, quarries			
Quarries	100	Not rated	
ReA—Ravenna silt loam, 0 to 2 percent slopes			
Ravenna	90	C-1	
		C-1	0.11
ReB—Ravenna silt loam, 2 to 6 percent slopes			
Ravenna	100	C-1	
		C-1	0.11
RmA—Remsen silt loam, 0 to 2 percent slopes			
Remsen	90	C-2	
		C-2	0.12

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RmB—Remsen silt loam, 2 to 6 percent slopes			
Remsen	100	C-2	
		C-2	0.12
RsB—Rittman silt loam, 2 to 6 percent slopes			
Rittman	100	F-3	
		F-3	0.53
RsC—Rittman silt loam, 6 to 12 percent slopes			
Rittman	100	F-3	
		F-3	0.53
RsC2—Rittman silt loam, 6 to 12 percent slopes, moderately eroded			
Rittman	95	F-3	
		F-3	0.53
RsD2—Rittman silt loam, 12 to 18 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
RsE2—Rittman silt loam, 18 to 25 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
Sb—Sebring silt loam			
Sebring	100	C-1	
		C-1	0.11
Sv—Sebring silt loam, dark surface variant			
Sebring variant	100	C-1	
		C-1	0.11
Sx—Sebring silt loam, till substratum			
Sebring	100	C-1	
		C-1	0.11
Sy—Sloan silt loam			
Sloan	90	C-3	
		C-3	0.13
Ta—Tioga loam, occasionally flooded			
Tioga	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Tg—Tioga loam			
Tioga	100	A-5	
		A-5	0.05
To—Tioga loam, frequently flooded			
Tioga	85	A-5	
		A-5	0.05
TrA—Trumbull silt loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
Ts—Trumbull silty clay loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
TuB—Typic Udorthents, strip mined, undulating			
Typic udorthents	100	Not rated	
TuD—Typic Udorthents, strip mined, hilly			
Typic udorthents	100	Not rated	
Ua—Udorthents			
Udorthents	100	Not rated	
Ud—Udorthents, loamy			
Udorthents	100	Not rated	
Ur—Urban land			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	
WaA—Wadsworth silt loam, 0 to 2 percent slopes			
Wadsworth	90	C-1	
		C-1	0.11
WaB—Wadsworth silt loam, 2 to 6 percent slopes			
Wadsworth	95	C-1	
		C-1	0.11
Wc—Walkkill silt loam			
Walkkill	100	C-3	
		C-3	0.13

Selected Soil Interpretations--Portage County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
We--Willette muck			
Willette	95	D-1	
		D-1	0.30
WhA--Wheeling silt loam, 0 to 2 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WhB--Wheeling silt loam, 2 to 6 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WuB--Wooster silt loam, 2 to 6 percent slopes			
Wooster	100	F-3	
		F-3	0.53
WuC--Wooster silt loam, 6 to 12 percent slopes			
Wooster	100	F-3	
		F-3	0.53
WuC2--Wooster silt loam, 6 to 12 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WuD2--Wooster silt loam, 12 to 18 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WuE2--Wooster silt loam, 18 to 50 percent slopes, moderately eroded			
Wooster	100	F-4	
		F-4	0.54

### Data Source Information

Soil Survey Area: Portage County, Ohio  
 Survey Area Data: Version 11, Sep 19, 2014