

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AaB—Aaron silt loam, 2 to 8 percent slopes			
Aaron	85	A-6	
		A-6	0.06
AaC—Aaron silt loam, 8 to 15 percent slopes			
Aaron	85	A-6	
		A-6	0.06
AbB—Aaron silt loam, 2 to 6 percent slopes			
Aaron	85	A-6	
		A-6	0.06
AnC2—Aaron silty clay loam, 6 to 15 percent slopes, eroded			
Aaron	85	A-6	
		A-6	0.06
BeB—Berks silt loam, 3 to 8 percent slopes			
Berks	85	F-1	
		F-1	0.51
BfC—Berks channery silt loam, 8 to 15 percent slopes			
Berks	85	F-1	
		F-1	0.51
BfD—Berks channery silt loam, 15 to 25 percent slopes			
Berks	85	F-1	
		F-1	0.51

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BfE—Berks channery silt loam, 25 to 40 percent slopes			
Berks	80	F-2	
		F-2	0.52
BfF—Berks channery silt loam, 40 to 70 percent slopes			
Berks	80	H-1	
		H-1	0.71
BkC—Berks shaly silt loam, 8 to 15 percent slopes			
Berks	85	F-1	
		F-1	0.51
BkD—Berks shaly silt loam, 15 to 25 percent slopes			
Berks	90	F-1	
		F-1	0.51
BkE—Berks channery silt loam, 25 to 35 percent slopes			
Berks	85	F-2	
		F-2	0.52
BkF—Berks channery silt loam, 35 to 70 percent slopes			
Berks	85	H-1	
		H-1	0.71
BmD—Bethesda loam, 8 to 25 percent slopes			
Bethesda	90	B-4	
		B-4	0.10
BnB—Bethesda channery clay loam, 0 to 8 percent slopes			
Bethesda	90	E-3	
		E-3	0.42
BnC—Bethesda channery clay loam, 8 to 15 percent slopes			
Bethesda	95	E-3	
		E-3	0.42
BnD—Bethesda channery clay loam, 15 to 25 percent slopes			
Bethesda	90	E-3	
		E-3	0.42

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BnF—Bethesda channery clay loam, 25 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71
BpC—Bethesda very channery clay loam, 8 to 20 percent slopes			
Bethesda	95	E-3	
		E-3	0.42
BpF—Bethesda very channery clay loam, 20 to 70 percent slopes			
Bethesda	90	H-1	
		H-1	0.71
BrC—Berks channery silt loam, 6 to 15 percent slopes			
Berks	85	F-1	
		F-1	0.51
BsF—Bethesda channery silty clay loam, 25 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71
BtA—Bogart variant loam, 0 to 3 percent slopes			
Bogart variant	85	A-6	
		A-6	0.06
BtB—Bogart variant loam, 3 to 8 percent slopes			
Bogart variant	85	A-6	
		A-6	0.06
Ca—Canadice silty clay loam			
Canadice	85	C-2	
		C-2	0.12
CbA—Caneadea silty clay loam, 0 to 2 percent slopes			
Caneadea	85	C-2	
		C-2	0.12
CcA—Caneadea silty clay loam, 0 to 3 percent slopes			
Caneadea	85	C-2	
		C-2	0.12

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CdC—Canfield silt loam, 8 to 15 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CeB—Canfield silt loam, 2 to 6 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CeC—Canfield silt loam, 6 to 12 percent slopes			
Canfield	90	F-3	
		F-3	0.53
Cg—Chagrin silt loam, alkaline phase			
Chagrin	100	A-5	
		A-5	0.05
ChB—Coshocton silt loam, 2 to 6 percent slopes			
Coshocton	85	A-6	
		A-6	0.06
ChC—Coshocton silt loam, 6 to 15 percent slopes			
Coshocton	85	A-6	
		A-6	0.06
ChC2—Coshocton silt loam, 6 to 15 percent slopes, eroded			
Coshocton	85	A-6	
		A-6	0.06
CkB—Chili gravelly loam, 3 to 8 percent slopes			
Chili	85	A-1	
		A-1	0.01
CkC—Chili gravelly loam, 8 to 15 percent slopes			
Chili	85	A-1	
		A-1	0.01
CIA—Chili silt loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07
CIB—Chili silt loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CIC—Chili silt loam, 6 to 12 percent slopes			
Chili	100	B-1	
		B-1	0.07
CmA—Chili silt loam, 0 to 3 percent slopes			
Chili	85	A-1	
		A-1	0.01
CnB—Chili-Urban land complex, undulating			
Chili	40	Not assigned	
Urban land	40	Not rated	
CoA—Conotton gravelly loam, 0 to 3 percent slopes			
Conotton	85	B-1	
		B-1	0.07
CoB—Conotton gravelly loam, 3 to 8 percent slopes			
Conotton	85	B-1	
		B-1	0.07
CoD—Conotton gravelly loam, 15 to 25 percent slopes			
Conotton	85	B-1	
		B-1	0.07
CpB—Coshocton silt loam, 3 to 8 percent slopes			
Coshocton	85	A-6	
		A-6	0.06
CpC2—Coshocton silt loam, 8 to 15 percent slopes, eroded			
Coshocton	85	A-6	
		A-6	0.06
CpD—Coshocton silt loam, 15 to 25 percent slopes			
Coshocton	85	A-2	
		A-2	0.02
CrD—Coshocton loam, 15 to 25 percent slopes			
Coshocton	80	A-2	
		A-2	0.02

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CsC—Coshocton-Guernsey silt loams, 8 to 15 percent slopes			
Coshocton	55	A-6	
		A-6	0.06
Guernsey	30	A-6	
		A-6	0.06
CsD—Coshocton-Guernsey silt loams, 15 to 25 percent slopes			
Coshocton	60	A-2	
		A-2	0.02
Guernsey	30	Not assigned	
CsE—Coshocton-Guernsey silt loams, 25 to 40 percent slopes			
Coshocton	60	A-3	
		A-3	0.03
Guernsey	30	F-6	
		F-6	0.56
CtC—Coshocton-Guernsey very stony silt loams, 8 to 15 percent slopes			
Coshocton	55	A-1	
		A-1	0.01
Guernsey	30	A-6	
		A-6	0.06
CtD—Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes			
Coshocton	55	A-2	
		A-2	0.02
Guernsey	30	Not assigned	
CuB—Chili loam, 2 to 6 percent slopes			
Chili	85	A-1	
		A-1	0.01
CvB—Conotton gravelly loam, 2 to 6 percent slopes			
Conotton	100	B-1	
		B-1	0.07
CvD2—Conotton gravelly loam, 12 to 18 percent slopes, moderately eroded			
Conotton	100	B-1	
		B-1	0.07

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CxF2—Chili and Conotton gravelly loams, 25 to 50 percent slopes, moderately eroded			
Chili	50	B-2	
		B-2	0.08
Conotton	50	B-2	
		B-2	0.08
CyB—Coshocton-Keene silt loams, 3 to 8 percent slopes			
Coshocton	50	A-6	
		A-6	0.06
Keene	35	A-6	
		A-6	0.06
EkA—Elkinsville silt loam, 0 to 3 percent slopes			
Elkinsville	85	A-6	
		A-6	0.06
FaE—Fairpoint silty clay loam, 25 to 40 percent slopes			
Fairpoint	90	B-2	
		B-2	0.08
FbA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FbB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FcA—Fitchville silt loam, 0 to 3 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 3 to 8 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FdA—Fitchville silt loam, clayey substratum, 0 to 3 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FdB—Fitchville silt loam, clayey substratum, 3 to 8 percent slopes			
Fitchville	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FeB—Fitchville-Urban land complex, undulating			
Fitchville	50	Not assigned	
Urban land	30	Not rated	
FoB—Fairpoint silt loam, 0 to 8 percent slopes			
Fairpoint	100	B-4	
		B-4	0.10
FoC—Fairpoint silt loam, 8 to 20 percent slopes			
Fairpoint	100	B-4	
		B-4	0.10
GaB—Gilpin silt loam, 2 to 6 percent slopes			
Gilpin	100	F-1	
		F-1	0.51
GaC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GbB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GcD—Gilpin silt loam, 15 to 25 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GdB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	90	A-6	
		A-6	0.06
GdC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GdC2—Glenford silt loam, 6 to 12 percent slopes, eroded			
Glenford	90	A-6	
		A-6	0.06
GeC—Glenford silt loam, 6 to 15 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GfB—Glenford silt loam, 3 to 8 percent slopes			
Glenford	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GfC—Glenford silt loam, 8 to 15 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GgB—Guernsey silt loam, 3 to 8 percent slopes			
Guernsey	85	A-6	
		A-6	0.06
GgC—Guernsey silt loam, 8 to 15 percent slopes			
Guernsey	85	A-6	
		A-6	0.06
GgD—Guernsey silt loam, 15 to 25 percent slopes			
Guernsey	85	Not assigned	
GgD2—Guernsey silt loam, 15 to 25 percent slopes, eroded			
Guernsey	80	A-2	
		A-2	0.02
GrC2—Guernsey silty clay loam, 8 to 15 percent slopes, eroded			
Guernsey	85	A-6	
		A-6	0.06
GrD2—Guernsey silty clay loam, 15 to 25 percent slopes, eroded			
Guernsey	85	A-2	
		A-2	0.02
HaE—Hazleton channery sandy loam, 25 to 40 percent slopes			
Hazleton	85	B-2	
		B-2	0.08
HbF—Hazleton channery sandy loam, 25 to 70 percent slopes, very bouldery			
Hazleton	85	H-1	
		H-1	0.71
HeC—Hazleton channery loam, 8 to 15 percent slopes			
Hazleton	85	B-1	
		B-1	0.07
HeD—Hazleton channery loam, 15 to 25 percent slopes			
Hazleton	85	B-1	
		B-1	0.07

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HeE—Hazleton channery loam, 25 to 40 percent slopes			
Hazleton	85	B-2	
		B-2	0.08
HeF—Hazleton channery loam, 40 to 60 percent slopes			
Hazleton	85	H-1	
		H-1	0.71
HfF—Hazleton channery loam, 25 to 70 percent slopes, stony			
Hazleton	85	H-1	
		H-1	0.71
HgF—Hazleton extremely bouldery loam, 25 to 60 percent slopes			
Hazleton	85	H-1	
		H-1	0.71
HkF—Hazleton loam, 25 to 70 percent slopes, very bouldery			
Hazleton	85	H-1	
		H-1	0.71
Ho—Holton silt loam, occasionally flooded			
Holton	90	C-3	
		C-3	0.13
JbA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
KcB—Keene silt loam, 1 to 8 percent slopes			
Keene	85	A-6	
		A-6	0.06
KdB—Keene silt loam, 2 to 6 percent slopes			
Keene	85	A-6	
		A-6	0.06
KeB—Keene silt loam, 3 to 8 percent slopes			
Keene	90	A-6	
		A-6	0.06
KeC—Keene silt loam, 8 to 15 percent slopes			
Keene	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LcE2—Licking silt loam, 12 to 25 percent slopes, moderately eroded			
Licking	100	A-2	
		A-2	0.02
Ln—Linwood mucky silt loam, ponded			
Linwood	100	D-1	
		D-1	0.30
		C-3	0.13
LoB—Loudonville silt loam, 2 to 6 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LoD—Loudonville silt loam, 12 to 18 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LoD2—Loudonville silt loam, 12 to 18 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LwD—Lowell-Westmoreland silt loams, 15 to 25 percent slopes			
Lowell, moderately wet	50	A-2	
		A-2	0.02
Westmoreland	30	A-2	
		A-2	0.02
Mc—Melvin silt loam, frequently flooded			
Melvin	100	C-3	
		C-3	0.13
MeB—Mentor silt loam, 2 to 6 percent slopes			
Mentor	100	A-6	
		A-6	0.06
MrB—Morristown loam, 0 to 8 percent slopes			
Morristown	85	B-4	
		B-4	0.10
MrC—Morristown loam, 8 to 15 percent slopes			
Morristown	85	B-4	
		B-4	0.10

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MrD—Morristown loam, 15 to 25 percent slopes			
Morristown	85	B-4	
		B-4	0.10
MrF—Morristown loam, 25 to 70 percent slopes			
Morristown	85	H-1	
		H-1	0.71
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded			
Nolin, occasionally flooded	85	A-5	
		A-5	0.05
Or—Orrville silt loam, occasionally flooded			
Orrville	85	C-3	
		C-3	0.13
Pt—Pits, gravel			
Pits	100	Not rated	
Pu—Pits, quarry			
Pits	100	Not rated	
PwB—Plainfield loamy sand, 3 to 8 percent slopes			
Plainfield	100	B-1	
		B-1	0.07
PyB—Plainfield loamy sand, 0 to 6 percent slopes			
Plainfield	100	B-1	
		B-1	0.07
PyC—Plainfield loamy sand, 6 to 12 percent slopes			
Plainfield	100	B-1	
		B-1	0.07
ReB—Ravenna silt loam, 2 to 6 percent slopes			
Ravenna	100	C-1	
		C-1	0.11
RgC—Rigley sandy loam, 8 to 15 percent slopes			
Rigley	100	A-1	
		A-1	0.01
RgD—Rigley sandy loam, 15 to 25 percent slopes			
Rigley	100	A-2	
		A-2	0.02

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RgE—Rigley sandy loam, 25 to 40 percent slopes			
Rigley	100	A-3	
		A-3	0.03
RiC—Rigley sandy loam, 6 to 15 percent slopes			
Rigley	85	A-1	
		A-1	0.01
RuA—Rush silt loam, 0 to 3 percent slopes			
Rush	85	A-6	
		A-6	0.06
Se—Sebring silt loam			
Sebring	85	C-1	
		C-1	0.11
ShC3—Shinrock silty clay loam, 8 to 20 percent slopes, severely eroded			
Shinrock	85	A-6	
		A-6	0.06
SpA—Sparta loamy fine sand, 0 to 3 percent slopes			
Sparta	100	B-1	
		B-1	0.07
To—Tioga loam, occasionally flooded			
Tioga	85	A-5	
		A-5	0.05
Tr—Tioga fine sandy loam, occasionally flooded			
Tioga	90	A-5	
		A-5	0.05
Ua—Udorthents, hilly			
Udorthents, hilly	95	Not rated	
Uc—Udorthents-Pits complex			
Udorthents	70	A-2	
		A-2	0.02
Pits	20	Not rated	
UpC—Upshur silt loam, 8 to 15 percent slopes			
Upshur	85	F-5	
		F-5	0.55

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
UrC2—Upshur silty clay loam, 6 to 15 percent slopes, eroded			
Upshur	85	A-1	
		A-1	0.01
W—Water			
Water	100	Not rated	
WbA—Weinbach silt loam, 0 to 3 percent slopes			
Weinbach	80	C-2	
		C-2	0.12
WeC—Westmoreland silt loam, 6 to 15 percent slopes			
Westmoreland	85	A-1	
		A-1	0.01
WhC—Westmoreland silt loam, 8 to 15 percent slopes			
Westmoreland	80	A-1	
		A-1	0.01
WhC2—Westmoreland silt loam, 8 to 15 percent slopes, eroded			
Westmoreland	90	A-1	
		A-1	0.01
WhD—Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	A-2	
		A-2	0.02
WhE—Westmoreland silt loam, 25 to 35 percent slopes			
Westmoreland	80	A-3	
		A-3	0.03
WhF—Westmoreland silt loam, 35 to 60 percent slopes			
Westmoreland	80	H-1	
		H-1	0.71
WkC—Westmoreland-Coshocton silt loams, 8 to 15 percent slopes			
Westmoreland	60	A-1	
		A-1	0.01
Coshocton	25	A-6	
		A-6	0.06

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WkD—Westmoreland-Coshocton silt loams, 15 to 25 percent slopes			
Westmoreland	60	A-2	
		A-2	0.02
Coshocton	25	A-2	
		A-2	0.02
WIC2—Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded			
Westmoreland	50	A-1	
		A-1	0.01
Coshocton	40	A-6	
		A-6	0.06
WnC—Westmoreland-Guernsey silt loams, 8 to 15 percent slopes			
Westmoreland	60	A-1	
		A-1	0.01
Guernsey	25	A-6	
		A-6	0.06
WnD—Westmoreland-Guernsey silt loams, 15 to 25 percent slopes			
Westmoreland	60	A-2	
		A-2	0.02
Guernsey	25	Not assigned	
WnE—Westmoreland-Guernsey silt loams, 25 to 40 percent slopes			
Westmoreland	60	A-3	
		A-3	0.03
Guernsey	25	F-6	
		F-6	0.56
WrA—Wheeling loam, 0 to 3 percent slopes			
Wheeling	85	A-1	
		A-1	0.01
WsA—Wheeling-Urban land complex, nearly level			
Wheeling	50	Not assigned	
Urban land	30	Not rated	
WtA—Wheeling silt loam, 0 to 2 percent slopes			
Wheeling	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Tuscarawas County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WtB—Wheeling silt loam, 2 to 6 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WtC—Wheeling silt loam, 6 to 12 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WuD2—Wooster silt loam, 12 to 18 percent slopes, eroded			
Wooster	90	F-3	
		F-3	0.53
WxA—Wheeling loam, 0 to 2 percent slopes			
Wheeling	100	A-1	
		A-1	0.01

Data Source Information

Soil Survey Area: Tuscarawas County, Ohio
 Survey Area Data: Version 13, Sep 15, 2014