

Prime and other Important Farmlands

This table lists the map units in the survey area that are considered important farmlands. Important farmlands consist of prime farmland, unique farmland, and farmland of statewide or local importance. This list does not constitute a recommendation for a particular land use.

In an effort to identify the extent and location of important farmlands, the Natural Resources Conservation Service, in cooperation with other interested Federal, State, and local government organizations, has inventoried land that can be used for the production of the Nation's food supply.

Prime farmland is of major importance in meeting the Nation's short- and long-range needs for food and fiber. Because the supply of high-quality farmland is limited, the U.S. Department of Agriculture recognizes that responsible levels of government, as well as individuals, should encourage and facilitate the wise use of our Nation's prime farmland.

Prime farmland, as defined by the U.S. Department of Agriculture, is land that has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops and is available for these uses. It could be cultivated land, pastureland, forestland, or other land, but it is not urban or built-up land or water areas. The soil quality, growing season, and moisture supply are those needed for the soil to economically produce sustained high yields of crops when proper management, including water management, and acceptable farming methods are applied. In general, prime farmland has an adequate and dependable supply of moisture from precipitation or irrigation, a favorable temperature and growing season, acceptable acidity or alkalinity, an acceptable salt and sodium content, and few or no rocks. The water supply is dependable and of adequate quality. Prime farmland is permeable to water and air. It is not excessively erodible or saturated with water for long periods, and it either is not frequently flooded during the growing season or is protected from flooding. Slope ranges mainly from 0 to 6 percent. More detailed information about the criteria for prime farmland is available at the local office of the Natural Resources Conservation Service.

For some of the soils identified in the table as prime farmland, measures that overcome a hazard or limitation, such as flooding, wetness, and droughtiness, are needed. Onsite evaluation is needed to determine whether or not the hazard or limitation has been overcome by corrective measures.

A recent trend in land use in some areas has been the loss of some prime farmland to industrial and urban uses. The loss of prime farmland to other uses puts pressure on marginal lands, which generally are more erodible, droughty, and less productive and cannot be easily cultivated.

Unique farmland is land other than prime farmland that is used for the production of specific high-value food and fiber crops, such as citrus, tree nuts, olives, cranberries, and other fruits and vegetables. It has the special combination of soil quality, growing season, moisture supply, temperature, humidity, air drainage, elevation, and aspect needed for the soil to economically produce sustainable high yields of these crops when properly managed. The water supply is dependable and of adequate quality. Nearness to markets is an additional consideration. Unique farmland is not based on national criteria. It commonly is in areas where there is a special microclimate, such as the wine country in California.

In some areas, land that does not meet the criteria for prime or unique farmland is considered to be *farmland of statewide importance* for the production of food, feed, fiber, forage, and oilseed crops. The criteria for defining and delineating farmland of statewide importance are determined by the appropriate State agencies.

Generally, this land includes areas of soils that nearly meet the requirements for prime farmland and that economically produce high yields of crops when treated and managed according to acceptable farming methods. Some areas may produce as high a yield as prime farmland if conditions are favorable. Farmland of statewide importance may include tracts of land that have been designated for agriculture by State law.

In some areas that are not identified as having national or statewide importance, land is considered to be *farmland of local importance* for the production of food, feed, fiber, forage, and oilseed crops. This farmland is identified by the appropriate local agencies. Farmland of local importance may include tracts of land that have been designated for agriculture by local ordinance.

Report—Prime and other Important Farmlands

Prime and other Important Farmlands—Columbia County, Florida		
Map Symbol	Map Unit Name	Farmland Classification
1	Albany fine sand, 0 to 5 percent slopes	Not prime farmland
2	Albany fine sand, occasionally flooded	Not prime farmland
3	Alpin fine sand, 0 to 5 percent slopes	Not prime farmland
4	Alpin fine sand, 5 to 12 percent slopes	Not prime farmland
5	Alpin fine sand, occasionally flooded	Not prime farmland
6	Arents, 0 to 5 percent slopes	Not prime farmland
7	Bigbee fine sand	Not prime farmland
8	Blanton fine sand, 0 to 5 percent slopes	Not prime farmland
9	Blanton fine sand, 5 to 8 percent slopes	Not prime farmland
10	Blanton fine sand, occasionally flooded	Not prime farmland
11	Blanton-Bonneau-Ichetucknee complex, 2 to 5 percent slopes	Not prime farmland
12	Blanton-Bonneau-Ichetucknee complex, 5 to 8 percent slopes	Not prime farmland
13	Bonneau fine sand, 2 to 5 percent slopes	Not prime farmland
14	Bonneau fine sand, 5 to 8 percent slopes	Not prime farmland
15	Bonneau-Blanton complex, 2 to 5 percent slopes	Not prime farmland
16	Bonneau-Blanton complex, 5 to 8 percent slopes	Not prime farmland
17	Chiefland-Pedro variant complex, 0 to 5 percent slopes	Not prime farmland
18	Chiefland-Pedro variant complex, 5 to 8 percent slopes	Not prime farmland
19	Chiefland-Pedro variant complex, occasionally flooded	Not prime farmland
20	Chipleay fine sand, 0 to 5 percent slopes	Not prime farmland
21	Dorovan muck	Not prime farmland
22	Electra variant fine sand, 0 to 5 percent slopes	Not prime farmland
23	Electra variant fine sand, occasionally flooded	Not prime farmland

Prime and other Important Farmlands--Columbia County, Florida		
Map Symbol	Map Unit Name	Farmland Classification
24	Fort Meade variant loamy fine sand, 0 to 5 percent slopes	Not prime farmland
25	Goldsboro loamy fine sand, 2 to 5 percent slopes	All areas are prime farmland
26	Hurricane fine sand	Not prime farmland
27	Ichetucknee fine sand, 2 to 5 percent slopes	Not prime farmland
28	Ichetucknee fine sand, 5 to 8 percent slopes	Not prime farmland
29	Lakeland fine sand, 0 to 5 percent slopes	Not prime farmland
30	Lakeland fine sand, 5 to 12 percent slopes	Not prime farmland
31	Leefield fine sand	Not prime farmland
32	Leon fine sand	Not prime farmland
33	Leon fine sand, occasionally flooded	Not prime farmland
34	Lucy loamy fine sand, 2 to 5 percent slopes	Not prime farmland
35	Lucy loamy fine sand, 5 to 8 percent slopes	Not prime farmland
36	Mandarin fine sand, 0 to 2 percent slopes	Not prime farmland
37	Mascotte fine sand	Not prime farmland
38	Mascotte fine sand, depressional	Not prime farmland
39	Mascotte fine sand, occasionally flooded	Not prime farmland
40	Ocilla fine sand, 0 to 5 percent slopes	Not prime farmland
41	Oleno clay	Not prime farmland
42	Olustee fine sand, thick surface	Not prime farmland
43	Orangeburg loamy fine sand, 2 to 5 percent slopes	All areas are prime farmland
44	Orangeburg loamy fine sand, 5 to 8 percent slopes	All areas are prime farmland
45	Pamlico muck, loamy substratum	Not prime farmland
46	Pamlico, loamy substratum-Dorovan complex	Not prime farmland
47	Pantego fine sandy loam	Not prime farmland
48	Pelham fine sand	Not prime farmland
49	Pelham fine sand, occasionally flooded	Not prime farmland
50	Pits	Not prime farmland
51	Plummer fine sand	Not prime farmland
52	Plummer fine sand, depressional	Not prime farmland
53	Plummer fine sand, occasionally flooded	Not prime farmland
54	Plummer muck, depressional	Not prime farmland
55	Plummer, depressional-Pamlico, loamy substratum complex	Not prime farmland
56	Sapelo fine sand	Not prime farmland
57	Surrency fine sand	Not prime farmland
58	Surrency fine sand, occasionally flooded	Not prime farmland
59	Troup fine sand, 2 to 5 percent slopes	Not prime farmland
60	Troup fine sand, 5 to 8 percent	Not prime farmland
61	Udorthents, 0 to 2 percent slopes	Not prime farmland

Prime and other Important Farmlands--Columbia County, Florida		
Map Symbol	Map Unit Name	Farmland Classification
99	Water	

Data Source Information

Soil Survey Area: Columbia County, Florida
Survey Area Data: Version 10, Sep 18, 2014