

## Prime and other Important Farmlands

This table lists the map units in the survey area that are considered important farmlands. Important farmlands consist of prime farmland, unique farmland, and farmland of statewide or local importance. This list does not constitute a recommendation for a particular land use.

In an effort to identify the extent and location of important farmlands, the Natural Resources Conservation Service, in cooperation with other interested Federal, State, and local government organizations, has inventoried land that can be used for the production of the Nation's food supply.

*Prime farmland* is of major importance in meeting the Nation's short- and long-range needs for food and fiber. Because the supply of high-quality farmland is limited, the U.S. Department of Agriculture recognizes that responsible levels of government, as well as individuals, should encourage and facilitate the wise use of our Nation's prime farmland.

Prime farmland, as defined by the U.S. Department of Agriculture, is land that has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops and is available for these uses. It could be cultivated land, pastureland, forestland, or other land, but it is not urban or built-up land or water areas. The soil quality, growing season, and moisture supply are those needed for the soil to economically produce sustained high yields of crops when proper management, including water management, and acceptable farming methods are applied. In general, prime farmland has an adequate and dependable supply of moisture from precipitation or irrigation, a favorable temperature and growing season, acceptable acidity or alkalinity, an acceptable salt and sodium content, and few or no rocks. The water supply is dependable and of adequate quality. Prime farmland is permeable to water and air. It is not excessively erodible or saturated with water for long periods, and it either is not frequently flooded during the growing season or is protected from flooding. Slope ranges mainly from 0 to 6 percent. More detailed information about the criteria for prime farmland is available at the local office of the Natural Resources Conservation Service.

For some of the soils identified in the table as prime farmland, measures that overcome a hazard or limitation, such as flooding, wetness, and droughtiness, are needed. Onsite evaluation is needed to determine whether or not the hazard or limitation has been overcome by corrective measures.

A recent trend in land use in some areas has been the loss of some prime farmland to industrial and urban uses. The loss of prime farmland to other uses puts pressure on marginal lands, which generally are more erodible, droughty, and less productive and cannot be easily cultivated.

*Unique farmland* is land other than prime farmland that is used for the production of specific high-value food and fiber crops, such as citrus, tree nuts, olives, cranberries, and other fruits and vegetables. It has the special combination of soil quality, growing season, moisture supply, temperature, humidity, air drainage, elevation, and aspect needed for the soil to economically produce sustainable high yields of these crops when properly managed. The water supply is dependable and of adequate quality. Nearness to markets is an additional consideration. Unique farmland is not based on national criteria. It commonly is in areas where there is a special microclimate, such as the wine country in California.

In some areas, land that does not meet the criteria for prime or unique farmland is considered to be *farmland of statewide importance* for the production of food, feed, fiber, forage, and oilseed crops. The criteria for defining and delineating farmland of statewide importance are determined by the appropriate State agencies.

Generally, this land includes areas of soils that nearly meet the requirements for prime farmland and that economically produce high yields of crops when treated and managed according to acceptable farming methods. Some areas may produce as high a yield as prime farmland if conditions are favorable. Farmland of statewide importance may include tracts of land that have been designated for agriculture by State law.

In some areas that are not identified as having national or statewide importance, land is considered to be *farmland of local importance* for the production of food, feed, fiber, forage, and oilseed crops. This farmland is identified by the appropriate local agencies. Farmland of local importance may include tracts of land that have been designated for agriculture by local ordinance.

## Report—Prime and other Important Farmlands

Prime and other Important Farmlands—Suwannee County, Florida		
Map Symbol	Map Unit Name	Farmland Classification
2	Ocilla-Albany-Blanton complex, 0 to 5 percent slopes	Not prime farmland
4	Blanton fine sand, 5 to 8 percent slopes	Not prime farmland
5	Blanton-Bonneau complex, 0 to 5 percent slopes	Not prime farmland
7	Bigbee-Garcon-Meggett complex, occasionally flooded	Not prime farmland
10	Blanton-Alpin complex, 0 to 5 percent slopes, occasionally flooded	Not prime farmland
11	Bonneau-Blanton-Padlock complex, 0 to 5 percent slopes	Not prime farmland
12	Blanton-Chiefland-Ichetucknee complex, 5 to 8 percent slopes	Not prime farmland
13	Blanton-Alpin-Bonneau complex, 0 to 5 percent slopes	Not prime farmland
14	Blanton-Bonneau complex, 5 to 8 percent slopes	Not prime farmland
15	Blanton-Lynchburg-Bonneau Complex, 0 to 5 percent slopes	Not prime farmland
17	Falmouth-Bonneau-Blanton complex, 0 to 5 percent slopes	Not prime farmland
18	Otela-Chiefland-Ichetucknee complex, 0 to 5 percent slopes	Not prime farmland
19	Chiefland fine sand, occasionally flooded	Not prime farmland
20	Chiefland-Pedro Variant complex, occasionally flooded	Not prime farmland
21	Alaga loamy fine sand, 0 to 5 percent slopes	Not prime farmland
22	Blanton-Padlock-Alpin complex, 0 to 5 percent slopes	Not prime farmland
25	Pantego fine sandy loam	Not prime farmland
26	Hurricane, Albany, and Chipley soils, 0 to 3 percent slopes	Not prime farmland
29	Alpin fine sand, 0 to 5 percent slopes	Not prime farmland
30	Alpin fine sand, 5 to 12 percent slopes	Not prime farmland
32	Leon fine sand	Not prime farmland
34	Falmouth-Bonneau-Blanton complex, 5 to 8 percent slopes	Not prime farmland
35	Mascotte-Sapelo complex	Not prime farmland

Prime and other Important Farmlands--Suwannee County, Florida		
Map Symbol	Map Unit Name	Farmland Classification
38	Alpin fine sand, 0 to 5 percent slopes, occasionally flooded	Not prime farmland
39	Sapelo-Mascotte-Albany complex, frequently flooded	Not prime farmland
41	Fluvaquents-Meggett-Bigbee complex, frequently flooded	Not prime farmland
43	Blanton-Foxworth-Alpin complex, 0 to 5 percent slopes	Not prime farmland
45	Chiplely-Foxworth-Albany complex, 0 to 5 percent slopes	Not prime farmland
46	Pamlico-Olustee-Pottsburg complex, depressional	Not prime farmland
47	Clara and Meadowbrook soils, frequently flooded	Not prime farmland
49	Sapelo-Mascotte-Plummer complex	Not prime farmland
51	Plummer fine sand	Not prime farmland
52	Plummer fine sand, depressional	Not prime farmland
54	Plummer muck, depressional	Not prime farmland
59	Troup fine sand, 0 to 5 percent slopes	Not prime farmland
60	Troup fine sand, 5 to 8 percent slopes	Not prime farmland
61	Udorthents-Pits complex, 1 to 8 percent slopes	Not prime farmland
65	Garcon-Eunola complex, 2 to 5 percent slopes, occasionally flooded	Not prime farmland
68	Mascotte and Plummer soils, occasionally flooded	Not prime farmland
69	Osier-Bibb-Albany complex, frequently flooded	Not prime farmland
71	Otela-Alpin-Chiefland complex, 0 to 5 percent slopes	Not prime farmland
72	Ousley-Blanton-Fluvaquents complex, 0 to 5 percent slopes, occasionally flooded	Not prime farmland
73	Boulogne-Chiplely-Hurricane complex, 0 to 5 percent slopes	Not prime farmland
74	Surrency, Plummer, and Cantey soils, frequently flooded	Not prime farmland
76	Wampee-Blanton complex, 5 to 12 percent slopes	Not prime farmland
77	Wampee-Blanton complex, 12 to 35 percent slopes	Not prime farmland
79	Blanton fine sand, 0 to 5 percent slopes	Not prime farmland
80	Bonneau fine sand, 0 to 5 percent slopes	Not prime farmland
81	Blanton-Bonneau-Ichetucknee complex, 2 to 5 percent slopes	Not prime farmland
83	Urban land	Not prime farmland
86	Aquents, frequently flooded	Not prime farmland
99	Water	Not prime farmland

## Data Source Information

Soil Survey Area: Suwannee County, Florida  
 Survey Area Data: Version 11, Sep 24, 2014