

## Prime and other Important Farmlands

This table lists the map units in the survey area that are considered important farmlands. Important farmlands consist of prime farmland, unique farmland, and farmland of statewide or local importance. This list does not constitute a recommendation for a particular land use.

In an effort to identify the extent and location of important farmlands, the Natural Resources Conservation Service, in cooperation with other interested Federal, State, and local government organizations, has inventoried land that can be used for the production of the Nation's food supply.

*Prime farmland* is of major importance in meeting the Nation's short- and long-range needs for food and fiber. Because the supply of high-quality farmland is limited, the U.S. Department of Agriculture recognizes that responsible levels of government, as well as individuals, should encourage and facilitate the wise use of our Nation's prime farmland.

Prime farmland, as defined by the U.S. Department of Agriculture, is land that has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops and is available for these uses. It could be cultivated land, pastureland, forestland, or other land, but it is not urban or built-up land or water areas. The soil quality, growing season, and moisture supply are those needed for the soil to economically produce sustained high yields of crops when proper management, including water management, and acceptable farming methods are applied. In general, prime farmland has an adequate and dependable supply of moisture from precipitation or irrigation, a favorable temperature and growing season, acceptable acidity or alkalinity, an acceptable salt and sodium content, and few or no rocks. The water supply is dependable and of adequate quality. Prime farmland is permeable to water and air. It is not excessively erodible or saturated with water for long periods, and it either is not frequently flooded during the growing season or is protected from flooding. Slope ranges mainly from 0 to 6 percent. More detailed information about the criteria for prime farmland is available at the local office of the Natural Resources Conservation Service.

For some of the soils identified in the table as prime farmland, measures that overcome a hazard or limitation, such as flooding, wetness, and droughtiness, are needed. Onsite evaluation is needed to determine whether or not the hazard or limitation has been overcome by corrective measures.

A recent trend in land use in some areas has been the loss of some prime farmland to industrial and urban uses. The loss of prime farmland to other uses puts pressure on marginal lands, which generally are more erodible, droughty, and less productive and cannot be easily cultivated.

*Unique farmland* is land other than prime farmland that is used for the production of specific high-value food and fiber crops, such as citrus, tree nuts, olives, cranberries, and other fruits and vegetables. It has the special combination of soil quality, growing season, moisture supply, temperature, humidity, air drainage, elevation, and aspect needed for the soil to economically produce sustainable high yields of these crops when properly managed. The water supply is dependable and of adequate quality. Nearness to markets is an additional consideration. Unique farmland is not based on national criteria. It commonly is in areas where there is a special microclimate, such as the wine country in California.

In some areas, land that does not meet the criteria for prime or unique farmland is considered to be *farmland of statewide importance* for the production of food, feed, fiber, forage, and oilseed crops. The criteria for defining and delineating farmland of statewide importance are determined by the appropriate State agencies.

Generally, this land includes areas of soils that nearly meet the requirements for prime farmland and that economically produce high yields of crops when treated and managed according to acceptable farming methods. Some areas may produce as high a yield as prime farmland if conditions are favorable. Farmland of statewide importance may include tracts of land that have been designated for agriculture by State law.

In some areas that are not identified as having national or statewide importance, land is considered to be *farmland of local importance* for the production of food, feed, fiber, forage, and oilseed crops. This farmland is identified by the appropriate local agencies. Farmland of local importance may include tracts of land that have been designated for agriculture by local ordinance.

## Report—Prime and other Important Farmlands

Prime and other Important Farmlands—Ocala National Forest Area, Florida		
Map Symbol	Map Unit Name	Farmland Classification
2	Astatula and Candler sands, 0 to 5 percent slopes	Not prime farmland
3	Astatula and Candler sands, 5 to 12 percent slopes	Not prime farmland
4	Astatula and Candler sands, 12 to 20 percent slopes	Not prime farmland
5	Astatula sand, 0 to 5 percent slopes	Not prime farmland
6	Astatula sand, 5 to 12 percent slopes	Not prime farmland
7	Astatula sand, 12 to 20 percent slopes	Not prime farmland
8	Astatula sand, sinkhole, 0 to 25 percent slopes	Not prime farmland
9	Astatula sand, fire regime, 0 to 5 percent slopes	Not prime farmland
10	Astatula sand, fire regime, 5 to 12 percent slopes	Not prime farmland
11	Astatula sand, fire regime, 12 to 20 percent slopes	Not prime farmland
12	Astatula and Tavares sands, 0 to 5 percent slopes	Not prime farmland
13	Astatula and Candler sands, flora rich, 0 to 5 percent slopes	Not prime farmland
14	Astatula and Candler sands, flora rich, 5 to 12 percent slopes	Not prime farmland
Ax	Astor sand	Not prime farmland
Ba	Basinger sand	Not prime farmland
De	Delks sand	Not prime farmland
Do	Dorovan muck	Not prime farmland
Du	Duplin loamy sand	Not prime farmland
Er	Eureka loamy sand, thick-surface variant	Not prime farmland
Es	Eureka loamy fine sand	Not prime farmland
Eu	Eustis sand	Not prime farmland
Ev	Everglades muck	Not prime farmland
Ib	Iberia clay	Not prime farmland

Prime and other Important Farmlands--Ocala National Forest Area, Florida		
Map Symbol	Map Unit Name	Farmland Classification
Im	Immokalee sand	Not prime farmland
Ma	Made land	Not prime farmland
Me	Meggett loamy sand	Not prime farmland
Mk	Myakka sand	Not prime farmland
Ms	Myakka and Sellers soils, ponded	Not prime farmland
Or	Orlando sand	Not prime farmland
Os	Orlando sand, wet variant	Not prime farmland
Pa	Pamlico muck	Not prime farmland
Pd	Pamlico muck, deep	Not prime farmland
PIB	Paola sand, 0 to 8 percent slopes	Not prime farmland
PID	Paola sand, 8 to 17 percent slopes	Not prime farmland
PmA	Paola sand, moderately deep water table, 0 to 5 percent slopes	Not prime farmland
Po	Pomello sand	Not prime farmland
Pt	Pits and dumps	Not prime farmland
Ra	Rains loamy fine sand	Not prime farmland
Sa	St. Johns sand	Not prime farmland
Sc	St. Lucie sand	Not prime farmland
Sp	Sellers and Pamlico soils	Not prime farmland
Ss	Sellers sand	Not prime farmland
Sw	Submerged marsh	Not prime farmland
Tc	Terra Ceia muck	Not prime farmland
Wa	Water	Not prime farmland
WcA	Wicksburg sand, 0 to 5 percent slopes	Not prime farmland
WcC	Wicksburg sand, 5 to 12 percent slopes	Not prime farmland

## Data Source Information

Soil Survey Area: Ocala National Forest Area, Florida

Survey Area Data: Version 13, Dec 30, 2013