HIGHLY ERODIBLE LAND CLASSIFICATION REPORT
Carter County, Kentucky: Detailed Soil Map Legend
(FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
AlA	Allegheny loam, 0 to 2 percent slopes	not highly erodible
AlB	Allegheny loam, 2 to 6 percent slopes	not highly erodible
AlC	Allegheny loam, 6 to 12 percent slopes	highly erodible
BCF	Berks-Cranston association, steep	highly erodible
BeB	Bethesda-Fairpoint, complex, 0 to 6 percent slopes	not highly erodible
BeF	Bethesda-Fairpoint complex, 6 to 60 percent slopes	highly erodible
BRF	Bledsoe-Caneyville-Rock outcrop association, steep	highly erodible
CaC	Caneyville silt loam, 6 to 20 percent slopes	highly erodible
CbD	Caneyville-Rock outcrop complex, 12 to 30 percent slopes	highly erodible
Co	Cotaco loam	not highly erodible
Cu	Cuba silt loam	not highly erodible
DAM	Dam, large	
Gr	Grigsby fine sandy loam	not highly erodible
HaB	Hagerstown silt loam, 2 to 6 percent slopes	not highly erodible
LaC	Latham silt loam, 6 to 12 percent slopes	highly erodible
LaD	Latham silt loam, 12 to 20 percent slopes	highly erodible
LsE	Latham-Shelocta silt loams, 20 to 30 percent slopes	highly erodible
LTF	Latham-Shelocta association, steep	highly erodible
LyD	Lily fine sandy loam, 6 to 20 percent slopes	highly erodible
Mc	McGary silt loam	not highly erodible
MoA	Monongahela loam, 0 to 2 percent slopes	not highly erodible
MoB	Monongahela loam, 2 to 6 percent slopes	highly erodible
Mr	Morehead silt loam	not highly erodible
Ne	Newark silt loam	not highly erodible
No	Nolin silt loam	not highly erodible
Pm	Pits-Dumps complex	
Po	Pope fine sandy loam	not highly erodible
RSF	Rigley-Rock outcrop association, steep	highly erodible
SaB	Shelocta silt loam, 2 to 6 percent slopes	not highly erodible
SaC	Shelocta silt loam, 6 to 12 percent slopes	highly erodible
SaD	Shelocta silt loam, 12 to 20 percent slopes	highly erodible
Sd	Skidmore gravelly loam	not highly erodible
SNF	Steinsburg-Latham association, steep	highly erodible
St	Stendal silt loam	not highly erodible
Sv	Stokly fine sandy loam	not highly erodible
TlB	Tilsit silt loam, 2 to 6 percent slopes	highly erodible
UpD	Upshur silty clay loam, 12 to 30 percent slopes	highly erodible
VUF	Vandalia-Upshur association, steep	highly erodible
W	Water	
WeB	Wernock silt loam, 2 to 6 percent slopes	highly erodible
WeC	Wernock silt loam, 6 to 12 percent slopes	highly erodible
WeD	Wernock silt loam, 12 to 20 percent slopes	highly erodible
WhA	Whitley silt loam, 0 to 4 percent slopes	not highly erodible