HIGHLY ERODIBLE LAND CLASSIFICATION REPORT
Christian County, Kentucky: Detailed Soil Map Legend
(FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
BaD	Baxter cherty silt loam, 12 to 20 percent slopes	highly erodible
BaE	Baxter cherty silt loam, 20 to 30 percent slopes	highly erodible
Bo	Bonnie silt loam	not highly erodible
CaB	Caneyville silt loam, 2 to 6 percent slopes	highly erodible
CaC	Caneyville silt loam, 6 to 12 percent slopes	highly erodible
CnD3	Caneyville silty clay, 6 to 20 percent slopes, severely eroded	highly erodible
CoD	Caneyville-Rock outcrop complex, 6 to 30 percent slopes	highly erodible
CrA	Crider silt loam, 0 to 2 percent slopes	not highly erodible
CrB	Crider silt loam, 2 to 6 percent slopes	not highly erodible
CrC	Crider silt loam, 6 to 12 percent slopes	highly erodible
Cu	Cuba silt loam	not highly erodible
DAM	Dam, large	
DkF	Dekalb channery sandy loam, 20 to 40 percent slopes	highly erodible
Du	Dunning soils	not highly erodible
ElA	Elk silt loam, 0 to 2 percent slopes	not highly erodible
ElB	Elk silt loam, 2 to 6 percent slopes	not highly erodible
ElC	Elk silt loam, 6 to 12 percent slopes	highly erodible
FdC	Fredonia silt loam, very rocky, 2 to 12 percent slopes	highly erodible
FnC	Frondorf silt loam, 6 to 12 percent slopes	highly erodible
FwD	Frondorf-Weikert complex, 12 to 20 percent slopes	highly erodible
FwF	Frondorf-Weikert complex, 20 to 40 percent slopes	highly erodible
HbB	Hammack-Baxter complex, 2 to 6 percent slopes	highly erodible
HbC	Hammack-Baxter complex, 6 to 12 percent slopes	highly erodible
HbC3	Hammack-Baxter complex, 6 to 12 percent slopes, severely eroded	highly erodible
Hn	Henshaw silt loam	not highly erodible
La	Lawrence silt loam	not highly erodible
Ln	Lindside silt loam	not highly erodible
Me	Melvin silt loam	not highly erodible
Ne	Newark silt loam	not highly erodible
NhA	Nicholson silt loam, 0 to 2 percent slopes	not highly erodible
NhB	Nicholson silt loam, 2 to 6 percent slopes	highly erodible
NhC	Nicholson silt loam, 6 to 12 percent slopes	highly erodible
No	Nolin silt loam	not highly erodible
PmA	Pembroke silt loam, 0 to 2 percent slopes	not highly erodible
PmB	Pembroke silt loam, 2 to 6 percent slopes	not highly erodible
PmC	Pembroke silt loam, 6 to 12 percent slopes	highly erodible
Pt	Pits	
ReC	Riney loam, 6 to 12 percent slopes	highly erodible
ReD	Riney loam, 12 to 20 percent slopes	highly erodible
RmE3	Riney clay loam, 12 to 30 percent slopes, severely eroded	highly erodible
Ro	Robertsville silt loam	not highly erodible
SaA	Sadler silt loam, 0 to 2 percent slopes	not highly erodible
SaB	Sadler silt loam, 2 to 6 percent slopes	highly erodible
Sk	Skidmore gravelly loam	not highly erodible
Ss	Steff silt loam	not highly erodible
St	Stendal silt loam	not highly erodible
uBelA	Belknap silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
uBlaA	Blackford silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erobidle
uBonA	Bonnie silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Ud	Udorthents	

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
Christian County, Kentucky: Detailed Soil Map Legend
(FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
uShaA	Sharon silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
VeC	Vertrees silty clay loam, 6 to 12 percent slopes	highly erodible
W	Water	
WeB	Wellston silt loam, 2 to 6 percent slopes	highly erodible
WeC	Wellston silt loam, 6 to 12 percent slopes	highly erodible
WeD	Wellston silt loam, 12 to 20 percent slopes	highly erodible
WlC3	Wellston silty clay loam, 6 to 12 percent slopes, severely eroded	highly erodible
WlD3	Wellston silty clay loam, 12 to 20 percent slopes, severely eroded	highly erodible
ZnB	Zanesville silt loam, 2 to 6 percent slopes	highly erodible
ZnC	Zanesville silt loam, 6 to 12 percent slopes	highly erodible
ZnC3	Zanesville silt loam, 6 to 12 percent slopes, severely eroded	highly erodible
Zu	Zanesville-Gullied land complex	highly erodible