

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT
 Fayette County Area, Part of Fayette County, Kentucky: Original Soil Map Legend
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
ArA	Armour silt loam, 0 to 2 percent slopes (elk)	not highly erodible
ArB	Armour silt loam, 2 to 6 percent slopes (elk)	not highly erodible
ArC	Armour silt loam, 6 to 12 percent slopes (elk)	highly erodible
uBlmA	Bluegrass-Maury silt loams, 0 to 2 percent slopes	not highly erodible
uBlmB	Bluegrass-Maury silt loams, 2 to 6 percent slopes	not highly erodible
BrB	Braxton silt loam, 2 to 6 percent slopes (maury)	not highly erodible
BrC2	Braxton silt loam, 6 to 12 percent slopes, eroded (maury)	highly erodible
CaA	Captina silt loam, 0 to 2 percent slopes (otwell)	not highly erodible
CaB	Captina silt loam, 2 to 6 percent slopes (otwell)	highly erodible
CfF2	Culleoka flaggy silt loam, 30 to 50 percent slopes, eroded	highly erodible
CsC2	Culleoka silt loam, 6 to 12 percent slopes, eroded	highly erodible
DoA	Donerail silt loam, 0 to 2 percent slopes	not highly erodible
DoB	Donerail silt loam, 2 to 6 percent slopes	highly erodible
DoC	Donerail silt loam, 6 to 12 percent slopes	highly erodible
Ea	Egam silt loam (woolper)	not highly erodible
Ec	Egam silty clay loam (woolper)	not highly erodible
FaD	Fairmount very rocky silty clay loam, 6 to 20 percent slopes (fairmount-Rock outcrop complex)	highly erodible
FaD3	Fairmount very rocky silty clay loam, 6 to 30 percent slopes, severely eroded (fairmount-Rock outcrop complex)	highly erodible
FaF	Fairmount very rocky silty clay loam, 20 to 50 percent slopes (fairmount-Rock outcrop complex)	highly erodible
Hu	Huntington silt loam	not highly erodible
La	Lanton silty clay loam (dunning)	not highly erodible
Lc	Lawrence silt loam	not highly erodible
Ld	Lindside silt loam	not highly erodible
LoB	Loradale silt loam, 2 to 6 percent slopes	highly erodible
LoC	Loradale silt loam, 6 to 12 percent slopes	highly erodible
LoC2	Loradale silt loam, 6 to 12 percent slopes, eroded	highly erodible
LpB	Loudon silt loam, phosphatic, 2 to 6 percent slopes (lawrence)	highly erodible
LpC2	Loudon silt loam, phosphatic, 6 to 12 percent slopes, eroded	highly erodible
LwB	Lowell silt loam, 2 to 6 percent slopes	highly erodible
LwC2	Lowell silt loam, 6 to 12 percent slopes, eroded	highly erodible
LwD2	Lowell silt loam, 12 to 20 percent slopes, eroded	highly erodible
LyC3	Lowell silty clay loam, 6 to 12 percent slopes, severely eroded	highly erodible
LyD3	Lowell silty clay loam, 12 to 20 percent slopes, severely eroded	highly erodible
Md	Made land, over silty materials	
Me	Made land, over clayey materials	
uMlmC	Maury-Bluegrass silt loams, 6 to 12 percent slopes	highly erodible
MlD2	Maury silt loam, 12 to 20 percent slopes, eroded	highly erodible
MmC3	Maury silty clay loam, 6 to 12 percent slopes, severely eroded (loradale)	highly erodible
MnB	McAfee silt loam, 2 to 6 percent slopes	highly erodible
MnC	McAfee silt loam, 6 to 12 percent slopes	highly erodible
MoC3	McAfee silty clay, 6 to 12 percent slopes, severely eroded	highly erodible
MoD3	McAfee silty clay, 12 to 20 percent slopes, severely eroded	highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
 Fayette County Area, Part of Fayette County, Kentucky: Original Soil Map Legend
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
MpB2	McAfee silty clay loam, 2 to 6 percent slopes, eroded	highly erodible
MpC2	McAfee silty clay loam, 6 to 12 percent slopes, eroded	highly erodible
MpD2	McAfee silty clay loam, 12 to 20 percent slopes, eroded	highly erodible
MrD2	McAfee very rocky silty clay loam, 6 to 20 percent slopes, eroded (mcafee-Rock outcrop complex)	highly erodible
MrE2	McAfee very rocky silty clay loam, 20 to 30 percent slopes, eroded (mcafee-rock outcrop complex)	highly erodible
MSD3	McAfee very rocky silty clay, 12 to 20 percent slopes, severely eroded (mcafee-rock outcrop complex)	highly erodible
Mt	Melvin silt loam	not highly erodible
MuA	Mercer silt loam, 0 to 2 percent slopes (nicholson)	not highly erodible
MuB	Mercer silt loam, 2 to 6 percent slopes (nicholson)	highly erodible
MuB2	Mercer silt loam, 2 to 6 percent slopes, eroded (nicholson)	highly erodible
MuC	Mercer silt loam, 6 to 12 percent slopes (nicholson)	highly erodible
MuC2	Mercer silt loam, 6 to 12 percent slopes, eroded (nicholson)	highly erodible
Ne	Newark silt loam	not highly erodible
Pt	Pits, quarries	
Rk	Rock land (rock outcrop-fairmount complex, 20 to 50 percent slopes)	highly erodible
RuB	Russellville silt loam, 2 to 6 percent slopes (nicholson)	highly erodible
RuC2	Russellville silt loam, 6 to 12 percent slopes (nicholson)	highly erodible
SaC3	Salvisa silty clay, 6 to 12 percent slopes, severely eroded	highly erodible
ScB2	Salvisa silty clay loam, 2 to 6 percent slopes, eroded	highly erodible
ScC2	Salvisa silty clay loam, 6 to 12 percent slopes, eroded	highly erodible
ScE2	Salvisa silty clay loam, 12 to 30 percent slopes, eroded	highly erodible
Ua	Urban land-armour-maury complex (urban land)	
Um	Urban land-loradale-mercerc complex (urban land)	
W	Water	