

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT
 Fulton County, Kentucky: Detailed Soil Map Legend
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
Ac	Adler silt loam, 0 to 2 percent slopes, protected	not highly erodible
Ad	Adler silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Ba	Bardwell silt loam, 0 to 2 percent slopes, protected	not highly erodible
Bd	Bardwell silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Be	Bardwell silt loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
Bf	Bardwell silty clay loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
Bn	Bondurant silty clay loam, 0 to 2 percent slopes, protected	not highly erodible
Bo	Bondurant silty clay loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
Br	Bowdre silty clay, 0 to 2 percent slopes, protected	not highly erodible
Bw	Bowdre silty clay, 0 to 2 percent slopes, frequently flooded	not highly erodible
CaA	Calloway silt loam, 0 to 2 percent slopes	not highly erodible
CaB2	Calloway silt loam, 2 to 4 percent slopes, eroded	highly erodible
CeA	Center silt loam, 0 to 3 percent slopes	not highly erodible
CfA	Center silt loam, 0 to 3 percent slopes, occasionally flooded	not highly erodible
Cg	Collins silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Ch	Commerce silt loam, 0 to 2 percent slopes, protected	not highly erodible
Ck	Commerce silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Cm	Commerce silt loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
Cn	Commerce silty clay loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Co	Commerce silty clay loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
Cp	Convent silt loam, 0 to 2 percent slopes, protected	not highly erodible
Cr	Convent silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Cs	Convent silt loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
Ct	Convent-Mhoon complex, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Cu	Convent-Mhoon complex, 0 to 2 percent slopes, frequently flooded	not highly erodible
Cv	Crevasse loamy fine sand, 0 to 3 percent slopes, occasionally flooded	not highly erodible
Cw	Crevasse loamy fine sand, 0 to 3 percent slopes, frequently flooded	not highly erodible
Cx	Crevasse silt loam, 0 to 3 percent slopes, frequently flooded	not highly erodible
De	Dekoven silt loam, drained, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Dk	Dekoven silt loam, drained, 0 to 2 percent slopes, frequently flooded	not highly erodible
Do	Dekoven silt loam, drained, 0 to 2 percent slopes, occasionally flooded, overwash	not highly erodible
Dv	Dekoven silt loam, drained, 0 to 2 percent slopes, frequently flooded, overwash	not highly erodible
Fa	Falaya silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Fc	Falaya-Waverly complex, 0 to 2 percent slopes, occasionally flooded	not highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
 Fulton County, Kentucky: Detailed Soil Map Legend
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
FnA	Feliciana silt loam, 0 to 2 percent slopes	not highly erodible
FnB	Feliciana silt loam, 2 to 6 percent slopes	highly erodible
FnB2	Feliciana silt loam, 2 to 6 percent slopes, eroded	highly erodible
FnC2	Feliciana silt loam, 6 to 12 percent slopes, eroded	highly erodible
FnC3	Feliciana silt loam, 6 to 12 percent slopes, severely eroded	highly erodible
FnD3	Feliciana silt loam, 12 to 20 percent slopes, severely eroded	highly erodible
FnE3	Feliciana silt loam, 20 to 30 percent slopes, severely eroded	highly erodible
GrA	Grenada silt loam, 0 to 2 percent slopes	not highly erodible
GrB	Grenada silt loam, 2 to 6 percent slopes	highly erodible
GrB2	Grenada silt loam, 2 to 6 percent slopes, eroded	highly erodible
GrB3	Grenada silt loam, 4 to 6 percent slopes, severely eroded	highly erodible
GrC2	Grenada silt loam, 6 to 12 percent slopes, eroded	highly erodible
GrC3	Grenada silt loam, 6 to 12 percent slopes, severely eroded	highly erodible
GuF	Gullied land-Memphis complex, 30 to 50 percent slopes	highly erodible
Ke	Keyespoint silty clay loam, 0 to 2 percent slopes, protected	not highly erodible
Kf	Keyespoint silty clay loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
KrA	Kurk silt loam, 0 to 2 percent slopes	not highly erodible
KsA	Kurk silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
KuA	Kurk silt loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
LEVEE	Levee	
LoA	Loring silt loam, 0 to 2 percent slopes	not highly erodible
LoB	Loring silt loam, 2 to 6 percent slopes	highly erodible
LoB2	Loring silt loam, 2 to 6 percent slopes, eroded	highly erodible
LoB3	Loring silt loam, 4 to 6 percent slopes, severely eroded	highly erodible
LoC2	Loring silt loam, 6 to 12 percent slopes, eroded	highly erodible
LoC3	Loring silt loam, 6 to 12 percent slopes, severely eroded	highly erodible
LoD3	Loring silt loam, 12 to 20 percent slopes, severely eroded	highly erodible
M-W	Miscellaneous water	
MeA	Memphis silt loam, 0 to 2 percent slopes	not highly erodible
MeB	Memphis silt loam, 2 to 6 percent slopes	highly erodible
MeB2	Memphis silt loam, 2 to 6 percent slopes, eroded	highly erodible
MeC2	Memphis silt loam, 6 to 12 percent slopes, eroded	highly erodible
MeC3	Memphis silt loam, 6 to 12 percent slopes, severely eroded	highly erodible
MeD3	Memphis silt loam, 12 to 20 percent slopes, severely eroded	highly erodible
MeE3	Memphis silt loam, 20 to 30 percent slopes, severely eroded	highly erodible
MmF	Memphis-Natchez complex, 30 to 50 percent slopes, gullied	highly erodible
Mo	Mhoon silt loam, ponded	not highly erodible
Op	Openlake silty clay loam, 0 to 2 percent slopes, protected	not highly erodible
Os	Openlake silty clay loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
Ph	Phillippy silty clay loam, 0 to 3 percent slopes, protected	not highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
 Fulton County, Kentucky: Detailed Soil Map Legend
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
Pp	Phillippy silty clay loam, 0 to 3 percent slopes, frequently flooded	not highly erodible
PtD	Pits-Udorthents complex, 0 to 20 percent slopes	
Ra	Riverwash, 0 to 3 percent slopes, frequently flooded	not highly erodible
Rb	Robinsonville fine sandy loam, 0 to 3 percent slopes, protected	not highly erodible
Rc	Robinsonville fine sandy loam, 0 to 3 percent slopes, occasionally flooded	not highly erodible
Rf	Robinsonville fine sandy loam, 0 to 3 percent slopes, frequently flooded	not highly erodible
RmD	Robinsonville fine sandy loam, natural levee, 8 to 25 percent slopes, occasionally flooded	highly erodible
Ro	Roellen silty clay, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Rsa	Routon silt loam, 0 to 2 percent slopes	not highly erodible
RtA	Routon silt loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
RuA	Routon silt loam, 0 to 2 percent slopes, frequently flooded	not highly erodible
Sc	Sharkey silty clay, ponded	not highly erodible
Sh	Sharkey silty clay, 0 to 2 percent slopes, protected	not highly erodible
Sk	Sharkey silty clay, 0 to 2 percent slopes, frequently flooded	not highly erodible
Tc	Tunica silty clay, 0 to 2 percent slopes, protected	not highly erodible
Tu	Tunica silty clay, 0 to 2 percent slopes, frequently flooded	not highly erodible
UdC	Udorthents-Urban land complex, 5 to 25 percent slopes	
UrB	Urban land-Udorthents complex, 2 to 8 percent slopes	
W	Water	
Wa	Ware loam, 0 to 2 percent slopes, protected	not highly erodible
Wm	Ware loam, 0 to 2 percent slopes, occasionally flooded	not highly erodible
Wr	Ware silt loam, 0 to 2 percent slopes, protected	not highly erodible
Ws	Ware silt loam, 0 to 2 percent slopes, frequently flooded	not highly erodible