

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT
 Green and Taylor Counties, Kentucky: Detailed Soil Map Legend
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
Bo	Bonnie silt loam, terrace	not highly erodible
CaC	Caneyville silt loam, very rocky, 6 to 20 percent slopes	highly erodible
CaE	Caneyville-Frederick silt loams, very rocky, 20 to 30 percent slopes	highly erodible
CoD	Colyer variant silt loam, 12 to 30 percent slopes (rohan)	highly erodible
DAM	Dam, large	
DcB	Dickson silt loam, 2 to 6 percent slopes	highly erodible
ElB	Elk silt loam, 2 to 6 percent slopes	not highly erodible
ElC	Elk silt loam, 6 to 12 percent slopes	highly erodible
FkB	Frankstown silt loam, 2 to 6 percent slopes	highly erodible
FkC	Frankstown silt loam, 6 to 12 percent slopes	highly erodible
FkD	Frankstown silt loam, 12 to 20 percent slopes	highly erodible
FkE	Frankstown silt loam, 20 to 30 percent slopes	highly erodible
FrB	Frederick silt loam, 2 to 6 percent slopes	not highly erodible
FrC	Frederick silt loam, 6 to 12 percent slopes	highly erodible
FrD	Frederick silt loam, 12 to 20 percent slopes	highly erodible
FrE	Frederick silt loam, 20 to 30 percent slopes	highly erodible
FsD3	Frederick silty clay loam, 12 to 20 percent slopes, severely eroded	highly erodible
FvE	Frederick-Nolichucky complex, 20 to 30 percent slopes	highly erodible
GaF	Garmon-Shelocta complex, 25 to 60 percent slope	highly erodible
LoF	Lowell-Caneyville silt loams, very rocky, 30 to 60 percent slopes	highly erodible
Me	Melvin silt loam	not highly erodible
MgB	Monongahela silt loam, 2 to 6 percent slopes	highly erodible
Mh	Morehead silt loam	not highly erodible
MoB	Mountview silt loam, 2 to 6 percent slopes	highly erodible
MoC	Mountview silt loam, 6 to 12 percent slopes	highly erodible
NdC	Needmore silty clay, 6 to 12 percent slopes, severely eroded	highly erodible
Ne	Newark silt loam	not highly erodible
NhD	Nolichucky loam, 12 to 20 percent slopes	highly erodible
No	Nolin silt loam	not highly erodible
OtA	Otwell silt loam, 0 to 2 percent slopes	not highly erodible
OtB	Otwell silt loam, 2 to 6 percent slopes	highly erodible
Pt	Pits	
ReC	Riney loam, 6 to 12 percent slopes	highly erodible
ReD	Riney loam, 12 to 20 percent slopes	highly erodible
Se	Sensabaugh gravelly silt loam	not highly erodible
ShB	Shelocta silt loam, 2 to 6 percent slopes	not highly erodible
ShC	Shelocta silt loam, 6 to 12 percent slopes	highly erodible
Sld	Shelocta-Lenberg complex, 12 to 30 percent slopes	highly erodible
Ta	Taft silt loam	not highly erodible
Ty	Tyler silt loam	not highly erodible
W	Water	