

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT
 Nelson County, Kentucky: Detailed Soil Map Legend
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
BaD	Baxter cherty silt loam, 12 to 20 percent slopes	highly erodible
BeB	Beasley silt loam, 2 to 6 percent slopes	highly erodible
BeC2	Beasley silt loam, 6 to 12 percent slopes, eroded	highly erodible
BeD2	Beasley silt loam, 12 to 20 percent slopes, eroded	highly erodible
BlC3	Beasley silty clay loam, 6 to 12 percent slopes, severely eroded	highly erodible
BlD3	Beasley silty clay loam, 12 to 20 percent slopes, severely eroded	highly erodible
BrA	Bedford silt loam, 0 to 2 percent slopes	not highly erodible
BrB	Bedford silt loam, 2 to 6 percent slopes	highly erodible
BrC2	Bedford silt loam, 6 to 12 percent slopes, eroded	highly erodible
ChD	Colyer silt loam, 6 to 20 percent slopes	highly erodible
ClE3	Colyer shaly silty clay loam, 6 to 30 percent slopes, severely eroded	highly erodible
CmF	Colyer shaly silt loam, 20 to 50 percent slopes	highly erodible
CnB	Corydon silt loam, 2 to 6 percent slopes (caneyville)	highly erodible
CnC2	Corydon silt loam, 6 to 12 percent slopes, eroded	highly erodible
CnD2	Corydon silt loam, 12 to 20 percent slopes, eroded	highly erodible
CoD3	Corydon silty clay, 6 to 20 percent slopes, severely eroded	highly erodible
CrD2	Corydon very rocky silt loam, 6 to 20 percent slopes, eroded	highly erodible
CsE3	Corydon very rocky silty clay, 12 to 30 percent slopes, severely eroded	highly erodible
CtC	Crider silt loam, 6 to 12 percent slopes	highly erodible
DAM	Dam, large	
Du	Dunning silty clay loam	not highly erodible
EcF2	Eden silty clay loam, 30 to 50 percent slopes, eroded	highly erodible
EeC3	Eden silty clay, 6 to 12 percent slopes, severely eroded	highly erodible
EeE3	Eden silty clay, 12 to 30 percent slopes, severely eroded	highly erodible
EfE3	Eden flaggy clay, 20 to 30 percent slopes, severely eroded	highly erodible
Eff3	Eden flaggy clay, 30 to 50 percent slopes, severely eroded	highly erodible
EkB	Elk silt loam, 2 to 6 percent slopes	not highly erodible
EkC	Elk silt loam, 6 to 12 percent slopes	highly erodible
ErA	Elk silt loam, 0 to 2 percent slopes, rarely flooded	not highly erodible
ErB	Elk silt loam, 2 to 6 percent slopes, rarely flooded	not highly erodible
ErC	Elk silt loam, 6 to 12 percent slopes, rarely flooded	highly erodible
FaD	Fairmount silty clay loam, 6 to 20 percent slopes	highly erodible
FfE	Fairmount flaggy silty clay loam, 12 to 30 percent slopes	highly erodible
FmD3	Fairmount flaggy clay, 6 to 20 percent slopes, severely eroded	highly erodible
FmF3	Fairmount flaggy clay, 20 to 50 percent slopes, severely eroded	highly erodible
FwC2	Faywood silty clay loam, 6 to 12 percent slopes, eroded	highly erodible
FwD2	Faywood silty clay loam, 12 to 20 percent slopes, eroded	highly erodible
FyD3	Faywood silty clay, 6 to 20 percent slopes, severely eroded	highly erodible
Ga	Gullied land, acid shaly materials	highly erodible
Gc	Gullied land, calcareous shaly materials	highly erodible
HaB	Hagerstown silt loam, 2 to 6 percent slopes	not highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
 Nelson County, Kentucky: Detailed Soil Map Legend
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
HaC	Hagerstown silt loam, 6 to 12 percent slopes	highly erodible
HgD3	Hagerstown silty clay loam, 6 to 20 percent slopes, severely eroded	highly erodible
HuA	Huntington silt loam, 0 to 4 percent slopes	not highly erodible
HuC	Huntington silt loam, 4 to 12 percent slopes	highly erodible
Hv	Huntington silt loam, gravelly variant (sensabaugh)	not highly erodible
Lc	Lawrence silt loam	not highly erodible
Ld	Lindsay silt loam	not highly erodible
LwB	Lowell silt loam, 2 to 6 percent slopes	highly erodible
LwC2	Lowell silt loam, 6 to 12 percent slopes, eroded	highly erodible
LwD2	Lowell silt loam, 12 to 20 percent slopes, eroded	highly erodible
LyC3	Lowell silty clay loam, 6 to 12 percent slopes, severely eroded	highly erodible
LyD3	Lowell silty clay loam, 12 to 20 percent slopes, severely eroded	highly erodible
MkC	Markland silt loam, 2 to 12 percent slopes	highly erodible
MkD2	Markland silt loam, 12 to 20 percent slopes, eroded	highly erodible
MlC3	Markland silty clay, 6 to 12 percent slopes, severely eroded	highly erodible
MlD3	Markland silty clay, 12 to 20 percent slopes, severely eroded	highly erodible
Mr	McGary silt loam	not highly erodible
Mt	Melvin silt loam	not highly erodible
Ne	Newark silt loam	not highly erodible
NhB	Nicholson silt loam, 2 to 6 percent slopes	highly erodible
OtC	Otway silty clay loam, 6 to 12 percent slopes	highly erodible
OtE	Otway silty clay loam, 12 to 30 percent slopes	highly erodible
PbA	Pembroke silt loam, 0 to 2 percent slopes	not highly erodible
PbB	Pembroke silt loam, 2 to 6 percent slopes	not highly erodible
PbC	Pembroke silt loam, 6 to 12 percent slopes	highly erodible
PeC3	Pembroke silty clay loam, 6 to 12 percent slopes, severely eroded	highly erodible
Pt	Pits, quarries	
Rb	Robertsville silt loam	not highly erodible
RcD	Rockcastle silt loam, 12 to 20 percent slopes	highly erodible
RcF	Rockcastle silt loam, 20 to 50 percent slopes	highly erodible
RkE3	Rockcastle shaly silty clay, 12 to 30 percent slopes, severely eroded	highly erodible
RlF	Rockcastle-Weikert complex, 20 to 50 percent slopes	highly erodible
Ro	Rock land-Corydon complex (rock outcrop, corydon)	highly erodible
RuA	Russellville silt loam, 0 to 2 percent slopes (nicholson)	not highly erodible
RuB	Russellville silt loam, 2 to 6 percent slopes (nicholson)	highly erodible
ShB	Shelbyville silt loam, 2 to 6 percent slopes	not highly erodible
SoC	Shrouts-Otway complex, 6 to 12 percent slopes	highly erodible
SoE	Shrouts-Otway complex, 12 to 30 percent slopes	highly erodible
TlB	Tilsit silt loam, 2 to 6 percent slopes	highly erodible
TlC2	Tilsit silt loam, 6 to 12 percent slopes, eroded	highly erodible
TpB	Trappist silt loam, 2 to 6 percent slopes	highly erodible
TpB2	Trappist silt loam, 2 to 6 percent slopes, eroded	highly erodible
TpC	Trappist silt loam, 6 to 12 percent slopes	highly erodible
TpC2	Trappist silt loam, 6 to 12 percent slopes, eroded	highly erodible
TpD	Trappist silt loam, 12 to 20 percent slopes	highly erodible
TpD2	Trappist silt loam, 12 to 20 percent slopes, eroded	highly erodible
TrC3	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded	highly erodible
TrD3	Trappist silty clay loam, 12 to 20 percent slopes, severely eroded	highly erodible
TsB	Trimble cherty silt loam, 2 to 6 percent slopes	highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
 Nelson County, Kentucky: Detailed Soil Map Legend
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
TsC	Trimble cherty silt loam, 6 to 12 percent slopes	highly erodible
TsD	Trimble cherty silt loam, 12 to 20 percent slopes	highly erodible
TtD3	Trimble cherty silty clay loam, 12 to 20 percent slopes, severely eroded	highly erodible
W	Water	
WhB	Whitley silt loam, 2 to 6 percent slopes	highly erodible
WhC	Whitley silt loam, 6 to 12 percent slopes	highly erodible
WhD	Whitley silt loam, 12 to 20 percent slopes (wernock)	highly erodible
WoB	Woolper silty clay loam, 2 to 6 percent slopes	highly erodible
WoC	Woolper silty clay loam, 6 to 12 percent slopes	highly erodible
WoD2	Woolper silty clay loam, 12 to 20 percent slopes, eroded	highly erodible
ZaB	Zanesville silt loam, 2 to 6 percent slopes	highly erodible
ZaC2	Zanesville silt loam, 6 to 12 percent slopes, eroded	highly erodible