

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT  
 Oldham County, Kentucky: Detailed Soil Map Legend  
 (FOR OFFICE DETERMINATIONS ONLY)

Map Symbol	Soil Mapunit Name	HEL Classification
BeB	Beasley silt loam, 2 to 6 percent slopes	not highly erodible
BeC	Beasley silt loam, 6 to 12 percent slopes	highly erodible
BeD	Beasley silt loam, 12 to 20 percent slopes	highly erodible
BfC3	Beasley silty clay loam, 6 to 12 percent slopes, severely eroded	highly erodible
BfD3	Beasley silty clay loam, 12 to 20 percent slopes, severely eroded	highly erodible
BnF	Beasley-Caneyville rocky silt loams, 30 to 60 percent slopes	highly erodible
Bo	Boonesboro silt loam	not highly erodible
BsE	Brassfield-Beasley silt loams, 20 to 30 percent slopes	highly erodible
CaC	Caneyville silt loam, 6 to 12 percent slopes	highly erodible
CbD	Caneyville-Beasley rocky silt loams, 12 to 30 percent slopes	highly erodible
CrA	Crider silt loam, 0 to 2 percent slopes	not highly erodible
CrB	Crider silt loam, 2 to 6 percent slopes	not highly erodible
CrC	Crider silt loam, 6 to 12 percent slopes	highly erodible
CyF	Cynthiana-Faywood-Beasley complex, 30 to 60 percent slopes	highly erodible
DAM	Dam, large	
EkB	Elk silt loam, 2 to 6 percent slopes	not highly erodible
ErB	Elk silt loam, 2 to 6 percent slopes, rarely flooded	not highly erodible
FaC	Faywood silt loam, 6 to 12 percent slopes	highly erodible
FaD	Faywood silt loam, 12 to 30 percent slopes	highly erodible
FsD3	Faywood silty clay, 12 to 30 percent slopes, severely eroded	highly erodible
HaB	Hagerstown silt loam, 2 to 6 percent slopes	not highly erodible
HaC	Hagerstown silt loam, 6 to 12 percent slopes	highly erodible
HsC3	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded	highly erodible
Hu	Huntington silt loam	not highly erodible
La	Lawrence silt loam	not highly erodible
Ln	Lindside silt loam	not highly erodible
LoB	Lowell silt loam, 2 to 6 percent slopes	highly erodible
LoC	Lowell silt loam, 6 to 12 percent slopes	highly erodible
LsC3	Lowell silty clay loam, 6 to 12 percent slopes, severely eroded	highly erodible
Ne	Newark silt loam	not highly erodible
NhB	Nicholson silt loam, 2 to 6 percent slopes	highly erodible
NhC	Nicholson silt loam, 6 to 12 percent slopes	highly erodible
No	Nolin silt loam	not highly erodible
OtB	Otwell silt loam, 2 to 6 percent slopes	highly erodible
Pt	Pits	
W	Water	
We	Weinbach silt loam	not highly erodible
WhA	Wheeling silt loam, 0 to 2 percent slopes	not highly erodible
WhB	Wheeling silt loam, 2 to 6 percent slopes	not highly erodible
WhC	Wheeling silt loam, 6 to 12 percent slopes	highly erodible
WLD	Wheeling soils, 12 to 30 percent slopes	highly erodible
WoB	Woolper silty clay loam, 2 to 6 percent slopes	highly erodible
WoC	Woolper silty clay loam, 6 to 12 percent slopes	highly erodible