

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
ADC	ADILIS LOAM, 1 TO 5 PERCENT SLOPES								
		ADILIS	95	36-72	None	Somewhat limited	Very limited	Moderately rapid	Very low
ANB	ANTERO SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		ANTERO	95	18-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
BA	BADLAND								
		BADLAND	100	> 72	None	Very limited	Very limited	Very slow	Very high
BLB	BLANYON CLAY LOAM, 1 TO 3 PERCENT SLOPES								
		BLANYON	100	> 72	None	Very limited	Somewhat limited	Slow	High
BRF	BROSS GRAVELLY SANDY LOAM, 9 TO 45 PERCENT SLOPES								
		BROSS	100	> 72	None	Very limited	Very limited	Moderately rapid	Medium
CAE	CABIN GRAVELLY SANDY LOAM, 9 TO 25 PERCENT SLOPES								
		CABIN	100	> 72	None	Very limited	Very limited	Moderate	Medium
CHB	CHAFFEE LOAM 1 TO 3 PERCENT SLOPES								
		CHAFFEE	95	9-72	None	Very limited	Very limited	Moderately rapid	Very low
CLB	COLLEGIATE LOAM, 1 TO 3 PERCENT SLOPES								
		COLLEGIATE	95	30-72	None	Very limited	Very limited	Moderate	Low
COD	COSTILLA GRAVELLY SANDY LOAM, 3 TO 9 PERCENT SLOPES								
		COSTILLA	100	> 72	None	Not limited	Very limited	Moderately rapid	Low
CTD	COTOPAXI LOAMY SAND, 3 TO 9 PERCENT SLOPES								
		COTOPAXI	100	> 72	None	Not limited	Very limited	Rapid	Very low
DOD	DOMINSON GRAVELLY SANDY LOAM, 1 TO 9 PERCENT SLOPES								
		DOMINSON	100	> 72	None	Not limited	Very limited	Moderately rapid	Low
DOF	DOMINSON GRAVELLY SANDY LOAM, 9 TO 45 PERCENT SLOPES								
		DOMINSON	100	> 72	None	Very limited	Very limited	Moderately rapid	Medium
GCB	GAS CREEK GRAVELLY SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		GAS CREEK	95	6-72	None	Very limited	Very limited	Moderately rapid	Very low
GRE	GRANILE GRAVELLY SANDY LOAM, 3 TO 35 PERCENT SLOPES								
		GRANILE	100	> 72	None	Very limited	Very limited	Slow	High
GSD	GRANTS DALE FINE SANDY LOAM, 3 TO 9 PERCENT SLOPES								
		GRANTS DALE	100	> 72	None	Not limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
GV	GRAVELLY ALLUVIAL LAND								
		GRAVELLY ALLUVIAL LAND	100	> 72	None	Very limited	Very limited	Moderately rapid	Low
HAD	HAWKSELL SANDY LOAM, 5 TO 9 PERCENT SLOPES								
		HAWKSELL	100	> 72	None	Not limited	Very limited	Moderately rapid	Low
KEC	KEELDAR GRAVELLY SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		KEELDAR	100	> 72	None	Not limited	Very limited	Moderately rapid	Very low
LEE	LEADVILLE SANDY LOAM, 3 TO 35 PERCENT SLOPES								
		LEADVILLE	100	> 72	None	Very limited	Very limited	Moderately slow	High
MAB	MANHATTAN SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		MANHATTAN	100	> 72	None	Not limited	Very limited	Moderately rapid	Very low
MAD	MANHATTAN SANDY LOAM, 3 TO 9 PERCENT SLOPES								
		MANHATTAN	100	> 72	None	Not limited	Very limited	Moderately rapid	Low
MH	MARSH								
		MARSH	94	9-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
MP	MINE PITS AND DUMPS								
		DUMPS	55	> 72	None	Very limited	Very limited	Rapid	Low
		MINE PITS	35	> 72	None	Very limited	Very limited	NA	Not Rated
NFB	NEWFORK GRAVELLY SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		NEWFORK	95	6	Occasional	Very limited	Very limited	Moderately rapid	Very low
ORC	OURAY SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		OURAY	100	> 72	None	Not limited	Very limited	Moderately rapid	Very low
OUB	OURAY GRAVELLY LOAM, THICK SURFACE VARIANT, 1 TO 3 PERCENT SLOPES								
		OURAY, THICK SURFACE VARIANT	100	> 72	None	Not limited	Very limited	Moderately rapid	Very low
PAD	PANDO GRAVELLY SANDY LOAM, 3 TO 9 PERCENT SLOPES								
		PANDO	100	> 72	None	Not limited	Very limited	Moderately rapid	Low
PE	PEAT								
		PEAT	100	9-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
PGD	PIERIAN GRAVELLY SANDY LOAM, 3 TO 9 PERCENT SLOPES								
		PIERIAN	100	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
PLF	PIERIAN SOILS, 20 TO 45 PERCENT SLOPES								
		PIERIAN	60	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		PIERIAN	30	> 72	None	Very limited	Very limited	Moderately rapid	Medium
PN	PLACER DIGGINGS AND TAILINGS								
		PLACER DIGGINGS	50	> 72	None	Very limited	Very limited	Rapid	Low
		TAILINGS	50	> 72	None	Very limited	Very limited	Rapid	Low
POC	PONCHA GRAVELLY SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		PONCHA	100	> 72	None	Not limited	Very limited	Moderately rapid	Very low
RCF	ROCKLAND, 15 TO 60 PERCENT SLOPES								
		ROCKLAND	100	> 72	None	Very limited	Very limited	Very slow	Very high
RGE	ROCKLAND-GRAVELLY LAND COMPLEX, 3 TO 35 PERCENT SLOPES								
		ROCKLAND	65	> 72	None	Very limited	Very limited	Very slow	Very high
		GRAVELLY LAND	30	> 72	None	Very limited	Very limited	Slow	Very high
RKF	ROCKLAND-STECUM COMPLEX, 15 TO 60 PERCENT SLOPES								
		ROCKLAND	80	> 72	None	Very limited	Very limited	Very slow	Very high
		STECUM	20	> 72	None	Very limited	Very limited	Slow	High
RO	ROCK OUTCROP								
		ROCK OUTCROP	100	> 72	None	Very limited	Very limited	Very slow	Very high
RS	ROCK SLIDES								
		ROCK SLIDES	100	> 72	None	Very limited	Very limited	Very rapid	Low
RTC	ROSANE LOAM, 1 TO 5 PERCENT SLOPES								
		ROSANE	95	15-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
RU	ROUGH BROKEN LAND								
		ROUGH BROKEN LAND	100	> 72	None	Very limited	Very limited	Moderately rapid	Medium
RV	ROUGH BROKEN LAND, COLD								
		ROUGH BROKEN LAND, COLD	100	> 72	None	Very limited	Very limited	Moderately rapid	Medium
SEB	ST. ELMO GRAVELLY SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		ST. ELMO	100	> 72	None	Not limited	Very limited	Moderately rapid	Very low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
SED	ST. ELMO GRAVELLY SANDY LOAM, 3 TO 9 PERCENT SLOPES								
		ST. ELMO	100	> 72	None	Not limited	Very limited	Moderately rapid	Low
SEF	ST. ELMO GRAVELLY SANDY LOAM, 3 TO 9 PERCENT SLOPES								
		ST. ELMO	100	> 72	None	Very limited	Very limited	Moderately rapid	Medium
SSC	SAN ISABEL STONY SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		SAN ISABEL	100	> 72	None	Somewhat limited	Very limited	Moderately rapid	Very low
STC	SAWATCH SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		SAWATCH	100	6-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
SUD	SHRINE CLAY LOAM, 3 TO 9 PERCENT SLOPES								
		SHRINE	100	> 72	None	Not limited	Somewhat limited	Moderately slow	High
SW	SLICKENS								
		SLICKENS	100	12-72	None	Very limited	Very limited	Moderately slow	Medium
TGE	TIGIWON-TURRET COBBLY SANDY LOAMS, 3 TO 25 PERCENT SLOPES								
		TIGIWON	45	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		TURRET	35	> 72	None	Somewhat limited	Very limited	Moderate	Medium
TOE	TOMICHI SANDY LOAM, 5 TO 25 PERCENT SLOPES								
		TOMICHI	100	> 72	None	Very limited	Very limited	Moderately rapid	Low
TRE	TROUTVILLE GRAVELLY SANDY LOAM, 3 TO 35 PERCENT SLOPES								
		TROUTVILLE	100	> 72	None	Very limited	Very limited	Moderately rapid	Low
WA	WET ALLUVIAL LAND								
		WET ALLUVIAL LAND	40	27-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
		WET ALLUVIAL LAND	30	9-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
		WET ALLUVIAL LAND	25	12-72	Frequent	Very limited	Very limited	Rapid	Negligible