

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
1	Arents-Dumps, mine complex, 5 to 80 percent slopes								
		Arents	45	> 72	None	Very limited	Very limited	Moderately rapid	Low
		Dumps, mine	35	> 72	None	Not Rated	Not Rated	Rapid	Low
10	Grimstone-Hiwan-Rock outcrop complex, 30 to 60 percent slopes								
		Grimstone	35	> 72	None	Very limited	Very limited	Moderate	High
		Hiwan	30	> 72	None	Very limited	Very limited	Slow	Very high
		Rock outcrop	20	> 72	None	Not Rated	Not Rated	Very slow	Very high
11	Grimstone-Peeler-Rock outcrop complex, 15 to 30 percent slopes								
		Grimstone	40	> 72	None	Very limited	Very limited	Moderate	High
		Peeler	25	> 72	None	Very limited	Very limited	Moderate	High
		Rock outcrop	20	> 72	None	Not Rated	Not Rated	Very slow	Very high
12	Herbman gravelly sandy loam, 3 to 9 percent slopes								
		Herbman	70	> 72	None	Very limited	Very limited	Moderate	Medium
13	Herbman-Rock outcrop complex, 9 to 15 percent slopes								
		Herbman	70	> 72	None	Very limited	Very limited	Moderate	Medium
		Rock outcrop	15	> 72	None	Not Rated	Not Rated	Very slow	Very high
14	Herbman-Rock outcrop complex, 15 to 30 percent slopes								
		Herbman	70	> 72	None	Very limited	Very limited	Moderate	High
		Rock outcrop	15	> 72	None	Not Rated	Not Rated	Very slow	Very high
15	Hiwan-Rock outcrop-Bendemeere complex, 30 to 70 percent slopes								
		Hiwan	40	> 72	None	Very limited	Very limited	Slow	Very high
		Rock outcrop	30	> 72	None	Not Rated	Not Rated	Very slow	Very high
		Bendemeere	20	> 72	None	Very limited	Very limited	Moderately rapid	Medium
16	Ivywild-Legault-Rock outcrop complex, 30 to 60 percent slopes								
		Ivywild	40	> 72	None	Very limited	Very limited	Moderate	Medium
		Legault	35	> 72	None	Very limited	Very limited	Moderate	High
		Rock outcrop	15	> 72	None	Not Rated	Not Rated	Very slow	Very high
17	Ivywild-Mammoth-Legault complex, 30 to 60 percent slopes								
		Ivywild	40	> 72	None	Very limited	Very limited	Moderate	Medium
		Mammoth	25	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		Legault	20	> 72	None	Very limited	Very limited	Moderate	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
18	Kataka-Resort-Rock outcrop complex, 30 to 70 percent slopes								
		Kataka	40	> 72	None	Very limited	Very limited	Moderately slow	Very high
		Resort	25	> 72	None	Very limited	Very limited	Moderate	High
		Rock outcrop	15	> 72	None	Not Rated	Not Rated	Very slow	Very high
19	Kittredge-Guanella complex, 3 to 9 percent slopes								
		Kittredge	60	> 72	None	Not limited	Very limited	Moderately slow	Medium
		Guanella	25	> 72	None	Not limited	Very limited	Moderately rapid	Low
2	Bendemeere-Tolland complex, 30 to 70 percent slopes								
		Bendemeere	50	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		Tolland	35	> 72	None	Very limited	Very limited	Moderately rapid	Medium
20	Kittredge-Guanella complex, 9 to 30 percent slopes								
		Kittredge	45	> 72	None	Very limited	Very limited	Moderately slow	High
		Guanella	40	> 72	None	Very limited	Very limited	Moderately rapid	Medium
21	Legault very gravelly sandy loam, 5 to 15 percent slopes								
		Legault	80	> 72	None	Very limited	Very limited	Moderate	Medium
22	Legault very gravelly sandy loam, 15 to 30 percent slopes								
		Legault	75	> 72	None	Very limited	Very limited	Moderate	High
23	Legault-Rock outcrop complex, 30 to 80 percent slopes								
		Legault	70	> 72	None	Very limited	Very limited	Moderate	High
		Rock outcrop	20	> 72	None	Not Rated	Not Rated	Very slow	Very high
24	Lininger-Breece gravelly sandy loams, 3 to 12 percent slopes								
		Lininger	45	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		Breece	40	> 72	None	Not limited	Very limited	Moderately rapid	Low
25	Lininger-Resort complex, 5 to 15 percent slopes								
		Lininger	45	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		Resort	40	> 72	None	Very limited	Very limited	Moderate	Medium
26	Lininger-Trag gravelly sandy loams, 15 to 30 percent slopes								
		Lininger	50	> 72	None	Very limited	Very limited	Moderate	High
		Trag	35	> 72	None	Very limited	Very limited	Moderately slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
27	Lone Rock-Breece gravelly sandy loams, 2 to 9 percent slopes								
		Lone Rock	55	> 72	None	Not limited	Very limited	Moderately rapid	Low
		Breece	35	> 72	None	Not limited	Very limited	Moderately rapid	Low
28	Lone Rock-Breece gravelly sandy loams, 9 to 15 percent slopes								
		Lone Rock	55	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
		Breece	35	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
3	Breece gravelly sandy loam, 3 to 40 percent slopes								
		Breece	80	> 72	None	Very limited	Very limited	Moderately rapid	Medium
30	Mammoth-Ohman-Bendemeere complex, 15 to 30 percent slopes								
		Mammoth	40	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		Ohman	35	> 72	None	Very limited	Very limited	Moderate	Medium
		Bendemeere	20	> 72	None	Very limited	Very limited	Moderately rapid	Medium
31	Mammoth-Ohman-Bendemeere complex, 30 to 60 percent slopes								
		Mammoth	40	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		Ohman	35	> 72	None	Very limited	Very limited	Moderate	Medium
		Bendemeere	15	> 72	None	Very limited	Very limited	Moderately rapid	Medium
32	Mammoth-Ohman-Rock outcrop complex, 30 to 60 percent slopes								
		Mammoth	50	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		Ohman	25	> 72	None	Very limited	Very limited	Moderate	Medium
		Rock outcrop	15	> 72	None	Not Rated	Not Rated	Very slow	Very high
33	Ohman-Ivywild very gravelly sandy loams, 30 to 60 percent slopes								
		Ohman	45	> 72	None	Very limited	Very limited	Moderate	Medium
		Ivywild	35	> 72	None	Very limited	Very limited	Moderate	Medium
34	Ohman-Legault very gravelly sandy loams, 15 to 30 percent slopes								
		Ohman	55	> 72	None	Very limited	Very limited	Moderate	Medium
		Legault	35	> 72	None	Very limited	Very limited	Moderate	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
35	Ohman-Legault very gravelly sandy loams, 30 to 60 percent slopes								
		Ohman	50	> 72	None	Very limited	Very limited	Moderate	Medium
		Legault	45	> 72	None	Very limited	Very limited	Moderate	High
36	Pettingell-Rogert-Rock outcrop complex, 30 to 80 percent slopes								
		Pettingell	50	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		Rogert	20	> 72	None	Very limited	Very limited	Slow	Very high
		Rock outcrop	15	> 72	None	Not Rated	Not Rated	Very slow	Very high
37	Raleigh very gravelly sandy loam, 9 to 15 percent slopes								
		Raleigh	85	> 72	None	Very limited	Very limited	Moderate	Medium
38	Raleigh very gravelly sandy loam, 15 to 30 percent slopes								
		Raleigh	85	> 72	None	Very limited	Very limited	Moderate	High
39	Raleigh very gravelly sandy loam, 30 to 50 percent slopes								
		Raleigh	85	> 72	None	Very limited	Very limited	Moderate	High
4	Cathedral-Rock outcrop complex, 5 to 30 percent slopes								
		Cathedral	65	> 72	None	Very limited	Very limited	Slow	Very high
		Rock outcrop	20	> 72	None	Not Rated	Not Rated	Very slow	Very high
40	Raleigh-Rock outcrop complex, 50 to 70 percent slopes								
		Raleigh	60	> 72	None	Very limited	Very limited	Moderate	High
		Rock outcrop	20	> 72	None	Not Rated	Not Rated	Very slow	Very high
41	Redfeather-Legault complex, 30 to 70 percent slopes								
		Redfeather	45	> 72	None	Very limited	Very limited	Moderate	High
		Legault	30	> 72	None	Very limited	Very limited	Moderate	High
42	Redfeather-Legault-Tolvar complex, 12 to 30 percent slopes								
		Redfeather	40	> 72	None	Very limited	Very limited	Moderate	High
		Legault	25	> 72	None	Very limited	Very limited	Moderate	High
		Tolvar	20	> 72	None	Very limited	Very limited	Moderate	High
43	Resort very gravelly sandy loam, 3 to 10 percent slopes								
		Resort	80	> 72	None	Very limited	Very limited	Moderate	Medium
44	Resort very gravelly sandy loam, 10 to 30 percent slopes								
		Resort	80	> 72	None	Very limited	Very limited	Moderate	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
45	Resort very gravelly sandy loam, 15 to 30 percent south slopes								
		Resort	85	> 72	None	Very limited	Very limited	Moderate	High
46	Resort very stony sandy loam, 30 to 50 percent slopes								
		Resort	85	> 72	None	Very limited	Very limited	Moderate	High
47	Resort-Cathedral complex, 30 to 60 percent slopes								
		Resort	50	> 72	None	Very limited	Very limited	Moderate	High
		Cathedral	35	> 72	None	Very limited	Very limited	Slow	Very high
48	Resort-Cathedral-Rubble land complex, 30 to 60 percent slopes								
		Resort	35	> 72	None	Very limited	Very limited	Moderate	High
		Cathedral	30	> 72	None	Very limited	Very limited	Slow	Very high
		Rubble land	20	> 72	None	Very limited	Very limited	Rapid	Low
49	Rock outcrop, 30 to 100 percent slopes								
		Rock outcrop	85	> 72	None	Not Rated	Not Rated	Very slow	Very high
5	Cathedral-Rock outcrop complex, 30 to 70 percent slopes								
		Cathedral	65	> 72	None	Very limited	Very limited	Slow	Very high
		Rock outcrop	20	> 72	None	Not Rated	Not Rated	Very slow	Very high
50	Rock outcrop-Cathedral-Resort complex, 30 to 70 percent slopes								
		Rock outcrop	45	> 72	None	Not Rated	Not Rated	Very slow	Very high
		Cathedral	25	> 72	None	Very limited	Very limited	Slow	Very high
		Resort	20	> 72	None	Very limited	Very limited	Moderate	High
51	Rock outcrop-Resort complex, 30 to 80 percent slopes								
		Rock outcrop	45	> 72	None	Not Rated	Not Rated	Very slow	Very high
		Resort	30	> 72	None	Very limited	Very limited	Moderate	High
52	Rock outcrop-Rubble land-Cathedral complex, 15 to 40 percent slopes								
		Rock outcrop	40	> 72	None	Not Rated	Not Rated	Very slow	Very high
		Rubble land	20	> 72	None	Very limited	Very limited	Rapid	Low
		Cathedral	20	> 72	None	Very limited	Very limited	Slow	Very high
53	Rock outcrop-Rubble land-Cathedral complex, 40 to 100 percent slopes								
		Rock outcrop	40	> 72	None	Not Rated	Not Rated	Very slow	Very high
		Cathedral	20	> 72	None	Very limited	Very limited	Slow	Very high
		Rubble land	20	> 72	None	Very limited	Very limited	Rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
54	Rock outcrop-Tolland complex, 30 to 100 percent slopes								
		Rock outcrop	60	> 72	None	Not Rated	Not Rated	Very slow	Very high
		Tolland	30	> 72	None	Very limited	Very limited	Moderately rapid	Medium
55	Rogert-Herbman-Rock outcrop complex, 30 to 70 percent slopes								
		Rogert	45	> 72	None	Very limited	Very limited	Slow	Very high
		Herbman	30	> 72	None	Very limited	Very limited	Moderate	High
		Rock outcrop	15	> 72	None	Not Rated	Not Rated	Very slow	Very high
56	Tahana-Legault-Rock outcrop complex, 30 to 70 percent slopes								
		Tahana	40	> 72	None	Very limited	Very limited	Moderate	Medium
		Legault	30	> 72	None	Very limited	Very limited	Moderate	High
		Rock outcrop	25	> 72	None	Not Rated	Not Rated	Very slow	Very high
57	Tolland-Rock outcrop complex, 30 to 80 percent slopes								
		Tolland	45	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		Rock outcrop	25	> 72	None	Not Rated	Not Rated	Very slow	Very high
58	Tonahutu-Ohman complex, 30 to 60 percent slopes								
		Tonahutu	50	> 72	None	Very limited	Very limited	Moderate	Medium
		Ohman	35	> 72	None	Very limited	Very limited	Moderate	Medium
59	Trag gravelly sandy loam, 3 to 15 percent slopes								
		Trag	70	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
6	Cumulic Cryaquolls, 0 to 3 percent slopes								
		Cumulic Cryaquolls	85	12-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
60	Troutdale-Rogert-Kittredge complex, 3 to 15 percent slopes								
		Troutdale	40	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		Rogert	25	> 72	None	Very limited	Very limited	Slow	Very high
		Kittredge	20	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
61	Troutdale-Sprucedale gravelly sandy loams, 3 to 15 percent slopes								
		Troutdale	45	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		Sprucedale	40	> 72	None	Very limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
62	Typic Cryaquents-Cumulic Cryaquolls complex, 0 to 3 percent slopes								
		Typic Cryaquents	50	9-72	Frequent	Very limited	Very limited	Moderately slow	Low
		Cumulic Cryaquolls	45	12-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
63	Urban land-Breece complex, 0 to 9 percent slopes								
		Urban land	55	> 72	None	Not Rated	Not Rated	Slow	High
		Breece	35	> 72	None	Not limited	Very limited	Moderately rapid	Very low
64	Water								
		Water	95	> 72	Not Rated	Not Rated	Not Rated	NA	Not Rated
7	Gateview-Kittredge complex, 20 to 45 percent slopes								
		Gateview	50	> 72	Not Rated	Very limited	Very limited	Moderately rapid	Medium
		Kittredge	30	> 72	None	Very limited	Very limited	Moderately slow	High
8	Grimstone-Bullwark family complex, 9 to 30 percent slopes								
		Grimstone	45	> 72	None	Very limited	Very limited	Moderate	Medium
		Bullwark family	40	> 72	None	Very limited	Very limited	Moderately rapid	Low
9	Grimstone-Bullwark family complex, 30 to 60 percent slopes								
		Grimstone	45	> 72	None	Very limited	Very limited	Moderate	High
		Bullwark family	40	> 72	None	Very limited	Very limited	Moderately rapid	Medium