

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
101	APISHAPA CLAY LOAM, 0 TO 3 PERCENT SLOPES, RARELY PONDED								
		APISHAPA	90	0-6	None	Very limited	Very limited	Slow	Medium
102	ARVADA CLAY LOAM, 0 TO 5 PERCENT SLOPES								
		ARVADA	85	> 72	None	Very limited	Somewhat limited	Very slow	Medium
103	ASCALON SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		ASCALON	85	> 72	None	Not limited	Very limited	Moderate	Low
104	ASCALON SANDY LOAM, 3 TO 5 PERCENT SLOPES								
		ASCALON	85	> 72	None	Not limited	Very limited	Moderate	Low
105	ASCALON SANDY LOAM, 5 TO 9 PERCENT SLOPES								
		ASCALON	85	> 72	None	Not limited	Very limited	Moderate	Medium
106	ASCALON SANDY LOAM, DRY, 1 TO 3 PERCENT SLOPES								
		ASCALON	85	> 72	None	Not limited	Very limited	Moderate	Low
107	ASCALON SANDY LOAM, DRY, 3 TO 5 PERCENT SLOPES								
		ASCALON	85	> 72	None	Not limited	Very limited	Moderate	Low
108	ASCALON SANDY LOAM, DRY, 5 TO 9 PERCENT SLOPES								
		ASCALON	85	> 72	None	Not limited	Very limited	Moderate	Medium
109	ASCALON-HAXTUN COMPLEX, 0 TO 3 PERCENT SLOPES								
		ASCALON	55	> 72	None	Not limited	Very limited	Moderate	Low
		HAXTUN	30	> 72	None	Not limited	Very limited	Moderately slow	Low
110	ASCALON-HAXTUN COMPLEX, DRY, 0 TO 3 PERCENT SLOPES								
		ASCALON	55	> 72	None	Not limited	Very limited	Moderate	Low
		HAXTUN	30	> 72	None	Not limited	Very limited	Moderately slow	Low
111	BACID SILT LOAM, 0 TO 2 PERCENT SLOPES								
		BACID	85	> 72	None	Somewhat limited	Not limited	Moderately slow	Medium
112	BANKARD-GLENBERG COMPLEX, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED								
		BANKARD	55	> 72	Occasional	Very limited	Very limited	Rapid	Very low
		GLENBERG	30	> 72	Occasional	Very limited	Very limited	Moderately rapid	Very low
113	BIJOU LOAMY SAND, 1 TO 3 PERCENT SLOPES								
		BIJOU	90	> 72	None	Not limited	Very limited	Moderately rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
114	BIJOU LOAMY SAND, MOIST, 1 TO 3 PERCENT SLOPES								
		BIJOU	90	> 72	None	Not limited	Very limited	Moderately rapid	Low
115	BIJOU LOAMY SAND, MOIST, 3 TO 12 PERCENT SLOPES								
		BIJOU	90	> 72	None	Somewhat limited	Very limited	Moderately rapid	Medium
116	BLAKELAND LOAMY SAND, 3 TO 12 PERCENT SLOPES								
		BLAKELAND	85	> 72	None	Somewhat limited	Very limited	Rapid	Very low
117	BRESSER SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		BRESSER	85	> 72	None	Not limited	Very limited	Moderate	Low
118	CAMPO SILT LOAM, 0 TO 2 PERCENT SLOPES								
		CAMPO	85	> 72	None	Not limited	Not limited	Moderately slow	Medium
119	CANYON-ROCK OUTCROP COMPLEX, 5 TO 60 PERCENT SLOPES								
		CANYON	55	> 72	None	Very limited	Very limited	Moderately slow	High
		ROCK OUTCROP	35	> 72	None	Very limited	Very limited	Moderately slow	Very high
120	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES								
		COLBY	85	> 72	None	Not limited	Somewhat limited	Moderate	Low
121	COLBY SILT LOAM, 3 TO 12 PERCENT SLOPES								
		COLBY	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
122	COLBY-WELD SILT LOAMS, 1 TO 5 PERCENT SLOPES								
		COLBY	50	> 72	None	Not limited	Somewhat limited	Moderate	Low
		WELD	40	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
123	FIRSTVIEW LOAMY SAND, 0 TO 3 PERCENT SLOPES								
		FIRSTVIEW	85	> 72	None	Somewhat limited	Somewhat limited	Slow	Medium
124	FORT COLLINS LOAM, 1 TO 3 PERCENT SLOPES								
		FORT COLLINS	90	> 72	None	Not limited	Very limited	Moderate	Low
125	FORT COLLINS LOAM, 3 TO 5 PERCENT SLOPES								
		FORT COLLINS	85	> 72	None	Not limited	Very limited	Moderate	Low
126	FORT COLLINS-KARVAL COMPLEX, 5 TO 25 PERCENT SLOPES								
		FORT COLLINS	55	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		KARVAL	35	> 72	None	Very limited	Very limited	Rapid	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
127	FORT COLLINS-PLATNER LOAMS, 1 TO 5 PERCENT SLOPES								
		FORT COLLINS	50	> 72	None	Not limited	Very limited	Moderate	Low
		PLATNER	35	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
128	FORT COLLINS-RAZOR, MOIST, COMPLEX, 5 TO 15 PERCENT SLOPES								
		FORT COLLINS	50	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		RAZOR	40	> 72	None	Very limited	Very limited	Very slow	High
129	FORT LOAM, 1 TO 3 PERCENT SLOPES								
		FORT	85	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Low
130	FORT LOAM, 3 TO 5 PERCENT SLOPES								
		FORT	85	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Low
131	FORT-KARVAL COMPLEX, 5 TO 25 PERCENT SLOPES								
		FORT	55	> 72	None	Somewhat limited	Very limited	Moderately slow	High
		KARVAL	35	> 72	None	Very limited	Very limited	Rapid	Medium
132	FORT-RAZOR COMPLEX, 5 TO 15 PERCENT SLOPES								
		FORT	50	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
		RAZOR	40	> 72	None	Very limited	Very limited	Very slow	High
133	HAVERSID SILT LOAM, 0 TO 3 PERCENT SLOPES, RARELY FLOODED								
		HAVERSID	85	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Low
134	HAVERSON LOAM, 0 TO 3 PERCENT SLOPES, RARELY FLOODED								
		HAVERSON	85	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Low
135	HAXTUN LOAMY SAND, 0 TO 3 PERCENT SLOPES								
		HAXTUN	85	> 72	None	Not limited	Very limited	Moderately slow	Low
136	HAXTUN LOAMY SAND, DRY, 0 TO 3 PERCENT SLOPES								
		HAXTUN	85	> 72	None	Not limited	Very limited	Moderately slow	Low
137	HAXTUN, DRY-OLNEY LOAMY SANDS, 0 TO 3 PERCENT SLOPES								
		HAXTUN	55	> 72	None	Not limited	Very limited	Moderately slow	Low
		OLNEY	30	> 72	None	Not limited	Very limited	Moderate	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
138	HAXTUN-OLNEST LOAMY SANDS, 0 TO 3 PERCENT SLOPES								
		HAXTUN	55	> 72	None	Not limited	Very limited	Moderately slow	Low
		OLNEST	30	> 72	None	Not limited	Very limited	Moderate	Low
139	KEITH SILT LOAM, 1 TO 3 PERCENT SLOPES								
		KEITH	85	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
140	KEITH SILT LOAM, 3 TO 10 PERCENT SLOPES								
		KEITH	85	> 72	None	Not limited	Very limited	Moderately slow	Medium
141	KIM LOAM, 1 TO 3 PERCENT SLOPES								
		KIM	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
142	KIM LOAM, 3 TO 12 PERCENT SLOPES								
		KIM	90	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
143	KIMST LOAM, 1 TO 3 PERCENT SLOPES								
		KIMST	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
144	KIMST LOAM, 3 TO 12 PERCENT SLOPES								
		KIMST	90	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
145	LAS ANIMAS SANDY LOAM, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED								
		LAS ANIMAS	85	24-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
146	LIMON CLAY, 0 TO 3 PERCENT SLOPES, RARELY FLOODED								
		LIMON	85	> 72	Rare	Very limited	Somewhat limited	Slow	Medium
147	LIMON CLAY, MOIST, 0 TO 3 PERCENT SLOPES, RARELY FLOODED								
		LIMON	85	> 72	Rare	Very limited	Somewhat limited	Slow	Medium
148	MANZANOLA CLAY LOAM, 1 TO 5 PERCENT SLOPES								
		MANZANOLA	85	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
149	MANZANST CLAY LOAM, 0 TO 3 PERCENT SLOPES, RARELY FLOODED								
		MANZANST	90	> 72	Rare	Very limited	Somewhat limited	Very slow	Medium
150	MANZANST CLAY LOAM, 1 TO 5 PERCENT SLOPES								
		MANZANST	85	> 72	None	Somewhat limited	Somewhat limited	Very slow	Medium
151	MIDWAY CLAY LOAM, 1 TO 5 PERCENT SLOPES								
		MIDWAY	85	> 72	None	Very limited	Very limited	Very slow	Very high
152	MIDWAY CLAY LOAM, MOIST, 1 TO 5 PERCENT SLOPES								
		MIDWAY	85	> 72	None	Very limited	Very limited	Very slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
153	MIDWAY-RAZOR CLAY LOAMS, 5 TO 15 PERCENT SLOPES								
		MIDWAY	55	> 72	None	Very limited	Very limited	Very slow	Very high
		RAZOR	30	> 72	None	Very limited	Very limited	Very slow	High
154	MIDWAY-RAZOR CLAY LOAMS, MOIST, 5 TO 15 PERCENT SLOPES								
		MIDWAY	55	> 72	None	Very limited	Very limited	Very slow	Very high
		RAZOR	30	> 72	None	Very limited	Very limited	Very slow	High
155	MIDWAY-ROCK OUTCROP COMPLEX, 5 TO 40 PERCENT SLOPES								
		MIDWAY	55	> 72	None	Very limited	Very limited	Very slow	Very high
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Slow	Very high
156	MIDWAY-ROCK OUTCROP COMPLEX, MOIST, 5 TO 40 PERCENT SLOPES								
		MIDWAY	55	> 72	None	Very limited	Very limited	Very slow	Very high
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Slow	Very high
157	NUNN CLAY LOAM, 3 TO 5 PERCENT SLOPES								
		NUNN	85	> 72	None	Not limited	Very limited	Moderately slow	Medium
158	NUNN-SAMPSON, RARELY FLOODED, COMPLEX, 0 TO 3 PERCENT SLOPES								
		NUNN	55	> 72	None	Not limited	Very limited	Moderately slow	Medium
		SAMPSON	30	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Low
159	NUNN-SAMPSON, RARELY FLOODED, COMPLEX, DRY, 0 TO 3 PERCENT SLOPES								
		NUNN	50	> 72	None	Not limited	Very limited	Moderately slow	Medium
		SAMPSON	35	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Low
160	OLNEST LOAMY SAND, 1 TO 5 PERCENT SLOPES								
		OLNEST	85	> 72	None	Not limited	Very limited	Moderate	Low
161	OLNEST SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		OLNEST	85	> 72	None	Not limited	Very limited	Moderate	Low
162	OLNEST SANDY LOAM, 3 TO 5 PERCENT SLOPES								
		OLNEST	85	> 72	None	Not limited	Very limited	Moderate	Low
163	OLNEST SANDY LOAM, 5 TO 12 PERCENT SLOPES								
		OLNEST	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
164	OLNEY LOAMY SAND, 1 TO 5 PERCENT SLOPES								
		OLNEY	85	> 72	None	Not limited	Very limited	Moderate	Low
165	OLNEY SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		OLNEY	85	> 72	None	Not limited	Very limited	Moderate	Low
166	OLNEY SANDY LOAM, 3 TO 5 PERCENT SLOPES								
		OLNEY	85	> 72	None	Not limited	Very limited	Moderate	Low
167	OLNEY SANDY LOAM, 5 TO 12 PERCENT SLOPES								
		OLNEY	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
168	OLNEY-MIDWAY COMPLEX, 3 TO 12 PERCENT SLOPES								
		OLNEY	55	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		MIDWAY	30	> 72	None	Very limited	Very limited	Very slow	Very high
169	OTERO SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		OTERO	85	> 72	None	Not limited	Very limited	Moderately rapid	Low
170	OTERODRY FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		OTERODRY	85	> 72	None	Not limited	Very limited	Moderately rapid	Low
171	OTERODRY FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES								
		OTERODRY	85	> 72	None	Not limited	Very limited	Moderately rapid	Low
172	PLATNER LOAM, 0 TO 3 PERCENT SLOPES								
		PLATNER	85	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
173	PLATNER-ASCALON COMPLEX, 0 TO 3 PERCENT SLOPES								
		PLATNER	50	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
		ASCALON	35	> 72	None	Not limited	Very limited	Moderate	Low
174	PLEASANT LOAM, 0 TO 1 PERCENT SLOPES, RARELY PONDED								
		PLEASANT	90	0-72	None	Very limited	Very limited	Slow	Low
175	RAGO SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED								
		RAGO	90	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Medium
176	RAGO SILT LOAM, DRY, 0 TO 2 PERCENT SLOPES, RARELY FLOODED								
		RAGO	90	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Medium
177	RAZOR CLAY LOAM, 1 TO 5 PERCENT SLOPES								
		RAZOR	85	> 72	None	Very limited	Very limited	Very slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
178	RAZOR CLAY LOAM, MOIST, 1 TO 5 PERCENT SLOPES								
		RAZOR	85	> 72	None	Very limited	Very limited	Very slow	High
179	SAMPSON LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED								
		SAMPSON	90	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Low
180	SAMPSON LOAM, DRY, 0 TO 2 PERCENT SLOPES, RARELY FLOODED								
		SAMPSON	90	> 72	Rare	Very limited	Somewhat limited	Moderately slow	Low
181	SATANTA LOAM, 1 TO 3 PERCENT SLOPES								
		SATANTA	90	> 72	None	Not limited	Very limited	Moderately slow	Low
182	SATANTA LOAM, DRY, 1 TO 3 PERCENT SLOPES								
		SATANTA	90	> 72	None	Not limited	Very limited	Moderately slow	Low
183	SELDOM SANDY LOAM, 0 TO 3 PERCENT SLOPES, RARELY FLOODED								
		SELDOM	85	6-72	Rare	Very limited	Very limited	Moderately slow	Low
184	SHINGLE-MIDWAY COMPLEX, 1 TO 9 PERCENT SLOPES								
		SHINGLE	55	> 72	None	Very limited	Very limited	Slow	Very high
		MIDWAY	30	> 72	None	Very limited	Very limited	Very slow	Very high
185	SHINGLE-MIDWAY COMPLEX, MOIST, 1 TO 9 PERCENT SLOPES								
		SHINGLE	55	> 72	None	Very limited	Very limited	Slow	Very high
		MIDWAY	30	> 72	None	Very limited	Very limited	Very slow	Very high
186	SUNDANCE LOAMY SAND, 1 TO 3 PERCENT SLOPES								
		SUNDANCE	85	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Low
187	TABLE MOUNTAIN LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED								
		TABLE MOUNTAIN	85	> 72	Rare	Very limited	Somewhat limited	Moderate	Low
188	TRAVESSILLA-ROCK OUTCROP COMPLEX, 6 TO 60 PERCENT SLOPES								
		TRAVESSILLA	60	> 72	None	Very limited	Very limited	Moderately slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Moderately slow	Very high
189	TRUCKTON SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		TRUCKTON	85	> 72	None	Not limited	Very limited	Moderately rapid	Very low
190	TRUCKTON SANDY LOAM, 5 TO 9 PERCENT SLOPES								
		TRUCKTON	85	> 72	None	Not limited	Very limited	Moderately rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
191	TRUCKTON SANDY LOAM, DRY, 1 TO 5 PERCENT SLOPES								
		TRUCKTON	85	> 72	None	Not limited	Very limited	Moderately rapid	Very low
192	TRUCKTON SANDY LOAM, DRY, 5 TO 9 PERCENT SLOPES								
		TRUCKTON	85	> 72	None	Not limited	Very limited	Moderately rapid	Low
193	VALENT SAND, 3 TO 20 PERCENT SLOPES								
		VALENT	85	> 72	None	Somewhat limited	Very limited	Rapid	Low
194	VALENT-BIJOU COMPLEX, 1 TO 12 PERCENT SLOPES								
		VALENT	55	> 72	None	Not limited	Very limited	Rapid	Low
		BIJOU	30	> 72	None	Not limited	Very limited	Moderately rapid	Medium
195	VALENT-VONA COMPLEX, 3 TO 25 PERCENT SLOPES								
		VALENT	60	> 72	None	Somewhat limited	Very limited	Rapid	Medium
		VONA	30	> 72	None	Somewhat limited	Very limited	Moderately rapid	Medium
196	VALENT-VONID COMPLEX, 3 TO 25 PERCENT SLOPES								
		VALENT	55	> 72	None	Somewhat limited	Very limited	Rapid	Medium
		VONID	35	> 72	None	Somewhat limited	Very limited	Moderately rapid	Medium
197	VONA LOAMY SAND, 1 TO 9 PERCENT SLOPES								
		VONA	85	> 72	None	Not limited	Very limited	Moderately rapid	Low
198	VONA SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		VONA	85	> 72	None	Not limited	Very limited	Moderately rapid	Very low
199	VONA SANDY LOAM, 5 TO 12 PERCENT SLOPES								
		VONA	85	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
200	VONA-KARVAL-MIDWAY, MOIST, COMPLEX, 5 TO 25 PERCENT SLOPES								
		VONA	35	> 72	None	Somewhat limited	Very limited	Moderately rapid	Medium
		KARVAL	30	> 72	None	Very limited	Very limited	Rapid	Medium
		MIDWAY	20	> 72	None	Very limited	Very limited	Very slow	Very high
201	VONA-MIDWAY, MOIST, COMPLEX, 3 TO 12 PERCENT SLOPES								
		VONA	55	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
		MIDWAY	30	> 72	None	Very limited	Very limited	Very slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
202	VONA-SELDOM SANDY LOAMS, 3 TO 25 PERCENT SLOPES								
		VONA	60	> 72	None	Somewhat limited	Very limited	Moderately rapid	Medium
		SELDOM	20	6-72	None	Very limited	Very limited	Moderately slow	High
203	VONID LOAMY SAND, 1 TO 9 PERCENT SLOPES								
		VONID	85	> 72	None	Not limited	Very limited	Moderately rapid	Low
204	VONID SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		VONID	85	> 72	None	Not limited	Very limited	Moderately rapid	Very low
205	VONID SANDY LOAM, 5 TO 12 PERCENT SLOPES								
		VONID	85	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
206	VONID-KARVAL-MIDWAY COMPLEX, 5 TO 25 PERCENT SLOPES								
		VONID	35	> 72	None	Somewhat limited	Very limited	Moderately rapid	Medium
		KARVAL	30	> 72	None	Very limited	Very limited	Rapid	Medium
		MIDWAY	20	> 72	None	Very limited	Very limited	Very slow	Very high
207	VONID-MIDWAY COMPLEX, 3 TO 12 PERCENT SLOPES								
		VONID	55	> 72	None	Somewhat limited	Very limited	Moderately rapid	Low
		MIDWAY	30	> 72	None	Very limited	Very limited	Very slow	Very high
208	VONID-SELDOM SANDY LOAMS, 3 TO 25 PERCENT SLOPES								
		VONID	65	> 72	None	Somewhat limited	Very limited	Moderately rapid	Medium
		SELDOM	20	6-72	None	Very limited	Very limited	Moderately slow	High
209	WAGES LOAM, 2 TO 6 PERCENT SLOPES								
		WAGES	85	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
210	WAGES LOAM, 6 TO 12 PERCENT SLOPES								
		WAGES	85	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
211	WAGES LOAM, DRY, 1 TO 5 PERCENT SLOPES								
		WAGES	85	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
212	WAGES-KARVAL COMPLEX, 6 TO 15 PERCENT SLOPES								
		WAGES	60	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
		KARVAL	25	> 72	None	Somewhat limited	Very limited	Rapid	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
213	WELD SILT LOAM, 0 TO 2 PERCENT SLOPES								
		WELD	85	> 72	None	Not limited	Not limited	Moderately slow	Medium
214	WELD SILT LOAM, DRY, 0 TO 2 PERCENT SLOPES								
		WELD	85	> 72	None	Not limited	Not limited	Moderately slow	Medium
215	WILEY SILT LOAM, 0 TO 3 PERCENT SLOPES								
		WILEY	85	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
216	WILEY SILT LOAM, 3 TO 12 PERCENT SLOPES								
		WILEY	85	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
217	WILID SILT LOAM, 0 TO 3 PERCENT SLOPES								
		WILID	85	> 72	None	Not limited	Very limited	Moderate	Low
219	GRAVEL PITS								
		GRAVEL PITS	100	> 72	None	Not limited	Very limited	Rapid	Not Rated