

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
ANB	ANSELMO LOAMY FINE SAND, MARLY SUBSTRATUM VARIANT, 0 TO 3 PERCENT SLOPES								
		ANSELMO, MARLY SUBSTM VARIANT	85	> 72	None	Not limited	Very limited	Moderately slow	Low
ASB	ASCALON SANDY LOAM, 0 TO 3 PERCENT SLOPES								
		ASCALON	90	> 72	None	Not limited	Very limited	Moderate	Low
ASC	ASCALON SANDY LOAM, 3 TO 5 PERCENT SLOPES								
		ASCALON	90	> 72	None	Not limited	Very limited	Moderate	Low
ASD	ASCALON SANDY LOAM, 5 TO 9 PERCENT SLOPES								
		ASCALON	90	> 72	None	Not limited	Very limited	Moderate	Medium
BCC	BAYARD-CANYON COMPLEX, 3 TO 5 PERCENT SLOPES								
		BAYARD	70	> 72	None	Not limited	Very limited	Moderately rapid	Very low
		CANYON	20	> 72	None	Very limited	Very limited	Moderately slow	Medium
CCD	CANYON COMPLEX, 3 TO 9 PERCENT SLOPES								
		CANYON	95	> 72	None	Very limited	Very limited	Moderately slow	High
CDB	CHAPPELL AND DIX SANDY LOAMS, 0 TO 3 PERCENT SLOPES								
		CHAPPELL	60	> 72	None	Not limited	Very limited	Moderately rapid	Very low
		DIX	30	> 72	None	Not limited	Very limited	Moderately rapid	Very low
DA	DAWES LOAM								
		DAWES	85	> 72	None	Not limited	Very limited	Slow	High
DU	DUNDAY FINE SAND, 0 TO 3 PERCENT SLOPES								
		DUNDAY	90	> 72	None	Not limited	Very limited	Rapid	Negligible
HTB	HAXTUN LOAMY SAND, 0 TO 3 PERCENT SLOPES								
		HAXTUN	80	> 72	None	Not limited	Very limited	Moderate	Low
HTC	HAXTUN LOAMY SAND, 3 TO 5 PERCENT SLOPES								
		HAXTUN	85	> 72	None	Not limited	Very limited	Moderate	Low
HXB	HAXTUN SANDY LOAM, 0 TO 3 PERCENT SLOPES								
		HAXTUN	90	> 72	None	Not limited	Very limited	Moderate	Low
JUB	JULESBURG LOAMY SAND, 0 TO 3 PERCENT SLOPES								
		JULESBURG	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
JUC	JULESBURG LOAMY SAND, 3 TO 5 PERCENT SLOPES								
		JULESBURG	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
PAB	PLATNER LOAM, 0 TO 3 PERCENT SLOPES								
		PLATNER	90	> 72	None	Not limited	Very limited	Slow	High
PAC	PLATNER LOAM, 3 TO 5 PERCENT SLOPES								
		PLATNER	85	> 72	None	Not limited	Very limited	Slow	High
PEC	PLATNER-ECKLEY ASSOCIATION, 3 TO 5 PERCENT SLOPES								
		PLATNER	60	> 72	None	Not limited	Very limited	Slow	High
		ECKLEY	40	> 72	None	Not limited	Very limited	Moderate	Low
PS	PLEASANT LOAM								
		PLEASANT	85	> 72	None	Very limited	Somewhat limited	Slow	High
RA	RAGO AND KUMA LOAMS								
		RAGO	60	> 72	None	Somewhat limited	Somewhat limited	Slow	High
		KUMA	25	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
RCB	RICHFIELD LOAM, 0 TO 3 PERCENT SLOPES								
		RICHFIELD	85	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
RCC	RICHFIELD LOAM, 3 TO 5 PERCENT SLOPES								
		RICHFIELD	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
VAD	VALENTINE FINE SAND, ROLLING								
		VALENTINE	90	> 72	None	Somewhat limited	Very limited	Rapid	Very low
VAE	VALENTINE FINE SAND, HILLY								
		VALENTINE	85	> 72	None	Very limited	Very limited	Rapid	Low
WCB	WAGES-CAMPUS-WELD LOAMS, 0 TO 3 PERCENT SLOPES								
		WAGES	50	> 72	None	Not limited	Very limited	Moderate	Low
		CAMPUS	25	> 72	None	Very limited	Very limited	Very slow	High
		WELD	15	> 72	None	Not limited	Somewhat limited	Slow	High
WCC	WAGES-CAMPUS-WELD LOAMS, 3 TO 5 PERCENT SLOPES								
		WAGES	50	> 72	None	Not limited	Very limited	Moderate	Low
		CAMPUS	25	> 72	None	Very limited	Very limited	Very slow	High
		WELD	15	> 72	None	Not limited	Somewhat limited	Slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
WEE	WAGES-ECKLEY-DIX COMPLEX, 5 TO 25 PERCENT SLOPES								
		WAGES	60	> 72	None	Very limited	Very limited	Moderate	Medium
		ECKLEY	18	> 72	None	Very limited	Very limited	Moderate	Medium
		DIX	12	> 72	None	Very limited	Very limited	Moderately rapid	Low