

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Aa	ACACIO SANDY LOAM								
		ACACIO	100	> 72	None	Not limited	Very limited	Moderate	Low
Ac	ACASCO CLAY LOAM								
		ACASCO	100	18-72	None	Very limited	Very limited	Slow	High
Am	ALAMOSA LOAM								
		ALAMOSA	100	15-72	Frequent	Very limited	Very limited	Moderately slow	Medium
Ao	ALAMOSA LOAM, SALINE								
		ALAMOSA	100	15-72	Frequent	Very limited	Very limited	Moderately slow	Medium
Ar	ARENA LOAM								
		ARENA	100	18-72	Occasional	Very limited	Very limited	Slow	Medium
As	ARENA LOAM, DRAINED								
		ARENA	100	51-72	None	Somewhat limited	Somewhat limited	Slow	Medium
CrE	CELESTE-ROCK OUTCROP COMPLEX, 5 TO 25 PERCENT SLOPES								
		CELESTE	50	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	45	> 72	None	Very limited	Very limited	Very slow	Very high
De	DERRICK COBBLY LOAM								
		DERRICK	100	> 72	None	Somewhat limited	Very limited	Moderate	Low
Dn	DUNUL COBBLY SANDY LOAM								
		DUNUL	100	> 72	None	Somewhat limited	Very limited	Rapid	Negligible
EmE	EMBARGO VERY STONY LOAM, 10 TO 25 PERCENT SLOPES								
		EMBARGO	100	> 72	None	Very limited	Very limited	Slow	Very high
FrC	FULCHER COBBLY LOAM, 3 TO 10 PERCENT SLOPES								
		FULCHER	100	> 72	None	Somewhat limited	Very limited	Slow	Very high
GaB	GARITA COBBLY LOAM, 1 TO 3 PERCENT SLOPES								
		GARITA	100	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
GaE	GARITA COBBLY LOAM, 3 TO 25 PERCENT SLOPES								
		GARITA	100	> 72	None	Somewhat limited	Very limited	Moderate	Medium
Ge	GERRARD LOAM								
		GERRARD	100	15-72	Rare	Very limited	Very limited	Moderate	Low
Gp	GRAVEL PITS								
		GRAVEL PITS	100	> 72	None	Not limited	Very limited	Rapid	Negligible

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
Gr	GRAYPOINT GRAVELLY SANDY LOAM								
		GRAYPOINT	100	> 72	None	Not limited	Very limited	Moderate	Low
Gu	GUNBARREL LOAMY SAND								
		GUNBARREL	100	57-72	None	Somewhat limited	Very limited	Rapid	Negligible
Ho	HOOPER LOAMY SAND								
		HOOPER	100	60-72	None	Somewhat limited	Very limited	Very slow	Very high
Hp	HOOPER CLAY LOAM								
		HOOPER	100	60-72	None	Somewhat limited	Very limited	Very slow	Very high
Jo	JODERO LOAM								
		JODERO	100	> 72	None	Not limited	Somewhat limited	Moderate	Low
La	LANEY LOAM								
		LANEY	100	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
LuB	LUHON LOAM, 1 TO 3 PERCENT SLOPES								
		LUHON	100	> 72	None	Not limited	Somewhat limited	Moderate	Low
LuC	LUHON LOAM, 3 TO 6 PERCENT SLOPES								
		LUHON	100	> 72	None	Not limited	Somewhat limited	Moderate	Medium
Ma	MARSH								
		MARSH	100	27-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
Mh	MISHAK LOAM								
		MISHAK	100	18-72	None	Very limited	Very limited	Moderate	Low
MoA	MONTE LOAM, 0 TO 1 PERCENT SLOPES								
		MONTE	100	> 72	None	Not limited	Not limited	Moderate	Low
MoB	MONTE LOAM, 1 TO 3 PERCENT SLOPES								
		MONTE	100	> 72	None	Not limited	Not limited	Moderate	Low
Ms	MOSCA LOAMY SAND								
		MOSCA	100	30-72	None	Very limited	Very limited	Moderate	Low
No	NORTE GRAVELLY SANDY LOAM								
		NORTE	100	39-72	None	Somewhat limited	Very limited	Moderately rapid	Very low
Nr	NORTE-DUNUL COMPLEX								
		NORTE	41	39-72	None	Somewhat limited	Very limited	Moderately rapid	Very low
		DUNUL	39	> 72	None	Somewhat limited	Very limited	Moderately rapid	Very low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
PaA	PLATORO LOAM, 0 TO 1 PERCENT SLOPES								
		PLATORO	100	> 72	None	Not limited	Very limited	Moderately slow	Medium
PaB	PLATORO LOAM, 1 TO 3 PERCENT SLOPES								
		PLATORO	100	> 72	None	Not limited	Very limited	Moderately slow	Medium
Qa	QUAMON GRAVELLY SANDY LOAM								
		QUAMON	100	48-72	None	Somewhat limited	Very limited	Moderately rapid	Very low
Ro	ROCK OUTCROP								
		ROCK OUTCROP	100	> 72	None	Very limited	Very limited	Very slow	Very high
Sa	SAN ARCACIO SANDY LOAM								
		SAN ARCACIO	100	42-72	None	Somewhat limited	Very limited	Moderate	Low
Sb	SAN ARCACIO SANDY LOAM, SALINE								
		SAN ARCACIO	100	27-72	None	Very limited	Very limited	Moderate	Low
Sc	SAN ARCACIO LOAM								
		SAN ARCACIO	100	42-72	None	Somewhat limited	Very limited	Moderate	Low
Sd	SAN LUIS SANDY LOAM								
		SAN LUIS	100	33-72	None	Somewhat limited	Very limited	Moderately slow	Medium
Se	SAN LUIS SANDY LOAM, DRAINED								
		SAN LUIS	100	33-72	None	Somewhat limited	Very limited	Moderately slow	Medium
Sf	SAN LUIS-QUAMON COMPLEX								
		SAN LUIS	40	33-72	None	Somewhat limited	Very limited	Moderately slow	Medium
		QUAMON	30	48-72	None	Somewhat limited	Very limited	Moderately rapid	Very low
Sh	SCHRADER SANDY LOAM								
		SCHRADER	100	18-72	Frequent	Very limited	Very limited	Moderately rapid	Very low
SkF	SEITZ VERY STONEY LOAM, 20 TO 65 PERCENT SLOPES								
		SEITZ	100	> 72	None	Very limited	Very limited	Slow	Very high
SmA	SHAWA LOAM, 0 TO 1 PERCENT SLOPES								
		SHAWA	100	> 72	None	Not limited	Somewhat limited	Moderate	Low
SmB	SHAWA LOAM, 1 TO 3 PERCENT SLOPES								
		SHAWA	100	> 72	None	Not limited	Somewhat limited	Moderate	Low
SnB	STUNNER LOAM, 1 TO 3 PERCENT SLOPES								
		STUNNER	100	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
SnC	STUNNER LOAM, 3 TO 6 PERCENT SLOPES								
		STUNNER	100	> 72	None	Not limited	Somewhat limited	Moderately slow	High
Ta	TERRACE ESCARPMENTS								
		TERRACE ESCARPMENTS	100	> 72	None	Very limited	Very limited	Moderately rapid	Medium
TeE	TOLMAN-EMPEDRADO COMPLEX, 3 TO 25 PERCENT SLOPES								
		TOLMAN	45	> 72	None	Very limited	Very limited	Slow	Very high
		EMPEDRADO	40	> 72	None	Somewhat limited	Very limited	Moderate	Medium
To	TORSIDO CLAY LOAM								
		TORSIDO	100	18-72	None	Very limited	Very limited	Moderate	Low
TrE	TRAVELERS VERY STONY SANDY LOAM, 3 TO 25 PERCENT SLOPES								
		TRAVELERS	100	> 72	None	Very limited	Very limited	Slow	Very high
TsE	TRAVELERS-GARITA COMPLEX, 5 TO 25 PERCENT SLOPES								
		TRAVELERS	45	> 72	None	Very limited	Very limited	Slow	Very high
		GARITA	35	> 72	None	Very limited	Very limited	Moderate	Medium
Tt	TYPIC FLUVAQUENTS								
		TYPIC FLUVAQUENTS	100	18-72	Occasional	Very limited	Very limited	Moderate	Low
Tu	TYPIC TORRIFLUENTS								
		TYPIC TORRIFLUENTS	100	24-72	Occasional	Very limited	Very limited	Moderate	Low
Va	VASTINE LOAM								
		VASTINE	100	27-72	Frequent	Very limited	Very limited	Moderate	Low
Vg	VILLA GROVE SANDY CLAY LOAM								
		VILLA GROVE	100	> 72	None	Somewhat limited	Very limited	Moderately slow	Medium
Vh	VILLA GROVE SANDY CLAY LOAM, SALINE								
		VILLA GROVE	100	42-72	None	Somewhat limited	Very limited	Moderately slow	Medium
Zn	ZINZER LOAM								
		ZINZER	100	> 72	None	Not limited	Very limited	Moderate	Low
Zr	ZINZER LOAM, SALINE								
		ZINZER	100	36-72	None	Somewhat limited	Very limited	Moderate	Low