

| Map Unit Symbol | Map Unit Name  | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 1               | ACASCO CLAY LOAM   |                |                     |   |                             |   |                                |                    |              |
|                 |  | ACASCO         | 100                 | 18-72                                       | Rare                        | Very limited                                | Very limited                   | Slow               | High         |
| 10              | BUSHVALLEY-GELKIE-ROCK OUTCROP COMPLEX, 3 TO 65 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |  | BUSHVALLEY     | 45                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |  | GELKIE         | 30                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |
|                 |  | ROCK OUTCROP   | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 11              | BUSHVALLEY-TELLURA COMPLEX, 9 TO 65 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |  | BUSHVALLEY     | 45                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |  | TELLURA        | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 12              | COMODORE VERY STONY LOAM, 25 TO 65 PERCENT SLOPES              |                |                     |   |                             |   |                                |                    |              |
|                 |  | COMODORE       | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 13              | COMODORE-ROCK OUTCROP COMPLEX, 40 TO 65 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |  | COMODORE       | 55                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |  | ROCK OUTCROP   | 45                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 14              | CORLETT-HOOPER COMPLEX, 0 TO 15 PERCENT SLOPES                 |                |                     |   |                             |   |                                |                    |              |
|                 |  | CORLETT        | 65                  | 57-72                                       | None                        | Somewhat limited                            | Very limited                   | Rapid              | Very low     |
|                 |  | HOOPER         | 35                  | 60-72                                       | None                        | Somewhat limited                            | Very limited                   | Very slow          | Very high    |
| 15              | COSTILLA GRAVELLY LOAMY SAND, 0 TO 3 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |  | COSTILLA       | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Rapid              | Negligible   |
| 16              | COTOPAXI SAND, 2 TO 15 PERCENT SLOPES                          |                |                     |   |                             |   |                                |                    |              |
|                 |  | COTOPAXI       | 100                 | > 72  | None                        | Somewhat limited                            | Very limited                   | Rapid              | Very low     |
| 17              | CRESTVALE LOAM   |                |                     |   |                             |   |                                |                    |              |
|                 |  | CRESTVALE      | 100                 | 36-72                                       | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | Low          |
| 18              | CRYAQUOLLS AND HISTOSOLS, NEARLY LEVEL                         |                |                     |   |                             |   |                                |                    |              |
|                 |  | CRYAQUOLLS     | 60                  | 18-72                                       | Frequent                    | Very limited                                | Very limited                   | Rapid              | Negligible   |
|                 |  | HISTOSOLS      | 40                  | 9-72  | Frequent                    | Very limited                                | Very limited                   | Very rapid         | Negligible   |
| 19              | DECROSS LOAM, 1 TO 15 PERCENT SLOPES                           |                |                     |   |                             |   |                                |                    |              |
|                 |  | DECROSS        | 100                 | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 2               | ALAMOSA CLAY LOAM   |                |                     |   |                             |   |                                |                    |              |
|                 |   | ALAMOSA        | 100                 | 15-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderately slow    | Medium       |
| 20              | DERRICK VERY GRAVELLY LOAM, 0 TO 3 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |   | DERRICK        | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderate           | Low          |
| 21              | DES MOINES GRAVELLY CLAY LOAM, DRY, 0 TO 2 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | DES MOINES     | 100                 | > 72  | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
| 22              | DUNELAND  |                |                     |   |                             |   |                                |                    |              |
|                 |   | DUNELAND       | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Rapid              | Low          |
| 23              | DUNUL VERY GRAVELLY SANDY LOAM                            |                |                     |   |                             |   |                                |                    |              |
|                 |   | DUNUL          | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Very low     |
| 24              | GARITA GRAVELLY LOAM, 0 TO 3 PERCENT SLOPES               |                |                     |   |                             |   |                                |                    |              |
|                 |   | GARITA         | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Very low     |
| 25              | GARITA GRAVELLY LOAM, 3 TO 25 PERCENT SLOPES              |                |                     |   |                             |   |                                |                    |              |
|                 |   | GARITA         | 100                 | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Low          |
| 26              | GARITA-PLATORO COMPLEX, 1 TO 9 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | GARITA         | 55                  | > 72  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Low          |
|                 |   | PLATORO        | 40                  | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | High         |
| 27              | GELKIE LOAM, 3 TO 25 PERCENT SLOPES                       |                |                     |   |                             |   |                                |                    |              |
|                 |   | GELKIE         | 100                 | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately slow    | High         |
| 28              | GERRARD LOAM, 0 TO 3 PERCENT SLOPES                       |                |                     |   |                             |   |                                |                    |              |
|                 |   | GERRARD        | 100                 | 15-72                                       | Rare                        | Very limited                                | Very limited                   | Moderately slow    | Medium       |
| 29              | GRAYPOINT GRAVELLY SANDY LOAM, 0 TO 3 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |   | GRAYPOINT      | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderate           | Low          |
| 3               | ALAMOSA CLAY LOAM, SALINE                                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | ALAMOSA        | 100                 | 15-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderately slow    | Medium       |
| 30              | GUNBARREL LOAMY SAND                                      |                |                     |   |                             |   |                                |                    |              |
|                 |   | GUNBARREL      | 100                 | 57-72                                       | None                        | Somewhat limited                            | Very limited                   | Rapid              | Negligible   |
| 31              | GUNBARREL LOAMY SAND, SALINE                              |                |                     |   |                             |   |                                |                    |              |
|                 |   | GUNBARREL      | 100                 | 18-72                                       | None                        | Very limited                                | Very limited                   | Rapid              | Negligible   |
| 32              | HAGGA LOAM, DRY   |                |                     |   |                             |   |                                |                    |              |
|                 |   | HAGGA          | 100                 | 12-72                                       | Rare                        | Very limited                                | Very limited                   | Moderate           | Low          |

| Map Unit Symbol | Map Unit Name  | Component Name   | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 33              | HAPNEY CLAY LOAM   |                  |                     |   |                             |   |                                |                    |              |
|                 |  | HAPNEY           | 100                 | 54-72                                       | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
| 34              | HARLEM, DRY-SLICKSPOTS COMPLEX                               |                  |                     |   |                             |   |                                |                    |              |
|                 |  | HARLEM           | 70                  | 51-72                                       | Rare                        | Very limited                                | Somewhat limited               | Slow               | High         |
|                 |  | SLICKSPOTS       | 30                  | 57-72                                       | Rare                        | Very limited                                | Somewhat limited               | Very slow          | Very high    |
| 35              | HOOPER LOAMY SAND  |                  |                     |   |                             |   |                                |                    |              |
|                 |  | HOOPER           | 100                 | 60-72                                       | None                        | Somewhat limited                            | Very limited                   | Very slow          | Very high    |
| 36              | HOOPER CLAY LOAM   |                  |                     |   |                             |   |                                |                    |              |
|                 |  | HOOPER           | 100                 | 60-72                                       | None                        | Somewhat limited                            | Very limited                   | Very slow          | Very high    |
| 37              | HOPKINS-CHEADLE-ROCK OUTCROP COMPLEX, 3 TO 35 PERCENT SLOPES |                  |                     |   |                             |   |                                |                    |              |
|                 |  | HOPKINS          | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | Medium       |
|                 |  | CHEADLE          | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |  | ROCK OUTCROP     | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 38              | HUMIC CRYAQUEPTS, NEARLY LEVEL, ACID OVERWASH                |                  |                     |   |                             |   |                                |                    |              |
|                 |  | HUMIC CRYAQUEPTS | 100                 | 24-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderately slow    | Low          |
| 39              | JODERO LOAM, 0 TO 3 PERCENT SLOPES                           |                  |                     |   |                             |   |                                |                    |              |
|                 |  | JODERO           | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderate           | Low          |
| 4               | ARENA LOAM   |                  |                     |   |                             |   |                                |                    |              |
|                 |  | ARENA            | 100                 | 18-72                                       | Occasional                  | Very limited                                | Very limited                   | Slow               | Medium       |
| 40              | JODERO-LOLO, WET COMPLEX, 0 TO 6 PERCENT SLOPES              |                  |                     |   |                             |   |                                |                    |              |
|                 |  | JODERO           | 45                  | > 72  | Rare                        | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
|                 |  | LOLO             | 35                  | 24-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 41              | KERBER LOAMY SAND  |                  |                     |   |                             |   |                                |                    |              |
|                 |  | KERBER           | 100                 | 30-72                                       | None                        | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 42              | LANEY LOAM, 0 TO 3 PERCENT SLOPES                            |                  |                     |   |                             |   |                                |                    |              |
|                 |  | LANEY            | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 43              | LUHON LOAM, 0 TO 3 PERCENT SLOPES                            |                  |                     |   |                             |   |                                |                    |              |
|                 |  | LUHON            | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderate           | Low          |
| 44              | LUHON LOAM, 3 TO 6 PERCENT SLOPES                            |                  |                     |   |                             |   |                                |                    |              |
|                 |  | LUHON            | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderate           | Medium       |

| Map Unit Symbol | Map Unit Name                                       | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 45              | MCGINTY SANDY LOAM, 0 TO 3 PERCENT SLOPES           |                |                     |   |                             |   |                                |                    |              |
|                 |   | MCGINTY        | 100                 | 57-72                                       | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Very low     |
| 46              | MEDANO FINE SANDY LOAM                              |                |                     |   |                             |   |                                |                    |              |
|                 |   | MEDANO         | 100                 | 24-72                                       | Rare                        | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 47              | MEDANO-HAPNEY COMPLEX                               |                |                     |   |                             |   |                                |                    |              |
|                 |   | MEDANO         | 60                  | 24-72                                       | Rare                        | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
|                 |   | HAPNEY         | 30                  | 54-72                                       | None                        | Somewhat limited                            | Somewhat limited               | Slow               | High         |
| 48              | MONTE LOAM, 0 TO 3 PERCENT SLOPES                   |                |                     |   |                             |   |                                |                    |              |
|                 |   | MONTE          | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 49              | MORVAL CLAY LOAM, 3 TO 6 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | MORVAL         | 100                 | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | High         |
| 5               | BIEDELL CLAY LOAM                                   |                |                     |   |                             |   |                                |                    |              |
|                 |   | BIEDELL        | 100                 | 30-72                                       | Frequent                    | Very limited                                | Very limited                   | Slow               | High         |
| 50              | MOSCA LOAMY SAND, 0 TO 3 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | MOSCA          | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Rapid              | Negligible   |
| 51              | MOUNT HOME-SAGUACHE COMPLEX, 2 TO 25 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | MOUNT HOME     | 50                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately rapid   | Low          |
|                 |   | SAGUACHE       | 35                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Low          |
| 52              | NORTE GRAVELLY SANDY LOAM                           |                |                     |   |                             |   |                                |                    |              |
|                 |   | NORTE          | 100                 | 39-72                                       | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Very low     |
| 53              | OURAY-SABE, DRY COMPLEX, 9 TO 25 PERCENT SLOPES     |                |                     |   |                             |   |                                |                    |              |
|                 |   | OURAY          | 65                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Rapid              | Very low     |
|                 |   | SABE           | 35                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately rapid   | Medium       |
| 54              | PARLIN GRAVELLY LOAM, 3 TO 35 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |   | PARLIN         | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 55              | PLATORO LOAM, 0 TO 3 PERCENT SLOPES                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | PLATORO        | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 56              | PLATORO COBBLY LOAM, 3 TO 9 PERCENT SLOPES          |                |                     |   |                             |   |                                |                    |              |
|                 |   | PLATORO        | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | High         |

| Map Unit Symbol | Map Unit Name  | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 57              | ROCK OUTCROP, STEEP                                  |                |                     |   |                             |   |                                |                    |              |
|                 |  | ROCK OUTCROP   | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 58              | ROCK RIVER GRAVELLY LOAM, 3 TO 15 PERCENT SLOPES     |                |                     |   |                             |   |                                |                    |              |
|                 |  | ROCK RIVER     | 100                 | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderate           | Medium       |
| 59              | ROCK RIVER GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES    |                |                     |   |                             |   |                                |                    |              |
|                 |  | ROCK RIVER     | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | High         |
| 6               | BIG BLUE CLAY LOAM, 0 TO 3 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |  | BIG BLUE       | 100                 | 9-72  | Frequent                    | Very limited                                | Very limited                   | Slow               | High         |
| 60              | SAGUACHE GRAVELLY SANDY LOAM, 0 TO 1 PERCENT SLOPES  |                |                     |   |                             |   |                                |                    |              |
|                 |  | SAGUACHE       | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Very low     |
| 61              | SAGUACHE GRAVELLY SANDY LOAM, 3 TO 9 PERCENT SLOPES  |                |                     |   |                             |   |                                |                    |              |
|                 |  | SAGUACHE       | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Low          |
| 62              | SAN ARCACIO SANDY LOAM                               |                |                     |   |                             |   |                                |                    |              |
|                 |  | SAN ARCACIO    | 100                 | 42-72                                       | None                        | Somewhat limited                            | Very limited                   | Moderate           | Low          |
| 63              | SAN LUIS SANDY LOAM                                  |                |                     |   |                             |   |                                |                    |              |
|                 |  | SAN LUIS       | 100                 | 12-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 64              | SAN LUIS SANDY LOAM, DRAINED                         |                |                     |   |                             |   |                                |                    |              |
|                 |  | SAN LUIS       | 100                 | 33-72                                       | None                        | Somewhat limited                            | Very limited                   | Moderate           | Low          |
| 65              | SCHRADER SANDY LOAM, 0 TO 3 PERCENT SLOPES           |                |                     |   |                             |   |                                |                    |              |
|                 |  | SCHRADER       | 100                 | 18-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 66              | SEITZ VERY STONY LOAM, 15 TO 65 PERCENT SLOPES       |                |                     |   |                             |   |                                |                    |              |
|                 |  | SEITZ          | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 67              | SEITZ VERY STONY LOAM, WARM, 15 TO 65 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |  | SEITZ          | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 68              | SESSIONS LOAM, 9 TO 35 PERCENT SLOPES                |                |                     |   |                             |   |                                |                    |              |
|                 |  | SESSIONS       | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 69              | SHAWA LOAM, 0 TO 4 PERCENT SLOPES                    |                |                     |   |                             |   |                                |                    |              |
|                 |  | SHAWA          | 100                 | 60-72                                       | None                        | Somewhat limited                            | Somewhat limited               | Moderately slow    | Medium       |
| 7               | BIG BLUE-GERRARD COMPLEX, 0 TO 3 PERCENT SLOPES      |                |                     |   |                             |   |                                |                    |              |
|                 |  | BIG BLUE       | 50                  | 9-72  | Frequent                    | Very limited                                | Very limited                   | Slow               | High         |
|                 |  | GERRARD        | 40                  | 15-72                                       | Rare                        | Very limited                                | Very limited                   | Moderately slow    | Medium       |

| Map Unit Symbol | Map Unit Name  | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 70              | SPACE CITY LOAMY SAND, 0 TO 6 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |  | SPACE CITY     | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Rapid              | Negligible   |
| 71              | SPACE CITY LOAMY SAND, SALINE, 0 TO 3 PERCENT SLOPES     |                |                     |   |                             |   |                                |                    |              |
|                 |  | SPACE CITY     | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Rapid              | Negligible   |
| 72              | SPACE CITY-HOOPER COMPLEX, 0 TO 15 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |  | SPACE CITY     | 60                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Rapid              | Very low     |
|                 |  | HOOPER         | 40                  | 60-72                                       | None                        | Somewhat limited                            | Very limited                   | Very slow          | Very high    |
| 73              | TOLMAN, DRY-ROCK OUTCROP COMPLEX, 9 TO 65 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |  | TOLMAN         | 65                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
|                 |  | ROCK OUTCROP   | 20                  | > 72  | None                        | Very limited                                | Very limited                   | Very slow          | Very high    |
| 74              | TORSIDO LOAM, 0 TO 1 PERCENT SLOPES                      |                |                     |   |                             |   |                                |                    |              |
|                 |  | TORSIDO        | 100                 | 18-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 75              | TORSIDO-GERRARD COMPLEX, 0 TO 3 PERCENT SLOPES           |                |                     |   |                             |   |                                |                    |              |
|                 |  | TORSIDO        | 60                  | 18-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |
|                 |  | GERRARD        | 30                  | 15-72                                       | Rare                        | Very limited                                | Very limited                   | Moderately slow    | Medium       |
| 76              | TRAVELERS VERY STONY LOAM, 3 TO 35 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |  | TRAVELERS      | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 77              | TRAVELERS-GARITA COMPLEX, 6 TO 35 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |  | TRAVELERS      | 55                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |  | GARITA         | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Moderately rapid   | Medium       |
| 78              | URACCA VERY COBBLY LOAM, 15 TO 45 PERCENT SLOPES         |                |                     |   |                             |   |                                |                    |              |
|                 |  | URACCA         | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Moderately slow    | Very high    |
| 79              | VASTINE LOAM   |                |                     |   |                             |   |                                |                    |              |
|                 |  | VASTINE        | 100                 | 27-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderate           | Low          |
| 8               | BIG BLUE-HAGGA, DRY COMPLEX                              |                |                     |   |                             |   |                                |                    |              |
|                 |  | BIG BLUE       | 45                  | 9-72  | Frequent                    | Very limited                                | Very limited                   | Slow               | High         |
|                 |  | HAGGA          | 44                  | 12-72                                       | Rare                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 80              | VASTINE LOAM, ALKALI                                     |                |                     |   |                             |   |                                |                    |              |
|                 |  | VASTINE        | 100                 | 33-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderate           | Low          |

| Map Unit Symbol | Map Unit Name                                  | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 81              | VILLA GROVE SANDY CLAY LOAM                    |                |                     |   |                             |   |                                |                    |              |
|                 |  | VILLA GROVE    | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 82              | WATER  |                |                     |   |                             |   |                                |                    |              |
|                 |  | WATER          | 95                  | > 72  | Not Rated                   | Very limited                                | Very limited                   | Very slow          | High         |
| 9               | BUSHVALLEY COBBLY LOAM, 3 TO 45 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |  | BUSHVALLEY     | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |