McKEAN

- HIGHLY ERODIBLE LAND CLASSES -
1 = HIGHLY ERODIBLE LAND
2 = POTENTIALLY HIGHLY ERODIBLE
3 = NOT HIGHLY ERODIBLE ! WIND EROSIION !

HIGHLY ERODIBLE AND
POTENTIALLY HIGHLY ERODIBLE
LAND CACULATOR VER 1.1

MUID	MAP SYMBOL	SOIL NAME	*	%	C VALUE	I VALUE	HEL CLASS	R VALUE	K VALUE	T VALUE	WATER EROSION SLOPE-MIN.	PERCEN SLOPE-MAX.	LENGTH MIN.	LENGTH MAX.	LS-MIN.	VALUE MAX.	8T/RK	HE CLA
********	******	**********	*	***	*****	******	*****	******	******	*****	******	*****	******	******	*****	*****	*****	**
083ABB	ABB	ALBRIGHTS	1	100	0.8			100	0.32	3	3	8	100	400	0.287	1.982	0.750	2
083ABC	ABC	ALBRIGHTS	1	100	0.8			100	0.32	3	8	15	100	400	0.991	5.119	0.750	1
083ADC	ADC	ALBRIGHTS	1	100	0.8			100	0.24	3	8	15	100	400	0.991	5.119	1.000	2
083AT	AT	ATKINS	1	100	0.8			100	0.32	4	0	3	100	400	0.069	0.435	1.000	3
083BA	BA	BARBOUR	1	100	0.8			100	0.32	5	0	3	100	400	0.069	0.435	1.250	3
083BB	BB	BASHER	1	100	0.8			100	0.32	5	0	3	100	400	0.069	0.435	1.250	3
083BEB	BEB	BRACEVILLE	1	100	0.8			100	0.24	3	3	8	100	400	0.287	1.982	1.000	2
083BRA	BRA	BRINKERTON	1	100	0.8			100	0.32	3	0	3	100	400	0.069	0.435	0.750	3
083BRB	BRB	BRINKERTON	1	100	0.8			100	0.32	3	3	8	100	400	0.287	1.982	0.750	2
083BSB	BSB	BRINKERTON	1	100	0.8			100	0.24	3	0	8	100	400	0.069	1.982	1.000	2
083BUB	BUB	BUCHANAN	1	100	0.8			100	0.32	3	3	8	100	400	0.287	1.982	0.750	2
083BUC	BUC	BUCHANAN	1	100	0.8			100	0.32	3	8	15	100	400	0.991	5.119	0.750	1
083BXB	BXB	BUCHANAN	1	100	0.8			100	0.24	3	0	8	100	400	0.069	1.982	1.000	2
083BXD	BXD	BUCHANAN	1	100	0.8			100	0.24	3	8	25	100	400	0.991	11.780	1.000	2
083CAA	CAA	CAVODE	1	100	0.8			100	0.37	3	0	3	100	400	0.069	0.435	0.649	3
083CAB	CAB	CAVODE	1	100	0.8			100	0.37	3	3	8	100	400	0.287	1.982	0.649	2
083CHB	CHB	CHENANGO	1	100	0.8			100	0.24	3	3	8	100	400	0.287	1.982	1.000	2
083CLB	CLB	CLYMER	1	100	0.8			100	0.24	3	3	8	100	400	0.287	1.982	1.000	2
083COA	COA	COOKPORT	1	100	0.8			100	0.32	3	0	3	100	400	0.069	0.435	0.750	3
083COB	COB	COOKPORT	1	100	0.8			100	0.32	3	3	8	100	400	0.287	1.982	0.750	2
083COC	COC	COOKPORT	1	100	0.8			100	0.32	3	8	15	100	400	0.991	5.119	0.750	1
083CPB	CPB	COOKPORT	1	100	0.8			100	0.24	3	0	8	100	400	0.069	1.982	1.000	2
083CPD	CPD	COOKPORT	1	100	0.8			100	0.24	3	8	25	100	400	0.991	11.780	1.000	2
083HAB	HAB	HARTLETON	1	100	0.8			100	0.2	3	3	8	100	400	0.287	1.982	1.200	2
083HAC	HAC	HARTLETON	1	100	0.8			100	0.2	3	8	15	100	400	0.991	5.119	1.200	2
083HAD	HAD	HARTLETON	1	100	0.8			100	0.2	3	15	25	100	400	2.559	11.780	1.200	1
083HAF	HAF	HARTLETON	1	55	0.8			100	0.2	3	25	60	100	400	5.890	46.301	1.200	1
083HAF	HAF	BUCHANAN	2	35	0.8			100	0.32	3	25	60	100	400	5.890	46.301	0.750	1
083HBB	HBB	HAZLETON	1	100	0.8			100	0.17	3	3	8	100	400	0.287	1.982	1.412	2
083HBC	HBC	HAZLETON	1	100	0.8			100	0.17	3	8	15	100	400	0.991	5.119	1.412	2
083HDB	HDB	HAZLETON	1	100	0.8			100	0.15	3	0	8	100	400	0.069	1.982	1.600	2
083HDD	HDD	HAZLETON	1	100	0.8			100	0.15	3	8	25	100	400	0.991	11.780	1.600	2
083LEB	LEB	LECK KILL	1	100	0.8			100	0.24	3	3	8	100	400	0.287	1.982	1.000	2
083LEC	LEC	LECK KILL	1	100	0.8			100	0.24	3	8	15	100	400	0.991	5.119	1.000	2
083LED	LED	LECK KILL	1	100	0.8			100	0.24	3	15	25	100	400	2.559	11.780	1.000	1
083LEF	LEF	LECK KILL	1	100	0.8			100	0.24	3	25	50	100	400	5.890	35.646	1.000	1
083MED	MED	MECKESVILLE	1	100	0.8			100	0.28	4	15	25	100	400	2.559	11.780	1.143	1
083PA	PA	PALMS	1	100	0.8		134	100		2	0	3	100	400	0.069	0.435	ERROR	ERRO
083PH	PH	PHILO	1	100	0.8			100	0.37	5	0	3	100	400	0.069	0.435	1.081	3
083PO	PO	POPE	1	100	0.8			100	0.37	5	0	3	100	400	0.069	0.435	1.081	3
083REA	REA	REXFORD	1	100	0.8			100	0.24	3	0	3	100	400	0.069	0.435	1.000	3
083SM	SM	UDORTHENTS	1	100	0.8			100					100	400	ERROR	ERROR	ERROR	ERRO
083WAB	WAB	WHARTON	1	100	0.8			100	0.37	3	3	8	100	400	0.287	1.982	0.649	2