

**NATURAL RESOURCES CONSERVATION SERVICE  
CONSERVATION PRACTICE STANDARD  
CONNECTICUT**

**FILTER STRIP**

(Ac.)

**CODE 393**

**DEFINITION**

A strip or area of herbaceous vegetation that removes contaminants from overland flow.

**PURPOSE**

- Reduce suspended solids and associated contaminants in runoff.
- Reduce dissolved contaminant loadings in runoff.
- Reduce suspended solids and associated contaminants in irrigation tailwater.

**CONDITIONS WHERE PRACTICE APPLIES**

Filter strips are established where environmentally-sensitive areas need to be protected from sediment; other suspended solids, and dissolved contaminants in runoff.

This practice applies when planned as part of a conservation management system.

On agricultural land, this practice applies when planned as a component of a conservation management system where soil loss is less than or equal to 2T and where a nutrient management plan and/or an integrated pest management (IPM) plan or wildlife habitat management plan has been implemented.

On areas situated below cropland, grazing land, or disturbed land (including forest land) where an assessment indicates that sediment, total suspended solids, particulate organic matter, and/or sediment-adsorbed contaminants may leave these areas and enter environmentally sensitive areas.

Overland flow entering the filter strip shall be

uniform sheet flow.

Concentrated flow shall be dispersed before it enters the filter strip.

The maximum gradient along the leading edge of the filter strip shall not exceed one-half of the up-and-down hill slope percent, immediately upslope from the filter strip, up to a maximum of 5%.

State-listed noxious plants will not be established in the filter strip. Filter strips shall not be used as a travel lane for equipment or livestock.

**CRITERIA**

**General Criteria Applicable to All Purposes**

**Laws and Regulations.** All Federal, state, and local laws, rules, and regulations, including local inland wetland agency regulations, governing the construction and use of this practice as well as setbacks from wells, surface water and property boundaries shall be followed. Planned work shall comply with all federal, state, and local laws and permit conditions and requirements. **The landowner shall obtain all necessary permits prior to construction or any land clearing activities.**

Filter strips shall be designated as vegetated areas to treat runoff and are not part of the adjacent cropland rotation.

Filter strips shall not be used as a travel lane for equipment or livestock.

Overland flow entering the filter strip shall be primarily sheet flow. Concentrated flow shall be dispersed.

Vegetative requirements shall be determined

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resources Conservation Service Connecticut State Office (<http://www.ct.nrcs.usda.gov>), or download it from the Connecticut electronic Field Office Technical Guide (eFOTG) <http://www.nrcs.usda.gov/technical/efotg/>

**NRCS, CT  
February, 2011**

using Connecticut NRCS Standard 327, Conservation Cover.

Federally-listed noxious weeds and state-listed non-native, invasive plants shall not be established in the filter strip. Federally-listed noxious weeds shall be controlled if present.

If state-listed non-native, invasive plants are present, an assessment of the pros and cons of control will be made and acted upon.

The maximum gradient along the leading edge of the filter strip shall not exceed one-half of the up-and-down hill slope percent, immediately upslope from the filter strip, up to a maximum of 5%.

**Additional Criteria to Reduce Suspended Solids and Associated Contaminants in Runoff**

The filter strip will be designed to have a 10-year life span, following the procedure in the Agronomy Technical Note No. 2 (Using RUSLE2 for the Design and Predicted Effectiveness of Vegetative Filter Strips (VFS) for Sediment), based on the sediment delivery in RUSLE2 to the upper edge of the filter strip and ratio of the filter strip flow length to the length of the flow path from the contributing area. The minimum flow length through the filter strip shall be 20 feet.

The filter strip shall be located immediately down slope from the source area of contaminants.

The drainage area above the filter strip shall have a slope of 1% or greater.

**Vegetation.** The filter strip shall be established to permanent herbaceous vegetation

Species selected shall be:

- able to withstand partial burial from sediment deposition and
- tolerant of herbicides used on the area that contributes runoff to the filter strip.

Species selected shall have stiff stems and a high stem density near the ground surface.

Species selected for seeding or planting shall be suited to current site conditions and intended uses. Selected species will have the capacity to achieve adequate density and vigor within an appropriate period to stabilize the site

sufficiently to permit suited uses with ordinary management activities.

Species, rates of seeding or planting, minimum quality of planting stock, such as PLS or stem caliper, and method of establishment shall be specified before application. Only viable, high quality seed or planting stock will be used.

Site preparation and seeding or planting shall be done at a time and in a manner that best ensures survival and growth of the selected species. What constitutes successful establishment, e.g. minimum percent ground/canopy cover, percent survival, stand density, etc. shall be specified before application.

Planting dates shall be scheduled during periods when soil moisture is adequate for germination and/or establishment.

The minimum seeding and stem density shall be equivalent to a high quality grass hay seeding rate for the climate area or the density of vegetation selected in RUSLE2 to determine trapping efficiency, whichever is the higher seeding rate.

**Additional Criteria to Reduce Dissolved Contaminants in Runoff**

The criteria given in “**Additional criteria to reduce suspended solids and associated contaminants in runoff**” for location, drainage area and vegetation characteristics also apply to this purpose.

The minimum flow length for this purpose shall be 30 feet.

**Additional Criteria to Reduce Suspended Solids and Associated Contaminants in Irrigation Tailwater**

Filter strip vegetation shall be a small grain or other suitable annual plant

The seeding rate shall be sufficient to ensure that the plant spacing does not exceed 4 inches.

Filter strips shall be established early enough prior to the irrigation season so that the vegetation is mature enough to filter sediment from the first irrigation.

The minimum flow length for this purpose shall be 20 feet.

## CONSIDERATIONS

### **General.**

Use Connecticut NRCS Standard 386, Field Border to protect filter strips and/or accommodate harvest and maintenance equipment or for the purpose of creating or maintaining wildlife/beneficial insect habitat.

To avoid damage to the filter strip consider establishing a field border with vegetation that is somewhat tolerant to herbicides used in the upslope crop rotation or in the vicinity of the practice.

Increasing the width of the filter strip will increase the potential for capturing particulates.

Filter strip width (flow length) can be increased as necessary to accommodate harvest and maintenance equipment.

Filters strips with the leading edge on the contour will function better than those with a gradient along the leading edge.

Seeding rates that establish a higher stem density than the normal density for a high quality grass hay crop will be more effective in trapping and treating contaminants.

Increasing the width of filter strip will increase the potential for carbon sequestration.

### **Reducing Suspended Solids and Associated Contaminants in Runoff.**

Increasing the width of the filter strip beyond the minimum required will increase the potential for capturing contaminants in runoff.

### **Creating, Restoring or Enhancing Herbaceous Habitat for Wildlife and Beneficial Insects and Pollinators.**

Filter strips are often the only break in the monotony of intensively-cropped areas. The wildlife and pollinator benefits of this herbaceous cover can be enhanced by:

- Increasing the width beyond the minimum required, and planting this additional area to species that can provide food and cover for wildlife and pollinators. This additional width should be added on the down slope side of the filter strip.
- Adding herbaceous plant species to the filter strip seeding mix that are beneficial to wildlife and pollinators and be compatible for one of the listed purposes. Changing the seeding mix should not detract from

the purpose for which the filter strip was established.

### **Maintain or Enhance Watershed Functions and Values.**

Filter strips can:

- enhance connectivity of corridors and non-cultivated patches of vegetation within the watershed.
- enhance the aesthetics of a watershed.
- be strategically located to reduce runoff, and increase infiltration and ground water recharge throughout the watershed.

**Air Quality.** Increasing the width of a filter strip beyond the minimum required will increase the potential for carbon sequestration.

## PLANS AND SPECIFICATIONS

To the extent practical, specifications shall conform to NRCS National Engineering Handbook Parts 642.

A plan includes information about the location, construction sequence, vegetation establishment, and management and maintenance requirements.

Specifications shall include:

- a) Length, width, and slope of the filter strip to accomplish the planned purpose (length refers to flow length across the filter strip).
- b) Species selection and seeding or sprigging rates to accomplish the planned purpose
- c) Planting dates, care and handling of the seed to ensure that planted materials have an acceptable rate of survival
- d) A statement that only viable, high quality and regionally adapted seed will be used
- e) Site preparation sufficient to establish and grow selected species

## OPERATION AND MAINTENANCE

An operation and maintenance (O&M) plan for the vegetated filter area shall be prepared and signed by the owner/operator. Copies of the O&M plan shall be provided to the owner/operator.

The following items shall be addressed:

Grazing of the filter strip is prohibited.

Ensure that a dense vigorous vegetative stand is established prior to introducing runoff.

Remove or incorporate accumulated sediments, organic solids, or debris.

Repair any gullies that have formed, remove unevenly deposited sediment accumulation that will disrupt sheet flow, reseed disturbed areas, and take other measures to prevent concentrated flow through the filter strip.

Repair any erosion rills, channels, berms, or trenches to restore sheet flow.

Harvest vegetation as appropriate, to encourage dense growth, promote an upright growth habit, and remove nutrients and other contaminants that are contained in the plant tissue.

Control undesired weed species; especially federally-listed noxious weeds and state listed non-native invasive plants.

Remove sediment accumulations, especially at the filter strip-field interface, regrade, and re-establish the filter strip vegetation, if needed to maintain or restore the filter strip's function.

Apply supplemental nutrients as recommended by a soil test to maintain the desired species composition and stand density of the filter strip.

If prescribed burning is used to manage and maintain the filter strip, an approved burn plan must be developed.

Inspect the filter strip after storm events and repair any gullies that have formed, remove

unevenly deposited sediment accumulation that will disrupt sheet flow, reseed disturbed areas and take other measures to prevent concentrated flow through the filter strip.

Periodically re-grade and re-establish the filter strip area when sediment deposition at the filter strip-field interface jeopardizes its function. Reestablish the filter strip vegetation in these regraded areas, if needed.

## REFERENCES

Dillaha, T.A., J.H. Sherrard, and D. Lee. 1986. Long-Term Effectiveness and Maintenance of Vegetative Filter Strips. VPI-VWRRRC Bulletin 153.

Dillaha, T.A., and J.C. Hayes. 1991. A Procedure for the Design of Vegetative Filter Strips: Final Report Prepared for U.S. Soil Conservation Service.

Foster, G.R. Revised Universal Soil Loss Equation, Version 2 (RUSLE2) Science Documentation (In Draft). USDA-ARS, Washington, DC. 2005.

Renard, K.G., G.R. Foster, G.A. Weesies, D.K. McCool, and D.C. Yoder, coordinators. 1997. Predicting Soil Erosion by Water: A Guide to Conservation Planning with the Revised Universal Soil Loss Equation (RUSLE). U.S. Department of Agriculture. Agriculture Handbook 703.