

SOIL MAP LEGEND
 Rutland County, Vermont: Detailed Soil Map Legend

Map symbol	Soil name
1B	Marlow fine sandy loam, 3 to 8 percent slopes
1C	Marlow fine sandy loam, 8 to 15 percent slopes
1D	Marlow fine sandy loam, 15 to 25 percent slopes
2C	Marlow fine sandy loam, 8 to 15 percent slopes, very stony
2D	Marlow fine sandy loam, 15 to 35 percent slopes, very stony
2E	Marlow fine sandy loam, 35 to 60 percent slopes, very stony
3B	Peru gravelly fine sandy loam, 3 to 8 percent slopes
3C	Peru gravelly fine sandy loam, 8 to 15 percent slopes
4B	Peru gravelly fine sandy loam, 3 to 8 percent slopes, very stony
4C	Peru gravelly fine sandy loam, 8 to 15 percent slopes, very stony
4D	Peru gravelly fine sandy loam, 15 to 25 percent slopes, very stony
6A	Cabot gravelly fine sandy loam, 0 to 8 percent slopes, very stony
7C	Brayton loam, 8 to 15 percent slopes, very stony
9	Pits-Dumps complex
11C	Taconic-Hubbardton complex, 8 to 25 percent slopes, very rocky
12F	Taconic-Hubbardton-Macomber complex, 25 to 80 percent slopes, very rocky
13B	Hinckley gravelly loamy fine sand, 0 to 8 percent slopes
13C	Hinckley gravelly loamy fine sand, 8 to 15 percent slopes
13D	Hinckley gravelly loamy fine sand, 15 to 25 percent slopes
13E	Hinckley gravelly loamy fine sand, 25 to 40 percent slopes
14A	Sudbury fine sandy loam, 0 to 3 percent slopes
14B	Sudbury fine sandy loam, 3 to 8 percent slopes
15A	Walpole fine sandy loam, 0 to 5 percent slopes
18B	Windsor loamy sand, 3 to 8 percent slopes
18C	Windsor loamy sand, 8 to 15 percent slopes
18D	Windsor loamy sand, 15 to 25 percent slopes
18E	Windsor loamy sand, 25 to 60 percent slopes
21	Rippowam fine sandy loam
22	Saco mucky silt loam
23	Adrian muck
24	Pinnebog muck
25A	Belgrade silt loam, 0 to 3 percent slopes
25B	Belgrade silt loam, 3 to 8 percent slopes
25C	Belgrade silt loam, 8 to 15 percent slopes
26A	Raynham silt loam, 0 to 4 percent slopes
28	Udifluvents and Fluvaquents, nearly level
29	Histosols and Aquent, ponded
30B	Paxton fine sandy loam, 2 to 8 percent slopes
30C	Paxton fine sandy loam, 8 to 15 percent slopes
30D	Paxton fine sandy loam, 15 to 25 percent slopes
31B	Paxton fine sandy loam, 2 to 8 percent slopes, very stony
31C	Paxton fine sandy loam, 8 to 15 percent slopes, very stony
31D	Paxton fine sandy loam, 15 to 25 percent slopes, very stony
31E	Paxton fine sandy loam, 25 to 35 percent slopes, very stony
38A	Tisbury silt loam, 0 to 3 percent slopes
39B	Galway-Nellis-Farmington complex, 3 to 8 percent slopes
40C	Galway-Nellis-Farmington complex, 8 to 15 percent slopes, rocky
40D	Galway-Nellis-Farmington complex, 15 to 25 percent slopes, rocky
41C	Farmington-Galway-Galoo complex, 5 to 25 percent slopes, very rocky
41E	Farmington-Galway-Galoo complex, 25 to 50 percent slopes, very rocky
42C	Macomber-Taconic complex, 8 to 15 percent slopes, rocky
42D	Macomber-Taconic complex, 15 to 25 percent slopes, rocky
42F	Macomber-Taconic complex, 25 to 80 percent slopes, rocky
43C	Taconic-Macomber complex, 8 to 25 percent slopes, very rocky
44B	Dutchess silt loam, 3 to 8 percent slopes
44C	Dutchess silt loam, 8 to 15 percent slopes
44D	Dutchess silt loam, 15 to 25 percent slopes
47B	Dutchess silt loam, 3 to 8 percent slopes, very stony
47C	Dutchess silt loam, 8 to 15 percent slopes, very stony
47D	Dutchess silt loam, 15 to 25 percent slopes, very stony
47E	Dutchess silt loam, 25 to 60 percent slopes, very stony
50A	Massena silt loam, 0 to 8 percent slopes
52B	Macomber-Dutchess complex, 3 to 8 percent slopes

SOIL MAP LEGEND--Continued
 Rutland County, Vermont: Detailed Soil Map Legend

Map symbol	Soil name
53	Elvers silt loam
54A	Ninigret fine sandy loam, 0 to 4 percent slopes
56B	Colton-Duxbury complex, 2 to 8 percent slopes, very stony
56C	Colton-Duxbury complex, 8 to 15 percent slopes, very stony
56D	Colton-Duxbury complex, 15 to 25 percent slopes, very stony
56E	Colton-Duxbury complex, 25 to 50 percent slopes, very stony
57B	Duxbury-Colton complex, 2 to 8 percent slopes
58C	Colton-Duxbury complex, 8 to 15 percent slopes
58D	Colton-Duxbury complex, 15 to 25 percent slopes
59A	Deerfield loamy sand, 0 to 4 percent slopes
61A	Eldridge fine sandy loam, 0 to 3 percent slopes
61B	Eldridge fine sandy loam, 3 to 8 percent slopes
62	Enosburg loamy fine sand
64B	Stockbridge gravelly silt loam, 3 to 8 percent slopes
64C	Stockbridge gravelly silt loam, 8 to 15 percent slopes
64D	Stockbridge gravelly silt loam, 15 to 25 percent slopes
65B	Stockbridge gravelly silt loam, 3 to 8 percent slopes, very stony
65C	Stockbridge gravelly silt loam, 8 to 15 percent slopes, very stony
65D	Stockbridge gravelly silt loam, 15 to 25 percent slopes, very stony
65E	Stockbridge gravelly silt loam, 25 to 45 percent slopes, very stony
66B	Georgia and Amenia soils, 3 to 8 percent slopes
66C	Georgia and Amenia soils, 8 to 15 percent slopes
67B	Georgia and Amenia soils, 3 to 8 percent slopes, very stony
67C	Georgia and Amenia soils, 8 to 15 percent slopes, very stony
67D	Georgia and Amenia soils, 15 to 25 percent slopes, very stony
68A	Massena silt loam, 0 to 8 percent slopes, very stony
71A	Castile gravelly fine sandy loam, 0 to 3 percent slopes
72A	Fredon gravelly loam, 0 to 3 percent slopes
73	Scarboro muck
80A	Kingsbury silty clay loam, 0 to 3 percent slopes
80B	Kingsbury silty clay loam, 3 to 8 percent slopes
81	Livingston silty clay loam
82B	Vergennes clay, 3 to 8 percent slopes
82C	Vergennes clay, 8 to 15 percent slopes
82D	Vergennes clay, 15 to 25 percent slopes
82E	Vergennes clay, 25 to 50 percent slopes
86	Linwood muck
88	Birdsall muck
90B	Hartland silt loam, 3 to 8 percent slopes
90C	Hartland silt loam, 8 to 15 percent slopes
90D	Hartland silt loam, 15 to 25 percent slopes
95	Udorthents loamy
96	Udipsamments, nearly level
97A	Warwick-Quonset complex, 0 to 3 percent slopes
97B	Warwick-Quonset complex, 3 to 8 percent slopes
97C	Warwick-Quonset complex, 8 to 15 percent slopes
97D	Warwick-Quonset complex, 15 to 25 percent slopes
98E	Quonset-Warwick complex, 25 to 45 percent slopes
99B	Copake gravelly fine sandy loam, 2 to 8 percent slopes
104B	Groton gravelly loam, 2 to 8 percent slopes
105	Tioga fine sandy loam
106	Middlebury loam
108	Hamlin silt loam
109	Teel silt loam, sandy substratum
110	Limerick silt loam
111	Livingston silty clay loam, frequently flooded
118C	Adams loamy fine sand, 8 to 15 percent slopes
122B	Lyme fine sandy loam, 2 to 8 percent slopes, very stony
122C	Lyme fine sandy loam, 8 to 15 percent slopes, very stony
123B	Sheepscot fine sandy loam, 2 to 8 percent slopes
123C	Sheepscot fine sandy loam, 8 to 15 percent slopes
124B	Sunapee fine sandy loam, 3 to 8 percent slopes, very stony
124C	Sunapee fine sandy loam, 8 to 15 percent slopes, very stony

SOIL MAP LEGEND--Continued
 Rutland County, Vermont: Detailed Soil Map Legend

Map symbol	Soil name
124D	Sunapee fine sandy loam, 15 to 35 percent slopes, very stony
124E	Sunapee fine sandy loam, 35 to 50 percent slopes, very stony
125B	Berkshire gravelly fine sandy loam, 3 to 8 percent slopes, very stony
125C	Berkshire gravelly fine sandy loam, 8 to 15 percent slopes, very stony
125D	Berkshire gravelly fine sandy loam, 15 to 35 percent slopes, very stony
125E	Berkshire gravelly fine sandy loam, 35 to 50 percent slopes, very stony
127C	Houghtonville gravelly fine sandy loam, 8 to 15 percent slopes, very stony
127D	Houghtonville gravelly fine sandy loam, 15 to 35 percent slopes, very stony
127E	Houghtonville gravelly fine sandy loam, 35 to 60 percent slopes, very stony
128C	Rawsonville-Houghtonville complex, 8 to 15 percent slopes, rocky
128D	Rawsonville-Houghtonville complex, 15 to 35 percent slopes, rocky
128E	Rawsonville-Houghtonville complex, 35 to 60 percent slopes, rocky
129D	Killington-Rawsonville complex, 15 to 35 percent slopes, very rocky
129F	Killington-Rawsonville complex, 35 to 70 percent slopes, very rocky
130B	Tunbridge-Berkshire complex, 3 to 8 percent slopes, rocky
130C	Tunbridge-Berkshire complex, 8 to 15 percent slopes, rocky
130D	Tunbridge-Berkshire complex, 15 to 35 percent slopes, rocky
130E	Tunbridge-Berkshire complex, 35 to 60 percent slopes, rocky
131D	Lyman-Tunbridge-Rock outcrop complex, 15 to 35 percent slopes, very stony
131E	Lyman-Tunbridge-Rock outcrop complex, 35 to 60 percent slopes, very stony
132C	Glebe-Stratton complex, 8 to 25 percent slopes, very stony
132E	Glebe-Stratton complex, 25 to 60 percent slopes, very stony
134F	Stratton-Londonderry-Ricker complex, 15 to 80 percent slopes, very rocky
135D	Mundal loam, 15 to 35 percent slopes, very stony
135E	Mundal loam, 35 to 60 percent slopes, very stony
138C	Berkshire gravelly fine sandy loam, 8 to 15 percent slopes
139B	Sunapee fine sandy loam, 3 to 8 percent slopes
139C	Sunapee fine sandy loam, 8 to 15 percent slopes
140C	Benson very channery loam, 3 to 15 percent slopes
140D	Benson very channery loam, 15 to 25 percent slopes
140E	Benson very channery loam, 25 to 50 percent slopes
148B	Bomoseen and Pittstown soils, 2 to 8 percent slopes
148C	Bomoseen and Pittstown soils, 8 to 15 percent slopes
148D	Bomoseen and Pittstown soils, 15 to 25 percent slopes
149B	Bomoseen and Pittstown soils, 3 to 8 percent slopes, very stony
149C	Bomoseen and Pittstown soils, 8 to 15 percent slopes, very stony
149D	Bomoseen and Pittstown soils, 15 to 25 percent slopes, very stony
149E	Bomoseen and Pittstown soils, 25 to 40 percent slopes, very stony
150A	Peacham muck, 0 to 8 percent slopes
152	Lyons silt loam
161A	Elmridge sandy loam, 0 to 3 percent slopes
161B	Elmridge sandy loam, 3 to 8 percent slopes
163	Canandaigua silt loam
175	Wappinger silt loam
177	Pawling silt loam
202E	Rawsonville-Killington association, very hilly, very rocky
203D	Peru-Marlow association, hilly, very stony
205D	Tunbridge-Berkshire-Marlow association, hilly, rocky
213E	Glebe-Stratton association, very hilly, very rocky
221F	Tunbridge-Berkshire association, very steep, very stony
402D	Tunbridge-Lyman association, hilly, rocky
403C	Brayton-Cabot-Pinnebog association, rolling, very stony
405D	Tunbridge-Berkshire association, hilly, very rocky
505D	Berkshire-Colton association, hilly, stony
702F	Killington-Ricker-Rock outcrop association, very steep, very stony
703D	Mundal-Cabot association, hilly, very stony
705D	Rawsonville-Houghtonville association, hilly, rocky
W	Water