

Map Unit Legend

Windsor County, Vermont

Map symbol	Map unit name
1B	Hitchcock silt loam, 3 to 8 percent slopes
1C	Hitchcock silt loam, 8 to 15 percent slopes
1D	Hitchcock silt loam, 15 to 25 percent slopes
1E	Hitchcock silt loam, 25 to 50 percent slopes, eroded
2A	Belgrade silt loam, 0 to 3 percent slopes
2B	Belgrade silt loam, 3 to 8 percent slopes
3	Pits, quarry-Dumps, mine complex
4A	Raynham silt loam, 0 to 3 percent slopes
5B	Windsor loamy fine sand, 0 to 8 percent slopes
5C	Windsor loamy fine sand, 8 to 15 percent slopes
5D	Windsor loamy fine sand, 15 to 25 percent slopes
5E	Windsor loamy fine sand, 25 to 60 percent slopes
8A	Agawam fine sandy loam, 0 to 3 percent slopes
8B	Agawam fine sandy loam, 3 to 8 percent slopes
9B	Ninigret fine sandy loam, 0 to 8 percent slopes
10C	Marlow fine sandy loam, 8 to 15 percent slopes
10D	Marlow fine sandy loam, 15 to 25 percent slopes
11C	Marlow fine sandy loam, 8 to 15 percent slopes, very stony
11D	Marlow fine sandy loam, 15 to 35 percent slopes, very stony
11E	Marlow fine sandy loam, 35 to 60 percent slopes, very stony
12C	Tunbridge-Lyman complex, 8 to 15 percent slopes, very rocky
12D	Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky
12E	Tunbridge-Lyman complex, 35 to 60 percent slopes, very rocky
14B	Hinckley sandy loam, 0 to 8 percent slopes
14C	Hinckley sandy loam, 8 to 15 percent slopes
14D	Hinckley sandy loam, 15 to 25 percent slopes
14E	Hinckley sandy loam, 25 to 50 percent slopes
15B	Dummerston fine sandy loam, 3 to 8 percent slopes
15C	Dummerston fine sandy loam, 8 to 15 percent slopes
15D	Dummerston fine sandy loam, 15 to 25 percent slopes
16C	Dummerston fine sandy loam, 8 to 15 percent slopes, very stony
16D	Dummerston fine sandy loam, 15 to 35 percent slopes, very stony
16E	Dummerston fine sandy loam, 35 to 60 percent slopes, very stony
17B	Peru, Skerry, and Colonel soils, 3 to 8 percent slopes
17C	Peru, Skerry, and Colonel soils, 8 to 15 percent slopes
17D	Peru, Skerry, and Colonel soils, 15 to 25 percent slopes
18B	Peru, Skerry, and Colonel soils, 3 to 8 percent slopes, very stony
18C	Peru, Skerry, and Colonel soils, 8 to 15 percent slopes, very stony
18D	Peru, Skerry, and Colonel soils, 15 to 35 percent slopes, very stony
19B	Vershire-Dummerston complex, 3 to 8 percent slopes, rocky
19C	Vershire-Dummerston complex, 8 to 15 percent slopes, rocky
19D	Vershire-Dummerston complex, 15 to 25 percent slopes, rocky
19E	Vershire-Dummerston complex, 25 to 60 percent slopes, rocky
20C	Glover-Vershire complex, 3 to 15 percent slopes, very rocky
20D	Glover-Vershire complex, 15 to 35 percent slopes, very rocky
20E	Glover-Vershire complex, 35 to 60 percent slopes, very rocky
21B	Shelburne fine sandy loam, 3 to 8 percent slopes
21C	Shelburne fine sandy loam, 8 to 15 percent slopes
21D	Shelburne fine sandy loam, 15 to 25 percent slopes

Map Unit Legend

Windsor County, Vermont

Map symbol	Map unit name
22B	Shelburne fine sandy loam, 3 to 8 percent slopes, very stony
22C	Shelburne fine sandy loam, 8 to 15 percent slopes, very stony
22D	Shelburne fine sandy loam, 15 to 35 percent slopes, very stony
23	Ondawa fine sandy loam, 0 to 3 percent slopes, occasionally flooded
24	Podunk fine sandy loam, 0 to 3 percent slopes, occasionally flooded
25B	Buckland loam, 3 to 8 percent slopes
25C	Buckland loam, 8 to 15 percent slopes
25D	Buckland loam, 15 to 25 percent slopes
26B	Buckland loam, 3 to 8 percent slopes, very stony
26C	Buckland loam, 8 to 15 percent slopes, very stony
26D	Buckland loam, 15 to 35 percent slopes, very stony
26E	Buckland loam, 35 to 60 percent slopes, very stony
28	Udorthents and Udipsammments
29A	Grange very fine sandy loam, 0 to 3 percent slopes
30B	Cabot loam, 0 to 8 percent slopes
30C	Cabot loam, 8 to 15 percent slopes
31B	Cabot loam, 0 to 8 percent slopes, very stony
31C	Cabot loam, 8 to 15 percent slopes, very stony
32B	Urban land-Windsor-Agawam complex, 0 to 8 percent slopes
33	Rumney fine sandy loam, 0 to 2 percent slopes, frequently flooded
36C	Teago-Pomfret complex, 8 to 15 percent slopes, rocky
36D	Teago-Pomfret complex, 15 to 25 percent slopes, rocky
36E	Teago-Pomfret complex, 25 to 50 percent slopes, rocky
38	Hadley very fine sandy loam, 0 to 3 percent slopes, occasionally flooded
39	Winooski silt loam, 0 to 3 percent slopes, occasionally flooded
40	Limerick silt loam, 0 to 2 percent slopes, frequently flooded
41	Saco silt loam, 0 to 2 percent slopes, frequently flooded
42D	Lyman-Rock outcrop complex, 15 to 35 percent slopes, very stony
42F	Lyman-Rock outcrop complex, 35 to 70 percent slopes, very stony
43D	Hogback-Rock outcrop-Rawsonville complex, 15 to 35 percent slopes, very bouldery
43F	Hogback-Rock outcrop-Rawsonville complex, 35 to 70 percent slopes, very bouldery
45B	Eldridge fine sandy loam, 3 to 8 percent slopes
45C	Eldridge fine sandy loam, 8 to 15 percent slopes
45D	Eldridge fine sandy loam, 15 to 25 percent slopes
45E	Eldridge fine sandy loam, 25 to 50 percent slopes
47	Pondicherry and Wonsqueak mucks, ponded
48	Pits, Sand, and Pits, gravel
49B	Vershire-Buckland complex, 3 to 8 percent slopes
49C	Vershire-Buckland complex, 8 to 15 percent slopes
49D	Vershire-Buckland complex, 15 to 25 percent slopes
54B	Tunbridge-Lyman complex, 3 to 8 percent slopes, rocky
54C	Tunbridge-Lyman complex, 8 to 15 percent slopes, rocky
54D	Tunbridge-Lyman complex, 15 to 25 percent slopes, rocky
56	Bucksport muck, ponded
58C	Berkshire-Tunbridge complex, 8 to 15 percent slopes, very stony
58D	Berkshire-Tunbridge complex, 15 to 35 percent slopes, very stony
58E	Berkshire-Tunbridge complex, 35 to 50 percent slopes, very stony
59C	Rawsonville-Houghtonville complex, 8 to 15 percent slopes, rocky
59D	Rawsonville-Houghtonville complex, 15 to 35 percent slopes, rocky

Map Unit Legend

Windsor County, Vermont

Map symbol	Map unit name
59E	Rawsonville-Houghtonville complex, 35 to 60 percent slopes, rocky
60D	Glebe-Stratton complex, 15 to 35 percent slopes, very stony
60F	Glebe-Stratton complex, 35 to 70 percent slopes, very stony
61D	Ricker-Londonderry-Stratton complex, 15 to 35 percent slopes, very rocky
61F	Ricker-Londonderry-Stratton complex, 35 to 70 percent slopes, very rocky
62C	Hogback-Rawsonville complex, 8 to 15 percent slopes, very rocky
62D	Hogback-Rawsonville complex, 15 to 35 percent slopes, very rocky
62E	Hogback-Rawsonville complex, 35 to 60 percent slopes, very rocky
63C	Berkshire and Monadnock fine sandy loams, 8 to 15 percent slopes, very stony
63D	Berkshire and Monadnock fine sandy loams, 15 to 35 percent slopes, very stony
63E	Berkshire and Monadnock fine sandy loams, 35 to 60 percent slopes, very stony
64B	Colton fine sandy loam, 3 to 8 percent slopes
64C	Colton fine sandy loam, 8 to 15 percent slopes
64D	Colton fine sandy loam, 15 to 25 percent slopes
64E	Colton fine sandy loam, 25 to 60 percent slopes
68B	Berkshire and Monadnock fine sandy loams, 3 to 8 percent slopes
68C	Berkshire and Monadnock fine sandy loams, 8 to 15 percent slopes
68D	Berkshire and Monadnock fine sandy loams, 15 to 25 percent slopes
70B	Adams loamy fine sand, 3 to 8 percent slopes
70C	Adams loamy fine sand, 8 to 15 percent slopes
70D	Adams loamy fine sand, 15 to 25 percent slopes
70E	Adams loamy fine sand, 25 to 60 percent slopes
71B	Croghan and Sheepscot fine sandy loams, 0 to 8 percent slopes
71C	Croghan and Sheepscot fine sandy loams, 8 to 15 percent slopes
74C	Mundal fine sandy loam, 8 to 15 percent slopes, very stony
74D	Mundal fine sandy loam, 15 to 35 percent slopes, very stony
75B	Urban land-Colton-Croghan complex, 0 to 8 percent slopes
79D	Dummerston-Macomber complex, 15 to 25 percent slopes, very stony
80C	Macomber-Taconic complex, 8 to 15 percent slopes, very rocky
80D	Macomber-Taconic complex, 15 to 25 percent slopes, very rocky
80F	Macomber-Taconic complex, 25 to 70 percent slopes, very rocky
81D	Taconic-Hubbardton-Rock outcrop complex, 8 to 25 percent slopes
81F	Taconic-Hubbardton-Rock outcrop complex, 25 to 70 percent slopes
82	Udifluvents, cobbly, frequently flooded
85B	Fullam silt loam, 3 to 8 percent slopes
85C	Fullam silt loam, 8 to 15 percent slopes
85D	Fullam silt loam, 15 to 25 percent slopes
86C	Fullam silt loam, 8 to 15 percent slopes, very stony
86D	Fullam silt loam, 15 to 35 percent slopes, very stony
89C	Dummerston-Macomber complex, 8 to 15 percent slopes, rocky
95B	Nicholville-Adams complex, 3 to 8 percent slopes
95D	Nicholville-Adams complex, 15 to 25 percent slopes
95E	Nicholville-Adams complex, 25 to 60 percent slopes
202E	Rawsonville-Hogback-Houghtonville complex, 8 to 60 percent slopes, very rocky
203D	Peru-Colonel-Marlow association, 3 to 35 percent slopes, very stony
213F	Stratton-Ricker-Glebe complex, 15 to 70 percent slopes, very rocky
403B	Cabot-Pondicherry-Wonsqueak association, 0 to 8 percent slopes, very stony
415D	Tunbridge-Berkshire-Lyman complex, 8 to 50 percent slopes, rocky
425D	Peru-Tunbridge-Berkshire complex, 8 to 35 percent slopes, rocky

Map Unit Legend

Windsor County, Vermont

Map symbol	Map unit name
505D	Peru-Berkshire-Colton association, 3 to 35 percent slopes, very stony
702F	Hogback-Ricker-Rock outcrop complex, 15 to 70 percent slopes, very stony
705D	Rawsonville-Houghtonville-Mundal complex, 8 to 50 percent slopes, rocky
W	Water