

**Hydric Rating by Map Unit**  
Erie County, New York

<b>Map Unit Symbol</b>	<b>Map Unit Name</b>	<b>Percent Hydric</b>	<b>Hydric Category</b>
AIA	Allard silt loam, 0 to 3 percent slopes	0	Non-Hydric
AIB	Allard silt loam, 3 to 8 percent slopes	0	Non-Hydric
AmA	Alton fine gravelly loam, 0 to 3 percent slopes	0	Non-Hydric
AmB	Alton fine gravelly loam, 3 to 8 percent slopes	0	Non-Hydric
AmC	Alton fine gravelly loam, 8 to 15 percent slopes	0	Non-Hydric
AnB	Alton gravelly loam, silty substratum, 3 to 8 percent slopes	0	Non-Hydric
AnC	Alton gravelly loam, silty substratum, 8 to 15 percent slopes	0	Non-Hydric
AoA	Angola silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
AoB	Angola silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
ApA	Appleton silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
ApB	Appleton silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
ArB	Arkport very fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
ArC	Arkport very fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
ArD	Arkport very fine sandy loam, 15 to 25 percent slopes	0	Non-Hydric
ArE	Arkport very fine sandy loam, 25 to 40 percent slopes	0	Non-Hydric
AuC	Aurora channery silt loam, 8 to 15 percent slopes	0	Non-Hydric
Be	Beaches	5	Predominantly Non-Hydric
BfA	Benson very channery loam, 0 to 3 percent slopes	0	Non-Hydric
BfB	Benson very channery loam, 3 to 8 percent slopes	0	Non-Hydric
BgC	Benson very channery loam, very rocky, 8 to 15 percent slopes	0	Non-Hydric
BhB	Benson-Rock outcrop complex, 3 to 8 percent slopes	0	Non-Hydric
BIA	Blasdell channery silt loam, 0 to 3 percent slopes	0	Non-Hydric
BIB	Blasdell channery silt loam, 3 to 8 percent slopes	0	Non-Hydric
BIC	Blasdell channery silt loam, 8 to 15 percent slopes	0	Non-Hydric
BID	Blasdell channery silt loam, 15 to 25 percent slopes	0	Non-Hydric
BrA	Brockport silty clay loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
BrB	Brockport silty clay loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
Ca	Canadice silt loam	95	Predominantly Hydric
Cb	Canadice silt loam, channery till substratum	90	Predominantly Hydric
Cc	Canandaigua silt loam	95	Predominantly Hydric
Cd	Canandaigua mucky silt loam	95	Predominantly Hydric
CeA	Castile gravelly loam, 0 to 3 percent slopes	0	Non-Hydric
CeB	Castile gravelly loam, 3 to 8 percent slopes	0	Non-Hydric
CfB	Cayuga silt loam, 3 to 8 percent slopes	0	Non-Hydric
CfC	Cayuga silt loam, 8 to 15 percent slopes	0	Non-Hydric
CgB	Cazenovia silt loam, 3 to 8 percent slopes	0	Non-Hydric
CgC	Cazenovia silt loam, 8 to 15 percent slopes	0	Non-Hydric

Map Unit Symbol	Map Unit Name	Percent Hydric	Hydric Category
Ch	Cheektowaga fine sandy loam	90	Predominantly Hydric
CkA	Chenango gravelly loam, 0 to 3 percent slopes	0	Non-Hydric
CkB	Chenango gravelly loam, 3 to 8 percent slopes	0	Non-Hydric
CkC	Chenango gravelly loam, 8 to 15 percent slopes	0	Non-Hydric
CkD	Chenango gravelly loam, 15 to 25 percent slopes	0	Non-Hydric
CIA	Chenango channery silt loam, fan, 0 to 3 percent slopes	0	Non-Hydric
CIB	Chenango channery silt loam, fan 3 to 8 percent slopes	0	Non-Hydric
CmE	Chenango and Palmyra soils, 25 to 40 percent slopes	0	Non-Hydric
Cn	Chippewa silt loam	85	Predominantly Hydric
CoA	Churchville silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
CoB	Churchville silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
CrA	Claverack loamy fine sand, 0 to 3 percent slopes	5	Predominantly Non-Hydric
CrB	Claverack loamy fine sand, 3 to 8 percent slopes	5	Predominantly Non-Hydric
CsA	Collamer silt loam, 0 to 3 percent slopes	0	Non-Hydric
CsB	Collamer silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
CsC	Collamer silt loam, 8 to 15 percent slopes	0	Non-Hydric
CtB	Collamer silt loam, till substratum, 3 to 8 percent slopes	5	Predominantly Non-Hydric
CuB	Colonie loamy fine sand, 3 to 8 percent slopes	0	Non-Hydric
CuC	Colonie loamy fine sand, 8 to 15 percent slopes	0	Non-Hydric
Cv	Cosad loamy fine sand	10	Predominantly Non-Hydric
DaB	Danley silt loam, 3 to 8 percent slopes	0	Non-Hydric
DaC	Danley silt loam, 8 to 15 percent slopes	0	Non-Hydric
DaD	Danley silt loam, 15 to 25 percent slopes	0	Non-Hydric
DbA	Darien silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
DbB	Darien silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
DbC	Darien silt loam, 8 to 15 percent slopes	5	Predominantly Non-Hydric
DcB	Darien silt loam, silty substratum, 3 to 8 percent slopes	5	Predominantly Non-Hydric
DdA	Derb silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
DdB	Derb silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
DdC	Derb silt loam, 8 to 15 percent slopes	5	Predominantly Non-Hydric
Dp	Dumps	10	Predominantly Non-Hydric
Ed	Edwards muck	100	Hydric
EIA	Elnora loamy fine sand, 0 to 3 percent slopes	0	Non-Hydric
EIB	Elnora loamy fine sand, 3 to 8 percent slopes	0	Non-Hydric
ErA	Erie channery silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
ErB	Erie channery silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
ErC	Erie channery silt loam, 8 to 15 percent slopes	5	Predominantly Non-Hydric
FaA	Farmington channery loam, 0 to 3 percent slopes	0	Non-Hydric
FaB	Farmington channery loam, 3 to 8 percent slopes	0	Non-Hydric
FbA	Farnham channery silt loam, 0 to 3 percent slopes	0	Non-Hydric

<b>Map Unit Symbol</b>	<b>Map Unit Name</b>	<b>Percent Hydric</b>	<b>Hydric Category</b>
FbB	Farnham channery silt loam, 3 to 8 percent slopes	0	Non-Hydric
FcA	Farnham channery silt loam, fan, 0 to 3 percent slopes	5	Predominantly Non-Hydric
FcB	Farnham channery silt loam, fan, 3 to 8 percent slopes	5	Predominantly Non-Hydric
Fu	Fluvaquents and Udifluvents, frequently flooded	65	Partially Hydric
GaA	Galen very fine sandy loam, 0 to 3 percent slopes	0	Non-Hydric
GaB	Galen very fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
GbB	Galen fine sandy loam, till substratum, 3 to 8 percent slopes	0	Non-Hydric
Ge	Getzville silt loam	85	Predominantly Hydric
Ha	Halsey silt loam	90	Predominantly Hydric
Hm	Hamlin silt loam	5	Predominantly Non-Hydric
Hn	Haplaquolls, ponded	100	Hydric
HoA	Honeoye loam, 0 to 3 percent slopes	0	Non-Hydric
HoB	Honeoye loam, 3 to 8 percent slopes	0	Non-Hydric
HrA	Hornell silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
HrB	Hornell silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
HsC	Hornell silty clay loam, 8 to 15 percent slopes	5	Predominantly Non-Hydric
HuB	Hudson silt loam, 3 to 8 percent slopes	0	Non-Hydric
HuC	Hudson silt loam, 8 to 15 percent slopes	0	Non-Hydric
HvD	Hudson silty clay loam, 15 to 25 percent slopes	0	Non-Hydric
HvE	Hudson silty clay loam, 25 to 40 percent slopes	0	Non-Hydric
HwD	Hudson gravelly loam, hilly	0	Non-Hydric
In	Ilion silt loam	90	Predominantly Hydric
Ke	Kendaia silt loam	5	Predominantly Non-Hydric
La	Lakemont silt loam	95	Predominantly Hydric
Lb	Lakemont mucky silt loam	100	Hydric
Lc	Lamson very fine sandy loam	90	Predominantly Hydric
Ld	Lamson mucky very fine sandy loam	95	Predominantly Hydric
LfB	Langford channery silt loam, 3 to 8 percent slopes	0	Non-Hydric
LfC	Langford channery silt loam, 8 to 15 percent slopes	0	Non-Hydric
LfD	Langford channery silt loam, 15 to 25 percent slopes	0	Non-Hydric
LgC	Langford channery silt loam, silty substratum, 8 to 15 percent slopes	0	Non-Hydric
LgD	Langford channery silt loam, silty substratum, 15 to 25 slopes	0	Non-Hydric
LmA	Lima loam, 0 to 3 percent slopes	0	Non-Hydric
LmB	Lima loam, 3 to 8 percent slopes	0	Non-Hydric
Ly	Lyons silt loam	85	Predominantly Hydric
Lz	Lyons mucky silt loam	90	Predominantly Hydric
MaA	Manlius channery silt loam, 0 to 3 percent slopes	0	Non-Hydric
MaB	Manlius channery silt loam, 3 to 8 percent slopes	0	Non-Hydric
MaC	Manlius channery silt loam, 8 to 15 percent slopes	0	Non-Hydric
MaD	Manlius channery silt loam, 15 to 25 percent slopes	0	Non-Hydric

<b>Map Unit Symbol</b>	<b>Map Unit Name</b>	<b>Percent Hydric</b>	<b>Hydric Category</b>
MbE	Manlius very channery silt loam, 25 to 35 percent slopes	0	Non-Hydric
MbF	Manlius very channery silt loam, 35 to 50 percent slopes	0	Non-Hydric
McB	Mardin silt loam, 3 to 8 percent slopes	0	Non-Hydric
McC	Mardin silt loam, 8 to 15 percent slopes	0	Non-Hydric
MdB	Mardin channery silt loam, 3 to 8 percent slopes	0	Non-Hydric
MdC	Mardin channery silt loam, 8 to 15 percent slopes	0	Non-Hydric
MdD	Mardin channery silt loam, 15 to 25 percent slopes	0	Non-Hydric
MeF	Mardin-Valois complex, 25 to 50 percent slopes	4	Predominantly Non-Hydric
MfA	Marilla channery silt loam, 0 to 3 percent slopes	0	Non-Hydric
MfB	Marilla channery silt loam, 3 to 8 percent slopes	0	Non-Hydric
MfC	Marilla channery silt loam, 8 to 15 percent slopes	0	Non-Hydric
Mg	Middlebury silt loam	5	Predominantly Non-Hydric
Mh	Minoa very fine sandy loam	5	Predominantly Non-Hydric
Ne	Newstead loam	5	Predominantly Non-Hydric
NfA	Niagara silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
NfB	Niagara silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
Ng	Niagara silt loam, fan	5	Predominantly Non-Hydric
Nh	Niagara silt loam, till substratum	5	Predominantly Non-Hydric
Od	Odessa silt loam	5	Predominantly Non-Hydric
Oe	Odessa-Lakemont silt loams	30	Predominantly Non-Hydric
OrA	Orpark silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
OrB	Orpark silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
OrC	Orpark silt loam, 8 to 15 percent slopes	5	Predominantly Non-Hydric
OvA	Ovid silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
OvB	Ovid silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
Pa	Palms muck	100	Hydric
PbA	Palmyra gravelly loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
PbB	Palmyra gravelly loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
Pc	Patchin silt loam	85	Predominantly Hydric
PhA	Phelps gravelly loam, 0 to 3 percent slopes	0	Non-Hydric
PhB	Phelps gravelly loam, 3 to 8 percent slopes	0	Non-Hydric
Pt	Pits, borrow	5	Predominantly Non-Hydric
Pu	Pits, gravel	5	Predominantly Non-Hydric
Qu	Quarry	5	Predominantly Non-Hydric
RaA	Raynham silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
RaB	Raynham silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
Re	Red Hook silt loam	5	Predominantly Non-Hydric
RfA	Remsen silty clay loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
RfB	Remsen silty clay loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
RfC	Remsen silty clay loam, 8 to 15 percent slopes	5	Predominantly Non-Hydric

Map Unit Symbol	Map Unit Name	Percent Hydric	Hydric Category
RgA	Rhinebeck silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
RgB	Rhinebeck silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
RhC3	Rhinebeck silty clay loam, 8 to 15 percent slopes, severe rhyleroded	5	Predominantly Non-Hydric
RkA	Rhinebeck gravelly loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
RkB	Rhinebeck gravelly loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
RmA	Rhinebeck silty clay loam, stratified substratum, 0 to 3 percent slopes	5	Predominantly Non-Hydric
RmB	Rhinebeck silty clay loam, stratified substratum, 3 to 8 percent slopes	5	Predominantly Non-Hydric
Ro	Rock outcrop	0	Non-Hydric
SaA	Schoharie silt loam, 0 to 3 percent slopes	4	Predominantly Non-Hydric
SaB	Schoharie silt loam, 3 to 8 percent slopes	4	Predominantly Non-Hydric
SbC3	Schoharie silty clay loam, 8 to 15 percent slopes, severe rhyleroded	0	Non-Hydric
ScD	Schuyler silt loam, 15 to 25 percent slopes	0	Non-Hydric
ScE	Schuyler silt loam, 25 to 40 percent slopes	0	Non-Hydric
Sd	Scio silt loam	0	Non-Hydric
Sw	Swormville clay loam	10	Predominantly Non-Hydric
Te	Teel silt loam	5	Predominantly Non-Hydric
To	Tioga silt loam	0	Non-Hydric
Uc	Udorthents, smoothed	5	Predominantly Non-Hydric
Ud	Urban land	5	Predominantly Non-Hydric
UeB	Urban land-Benson complex, 3 to 6 percent slopes	2	Predominantly Non-Hydric
Ug	Urban land-Cayuga complex	2	Predominantly Non-Hydric
Uh	Urban land-Churchville complex	2	Predominantly Non-Hydric
Uk	Urban land claverack complex	2	Predominantly Non-Hydric
UmA	Urban land-Collamer complex 1 to 6 percent slopes	2	Predominantly Non-Hydric
UnB	Urban land-Colonie complex 3 to 6 percent slopes	2	Predominantly Non-Hydric
Uo	Urban land-Cosad complex	2	Predominantly Non-Hydric
Up	Urban land-Galen complex	3	Predominantly Non-Hydric
UrA	Urban land-Lima complex 1 to 6 percent slopes	2	Predominantly Non-Hydric
Us	Urban land-Niagara complex	2	Predominantly Non-Hydric
Ut	Urban land-Odessa complex	5	Predominantly Non-Hydric
Uu	Urban land-Schoharie complex	1	Predominantly Non-Hydric
Uv	Urban land-Swormville complex	2	Predominantly Non-Hydric
Uw	Urban land-Teel complex	5	Predominantly Non-Hydric
Ux	Urban land-Wassaic	1	Predominantly Non-Hydric
VaB	Valois gravelly silt loam, 3 to 8 percent slopes	0	Non-Hydric
VaC	Valois gravelly silt loam 8 to 15 percent slopes	0	Non-Hydric
VaD	Valois gravelly silt loam, 15 to 25 percent slopes	0	Non-Hydric
VbA	Varysburg gravelly loam, 0 to 3 percent slopes	0	Non-Hydric
VbB	Varysburg gravelly loam, 3 to 8 percent slopes	0	Non-Hydric
VbC	Varysburg gravelly loam, 8 to 15 percent slopes	0	Non-Hydric

