

**Hydric Rating by Map Unit**  
Essex County, New York

<b>Map Unit Symbol</b>	<b>Map Unit Name</b>	<b>Percent Hydric</b>	<b>Hydric Category</b>
10A	Pleasant Lake-Burnt Vly complex, 0 to 2 percent slopes	100	Hydric
13A	Burnt Vly-Rumney-Pleasant Lake complex, 0 to 2 percent slopes	99	Predominantly Hydric
29C	Burnt Vly-Colton-Rumney complex, 0 to 15 percent slopes	66	Partially Hydric
113A	Ondawa-Rumney complex, 0 to 3 percent slopes	40	Partially Hydric
123A	Lovewell-Cornish complex, 0 to 2 percent slopes	16	Predominantly Non-Hydric
350B	Duxbury fine sandy loam, 3 to 15 percent slopes, very stony	0	Non-Hydric
363A	Adams loamy sand, 0 to 3 percent slopes	0	Non-Hydric
363B	Adams loamy sand, 3 to 15 percent slopes	0	Non-Hydric
363D	Adams loamy sand, 15 to 35 percent slopes	0	Non-Hydric
363F	Adams loamy sand, 35 to 60 percent slopes	0	Non-Hydric
365A	Naumburg-Croghan complex, 0 to 3 percent slopes	5	Predominantly Non-Hydric
367A	Searsport-Haplosaprists-Naumburg complex, 0 to 3 percent slopes	76	Predominantly Hydric
375A	Colton-Adams complex, 0 to 3 percent slopes	0	Non-Hydric
375C	Colton-Adams complex, 3 to 15 percent slopes	0	Non-Hydric
375D	Colton-Adams complex, 15 to 35 percent slopes	0	Non-Hydric
375F	Colton-Adams complex, 35 to 60 percent slopes	0	Non-Hydric
649C	Monadnock-Tunbridge-Tahawus complex, 0 to 15 percent slopes, rocky, very bouldery	21	Predominantly Non-Hydric
650C	Monadnock-Adams-Colton complex, 3 to 15 percent slopes, bouldery	0	Non-Hydric
650D	Monadnock-Adams-Colton complex, 15 to 35 percent slopes, bouldery	0	Non-Hydric
651D	Monadnock-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
653C	Monadnock fine sandy loam, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
653D	Monadnock fine sandy loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
655B	Sunapee-Monadnock complex, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
657C	Monadnock-Tahawus complex, 3 to 15 percent slopes, very bouldery	32	Predominantly Non-Hydric
657D	Monadnock-Tahawus complex, 15 to 35 percent slopes, very bouldery	31	Predominantly Non-Hydric
661C	Hermon gravelly loamy sand, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
661D	Hermon gravelly loamy sand, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
661F	Hermon gravelly loamy sand, 35 to 60 percent slopes, very bouldery	0	Non-Hydric
705B	Adirondack-Tahawus complex, 0 to 8 percent slopes, very bouldery	45	Partially Hydric
721C	Becket-Tunbridge-Skerry complex, 3 to 15 percent slopes, rocky, very bouldery	0	Non-Hydric
721D	Becket-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
721F	Becket-Tunbridge complex, 35 to 60 percent slopes, rocky, very bouldery	0	Non-Hydric
723C	Becket fine sandy loam, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
723D	Becket fine sandy loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
723F	Becket fine sandy loam, 35 to 60 percent slopes, very bouldery	0	Non-Hydric
725B	Skerry-Becket complex, 3 to 15 percent slopes, very bouldery	0	Non-Hydric

Map Unit Symbol	Map Unit Name	Percent Hydric	Hydric Category
727B	Skerry-Adirondack complex, 0 to 8 percent slopes, very bouldery	5	Predominantly Non-Hydric
831C	Tunbridge-Lyman complex, 3 to 15 percent slopes, very rocky, very bouldery	0	Non-Hydric
831D	Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
831F	Tunbridge-Lyman complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
833C	Tunbridge-Adirondack-Lyman complex, 3 to 15 percent slopes, very rocky, very bouldery	1	Predominantly Non-Hydric
851D	Lyman-Knob Lock complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
851F	Lyman-Knob Lock complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
881F	Rock outcrop-Knob Lock-Lyman complex, 35 to 60 percent slopes, very bouldery	0	Non-Hydric
930C	Mundalite-Rawsonville-Ampersand complex, 3 to 15 percent slopes, rocky, very bouldery	0	Non-Hydric
931D	Mundalite-Rawsonville complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
931F	Mundalite-Rawsonville complex, 35 to 60 percent slopes, rocky, very bouldery	0	Non-Hydric
932C	Mundalite-Ampersand complex, 0 to 15 percent slopes, very bouldery	9	Predominantly Non-Hydric
932D	Mundalite-Ampersand complex, 15 to 35 percent slopes, very bouldery	6	Predominantly Non-Hydric
934C	Ampersand-Wilmington complex, 0 to 15 percent slopes, very bouldery	43	Partially Hydric
941C	Rawsonville-Hogback complex, 3 to 15 percent slopes, very rocky, very bouldery	0	Non-Hydric
941D	Rawsonville-Hogback complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
941F	Rawsonville-Hogback complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
944D	Hogback-Knob Lock complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
944F	Hogback-Knob Lock complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
948F	Rock outcrop-Knob Lock-Hogback complex, 35 to 60 percent slopes, very bouldery	0	Non-Hydric
971D	Esther-Wallface complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
975C	Andic Cryaquods-Esther complex, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
975D	Esther-Andic Cryaquods complex, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
992D	Wallface-Skylight complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
993F	Santanoni-Skylight complex, 35 to 80 percent slopes, very rocky, very bouldery	0	Non-Hydric
995D	Ricker-Couchsachraga-Skylight complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
995F	Ricker-Couchsachraga-Skylight complex, 35 to 80 percent slopes, very rocky, very bouldery	0	Non-Hydric
998F	Rock outcrop-Ricker-Skylight complex, 35 to 80 percent slopes, very bouldery	0	Non-Hydric
AdA	Adams loamy sand, 0 to 3 percent slopes	0	Non-Hydric
AdB	Adams loamy sand, 3 to 8 percent slopes	0	Non-Hydric
AdC	Adams loamy sand, 8 to 15 percent slopes	0	Non-Hydric
AdD	Adams loamy sand, 15 to 25 percent slopes	0	Non-Hydric
AdE	Adams loamy sand, 25 to 45 percent slopes	0	Non-Hydric
AkA	Adirondack fine sandy loam, 0 to 3 percent slopes, very bouldery	5	Predominantly Non-Hydric
AkB	Adirondack fine sandy loam, 3 to 8 percent slopes, very bouldery	5	Predominantly Non-Hydric
AmB	Amenia fine sandy loam, 2 to 8 percent slopes	0	Non-Hydric

<b>Map Unit Symbol</b>	<b>Map Unit Name</b>	<b>Percent Hydric</b>	<b>Hydric Category</b>
AmC	Amenia fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
BcB	Becket fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
BcC	Becket fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
BeB	Becket fine sandy loam, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
BeC	Becket fine sandy loam, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
BeD	Becket fine sandy loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
BeF	Becket fine sandy loam, 35 to 60 percent slopes, very bouldery	0	Non-Hydric
BkC	Becket-Tunbridge complex, 8 to 15 percent slopes, rocky, very bouldery	0	Non-Hydric
BkD	Becket-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
BoB	Bombay gravelly loam, 3 to 8 percent slopes	0	Non-Hydric
BuA	Bucksport mucky peat, 0 to 1 percent slopes	100	Hydric
BvA	Burnt Vly peat, 0 to 1 percent slopes	100	Hydric
CaA	Catden muck, 0 to 1 percent slopes	100	Hydric
CbA	Colton very gravelly loamy sand, 0 to 3 percent slopes, very bouldery	0	Non-Hydric
CbB	Colton very gravelly loamy sand, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
CbC	Colton very gravelly loamy sand, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
CbD	Colton very gravelly loamy sand, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
CgB	Cayuga silty clay loam, 3 to 8 percent slopes	0	Non-Hydric
CgC	Cayuga silty clay loam, 8 to 15 percent slopes	0	Non-Hydric
ChB	Champlain loamy sand, 3 to 8 percent slopes	0	Non-Hydric
ChC	Champlain loamy sand, 8 to 15 percent slopes	0	Non-Hydric
ChD	Champlain loamy sand, 15 to 25 percent slopes	0	Non-Hydric
ChE	Champlain loamy sand, 25 to 45 percent slopes	0	Non-Hydric
CkA	Charles silt loam, 0 to 2 percent slopes	95	Predominantly Hydric
CIB	Charlton gravelly fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
CIC	Charlton gravelly fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
CID	Charlton gravelly fine sandy loam, 15 to 25 percent slopes	0	Non-Hydric
CnC	Charlton-Chatfield complex, 8 to 15 percent slopes, rocky, very stony	0	Non-Hydric
CnD	Charlton-Chatfield complex, 15 to 35 percent slopes, rocky, very stony	0	Non-Hydric
CoB	Chatfield-Hollis complex, 3 to 8 percent slopes, very rocky, very stony	0	Non-Hydric
CoC	Chatfield-Hollis complex, 8 to 15 percent slopes, very rocky, very stony	0	Non-Hydric
CoD	Chatfield-Hollis complex, 15 to 35 percent slopes, very rocky, very stony	0	Non-Hydric
CoF	Chatfield-Hollis complex, 35 to 60 percent slopes, very rocky, very stony	0	Non-Hydric
CpB	Churchville loam, 2 to 8 percent slopes	1	Predominantly Non-Hydric
CqA	Claverack loamy fine sand, 0 to 3 percent slopes	0	Non-Hydric
CqB	Claverack loamy fine sand, 3 to 8 percent slopes	0	Non-Hydric
CrB	Collamer silt loam, 2 to 8 percent slopes	0	Non-Hydric
CsA	Colton very gravelly loamy sand, 0 to 3 percent slopes	0	Non-Hydric
CsB	Colton very gravelly loamy sand, 3 to 8 percent slopes	0	Non-Hydric
CsC	Colton very gravelly loamy sand, 8 to 15 percent slopes	0	Non-Hydric

Map Unit Symbol	Map Unit Name	Percent Hydric	Hydric Category
CsD	Colton very gravelly loamy sand, 15 to 25 percent slopes	0	Non-Hydric
CsE	Colton very gravelly loamy sand, 25 to 45 percent slopes	0	Non-Hydric
CtA	Cornish silt loam, 0 to 2 percent slopes	8	Predominantly Non-Hydric
CuA	Cosad loamy fine sand, 0 to 3 percent slopes	1	Predominantly Non-Hydric
CuB	Cosad loamy fine sand, 3 to 8 percent slopes	0	Non-Hydric
CvA	Covington clay, 0 to 3 percent slopes	92	Predominantly Hydric
CwA	Croghan fine sand, 0 to 3 percent slopes	2	Predominantly Non-Hydric
CwB	Croghan fine sand, 3 to 8 percent slopes	0	Non-Hydric
DeA	Deerfield loamy sand, 0 to 3 percent slopes	0	Non-Hydric
DeB	Deerfield loamy sand, 3 to 8 percent slopes	0	Non-Hydric
DpC	Depeyster silt loam, 8 to 15 percent slopes	0	Non-Hydric
DpD	Depeyster silt loam, 15 to 25 percent slopes	0	Non-Hydric
DuC	Dunkirk silt loam, 8 to 15 percent slopes	0	Non-Hydric
DuD	Dunkirk silt loam, 15 to 25 percent slopes	0	Non-Hydric
DuE	Dunkirk silt loam, 25 to 45 percent slopes	0	Non-Hydric
DxB	Duxbury fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
EIB	Elmridge fine sandy loam, 2 to 8 percent slopes	0	Non-Hydric
FaD	Farmington loam, 15 to 35 percent slopes, very rocky, very stony	0	Non-Hydric
FcB	Factoryville-Colonie complex, 3 to 8 percent slopes	0	Non-Hydric
FcC	Factoryville-Colonie complex, 8 to 15 percent slopes	0	Non-Hydric
FcD	Factoryville-Colonie complex, 15 to 25 percent slopes	0	Non-Hydric
FdF	Factoryville-Dunkirk complex, 25 to 60 percent slopes	0	Non-Hydric
FgB	Farmington-Galway complex, 3 to 15 percent slopes, very rocky, very stony	0	Non-Hydric
FkF	Farmington-Rock outcrop complex, 35 to 60 percent slopes, very stony	0	Non-Hydric
FnB	Fernlake loamy fine sand, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
FnC	Fernlake loamy fine sand, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
FnD	Fernlake loamy fine sand, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
FnF	Fernlake loamy fine sand, 35 to 60 percent slopes, very bouldery	0	Non-Hydric
FrB	Factoryville loamy fine sand, 2 to 8 percent slopes	0	Non-Hydric
FuA	Fluvaquents-Udifluvents complex, frequently flooded, nearly level	85	Predominantly Hydric
GeB	Georgia loam, 3 to 8 percent slopes	0	Non-Hydric
GeC	Georgia loam, 8 to 15 percent slopes	0	Non-Hydric
GoA	Gougeville mucky loamy fine sand, 0 to 3 percent slopes	92	Predominantly Hydric
HaB	Hailesboro very fine sandy loam, 3 to 8 percent slopes	3	Predominantly Non-Hydric
HcB	Howard very cobbly loam, 2 to 8 percent slopes	0	Non-Hydric
HcC	Howard very cobbly loam, 8 to 15 percent slopes	0	Non-Hydric
HcD	Howard very cobbly loam, 15 to 25 percent slopes	0	Non-Hydric
HdB	Hartland very fine sandy loam, 2 to 8 percent slopes	0	Non-Hydric
HgB	Howard gravelly loam, 2 to 8 percent slopes	0	Non-Hydric
HIB	Howard very cobbly fine sandy loam, 2 to 8 percent slopes, loamy substratum	0	Non-Hydric

Map Unit Symbol	Map Unit Name	Percent Hydric	Hydric Category
HIC	Howard very cobbly fine sandy loam, 8 to 15 percent slopes, loamy substratum	0	Non-Hydric
HmB	Howard gravelly fine sandy loam, 2 to 8 percent slopes, loamy substratum	0	Non-Hydric
HnC	Hermon gravelly loamy sand, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
HnD	Hermon gravelly loamy sand, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
HrF	Hogback-Knob Lock complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
HsD	Hollis-Rock outcrop complex, 15 to 35 percent slopes, very stony	0	Non-Hydric
HsF	Hollis-Rock outcrop complex, 35 to 60 percent slopes, very stony	0	Non-Hydric
KaB	Kalurah silt loam, 3 to 8 percent slopes	0	Non-Hydric
KaC	Kalurah silt loam, 8 to 15 percent slopes	0	Non-Hydric
KgB	Kalurah silt loam, 3 to 8 percent slopes, very stony	0	Non-Hydric
KgC	Kalurah silt loam, 8 to 15 percent slopes, very stony	0	Non-Hydric
KyA	Kingsbury silty clay loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
KyB	Kingsbury silty clay loam, 3 to 8 percent slopes	3	Predominantly Non-Hydric
LnA	Livingston mucky silty clay loam, 0 to 3 percent slopes	98	Predominantly Hydric
LvA	Lovewell very fine sandy loam, 0 to 3 percent slopes	7	Predominantly Non-Hydric
LyD	Lyman-Knob Lock complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
LyF	Lyman-Knob Lock complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
MaB	Malone silt loam, 3 to 8 percent slopes	4	Predominantly Non-Hydric
MbB	Malone silt loam, 3 to 8 percent slopes, very stony	4	Predominantly Non-Hydric
McA	Massena gravelly silt loam, 0 to 3 percent slopes	3	Predominantly Non-Hydric
McB	Massena gravelly silt loam, 3 to 8 percent slopes	3	Predominantly Non-Hydric
MdA	Medomak mucky silt loam, 0 to 3 percent slopes	97	Predominantly Hydric
MhB	Monadnock fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
MhC	Monadnock fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
MkB	Monadnock fine sandy loam, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
MkC	Monadnock fine sandy loam, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
MkD	Monadnock fine sandy loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
MkF	Monadnock fine sandy loam, 35 to 60 percent slopes, very bouldery	0	Non-Hydric
MmF	Monadnock-Adams complex, 25 to 60 percent slopes, bouldery	0	Non-Hydric
MnC	Monadnock-Tunbridge complex, 8 to 15 percent slopes, rocky, very bouldery	0	Non-Hydric
MnD	Monadnock-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
MnF	Monadnock-Tunbridge complex, 35 to 60 percent slopes, rocky, very bouldery	0	Non-Hydric
MoA	Mooers loamy fine sand, 0 to 3 percent slopes	0	Non-Hydric
MuC	Mundalite fine sandy loam, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
MuD	Mundalite fine sandy loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
MwC	Mundalite-Rawsonville complex, 3 to 15 percent slopes, rocky, very bouldery	0	Non-Hydric
MwD	Mundalite-Rawsonville complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
NaA	Naumburg loamy fine sand, 0 to 3 percent slopes	7	Predominantly Non-Hydric
NeB	Nellis fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
NeC	Nellis fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric

Map Unit Symbol	Map Unit Name	Percent Hydric	Hydric Category
NeD	Nellis fine sandy loam, 15 to 25 percent slopes	0	Non-Hydric
NgA	Niagara silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
NgB	Niagara silt loam, 3 to 8 percent slopes	4	Predominantly Non-Hydric
NvB	Nicholville silt loam, 3 to 8 percent slopes	0	Non-Hydric
OmA	Occum fine sandy loam, 0 to 3 percent slopes	4	Predominantly Non-Hydric
OwA	Ondawa sandy loam, 0 to 3 percent slopes	4	Predominantly Non-Hydric
Pc	Pits, quarry	0	Non-Hydric
Pd	Pits, sand and gravel	0	Non-Hydric
PfB	Pittsfield loam, 3 to 8 percent slopes	0	Non-Hydric
PfC	Pittsfield loam, 8 to 15 percent slopes	0	Non-Hydric
PfD	Pittsfield loam, 15 to 25 percent slopes	0	Non-Hydric
PfE	Pittsfield loam, 25 to 45 percent slopes	0	Non-Hydric
PkA	Pleasant Lake peat, 0 to 2 percent slopes	100	Hydric
PIB	Pittsfield-Chatfield complex, 3 to 8 percent slopes, rocky, very stony	0	Non-Hydric
PIC	Pittsfield-Chatfield complex, 8 to 15 percent slopes, rocky, very stony	0	Non-Hydric
PID	Pittsfield-Chatfield complex, 15 to 35 percent slopes, rocky, very stony	0	Non-Hydric
PIF	Pittsfield-Chatfield complex, 35 to 60 percent slopes, rocky, very stony	0	Non-Hydric
PoA	Podunk very fine sandy loam, 0 to 3 percent slopes	4	Predominantly Non-Hydric
PrA	Pootatuck fine sandy loam, 0 to 3 percent slopes	4	Predominantly Non-Hydric
PtB	Pyrities fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
PtC	Pyrities fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
PtD	Pyrities fine sandy loam, 15 to 25 percent slopes	0	Non-Hydric
PuC	Pyrities fine sandy loam, 8 to 15 percent slopes, very stony	0	Non-Hydric
PuD	Pyrities fine sandy loam, 15 to 35 percent slopes, very stony	0	Non-Hydric
PwC	Pyrities-Nehasne complex, 8 to 15 percent slopes, rocky, very stony	0	Non-Hydric
PwD	Pyrities-Nehasne complex, 15 to 35 percent slopes, rocky, very stony	0	Non-Hydric
PyC	Pyrities-Nehasne complex, 8 to 15 percent slopes, rocky	0	Non-Hydric
PyD	Pyrities-Nehasne complex, 15 to 25 percent slopes, rocky	0	Non-Hydric
RaC	Rawsonville-Hogback complex, 8 to 15 percent slopes, very rocky, very bouldery	0	Non-Hydric
RaD	Rawsonville-Hogback complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
RaF	Rawsonville-Hogback complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
RmA	Rippowam fine sandy loam, 0 to 3 percent slopes	95	Predominantly Hydric
RpF	Rock outcrop-Knob Lock-Lyman complex, 35 to 60 percent slopes, very bouldery	0	Non-Hydric
RsA	Roundabout silt loam, 0 to 3 percent slopes	1	Predominantly Non-Hydric
RuA	Rumney loam, 0 to 3 percent slopes	97	Predominantly Hydric
RyA	Rumney-Burnt Vly complex, 0 to 3 percent slopes	95	Predominantly Hydric
SeA	Searsport peat, 0 to 3 percent slopes	95	Predominantly Hydric
SkB	Skerry loam, 3 to 8 percent slopes	0	Non-Hydric
SnB	Sunapee fine sandy loam, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
SpB	Sunapee fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric

