

**Hydric Rating by Map Unit**  
Fulton County, New York

<b>Map Unit Symbol</b>	<b>Map Unit Name</b>	<b>Percent Hydric</b>	<b>Hydric Category</b>
3A	Endoaquolls and Hapludolls, 0 to 3 percent slopes, frequently flooded	90	Predominantly Hydric
4C	Udorthents, 0 to 15 percent slopes, smoothed	0	Non-Hydric
5C	Udorthents, 4 to 33 percent slopes, refuse substratum	0	Non-Hydric
6A	Sapristis and Aquents, 0 to 2 percent slopes, frequently ponded	100	Hydric
7B	Endoaquents, 0 to 8 percent slopes, smoothed	0	Non-Hydric
10A	Pleasant Lake-Burnt Vly complex, 0 to 2 percent slopes	93	Predominantly Hydric
11B	Hinckley and Windsor soils, 3 to 8 percent slopes	0	Non-Hydric
11C	Hinckley and Windsor soils, 8 to 15 percent slopes	0	Non-Hydric
11D	Hinckley and Windsor soils, 15 to 25 percent slopes	0	Non-Hydric
11E	Hinckley and Windsor soils, 25 to 50 percent slopes	0	Non-Hydric
13F	Lansing and Mohawk soils, 25 to 50 percent slopes	0	Non-Hydric
16E	Broadalbin loam, 25 to 40 percent slopes	0	Non-Hydric
17D	Hollis-Rock outcrop complex, 3 to 25 percent slopes	0	Non-Hydric
18C	Chatfield-Hollis complex, 8 to 15 percent slopes, very rocky	0	Non-Hydric
18D	Chatfield-Hollis complex, 15 to 35 percent slopes, very rocky	0	Non-Hydric
21B	Galway loam, 3 to 8 percent slopes	0	Non-Hydric
21C	Galway loam, 8 to 15 percent slopes	0	Non-Hydric
22B	Georgia silt loam, 3 to 8 percent slopes	0	Non-Hydric
24B	Farmington loam, 2 to 8 percent slopes	0	Non-Hydric
24C	Farmington loam, 8 to 15 percent slopes	0	Non-Hydric
25A	Wonsqueak-Colton-Rumney complex, 0 to 15 percent slopes	66	Partially Hydric
25D	Farmington loam, 3 to 25 percent slopes, very rocky	0	Non-Hydric
32B	Mohawk silt loam, 3 to 8 percent slopes	0	Non-Hydric
32C	Mohawk silt loam, 8 to 15 percent slopes	0	Non-Hydric
32D	Mohawk silt loam, 15 to 25 percent slopes	0	Non-Hydric
33B	Angola silt loam, 0 to 8 percent slopes	10	Predominantly Non-Hydric
34A	Manheim silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
34B	Manheim silt loam, 3 to 8 percent slopes	4	Predominantly Non-Hydric
42B	Lansing loam, 2 to 8 percent slopes	0	Non-Hydric
42C	Lansing loam, 8 to 15 percent slopes	0	Non-Hydric
42D	Lansing loam, 15 to 25 percent slopes	0	Non-Hydric
44A	Appleton silt loam, 0 to 3 percent slopes	7	Predominantly Non-Hydric
44B	Appleton silt loam, 3 to 8 percent slopes	5	Predominantly Non-Hydric
47A	Ilion silt loam, 0 to 3 percent slopes	94	Predominantly Hydric
47B	Ilion silt loam, 3 to 8 percent slopes	91	Predominantly Hydric
49A	Fonda mucky silt loam, 0 to 1 percent slopes	91	Predominantly Hydric
72B	Broadalbin fine sandy loam, 2 to 8 percent slopes	0	Non-Hydric

Map Unit Symbol	Map Unit Name	Percent Hydric	Hydric Category
72C	Broadalbin fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
72D	Broadalbin fine sandy loam, 15 to 25 percent slopes	0	Non-Hydric
74A	Mosherville loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
74B	Mosherville loam, 3 to 8 percent slopes	3	Predominantly Non-Hydric
77A	Sun loam, 0 to 3 percent slopes	84	Predominantly Hydric
81B	Charlton loam, 2 to 8 percent slopes	0	Non-Hydric
81C	Charlton loam, 8 to 15 percent slopes	0	Non-Hydric
81D	Charlton loam, 15 to 25 percent slopes	0	Non-Hydric
89A	Whitman mucky loam, 0 to 3 percent slopes	95	Predominantly Hydric
90B	Palatine silt loam, 3 to 8 percent slopes	0	Non-Hydric
90C	Palatine silt loam, 8 to 15 percent slopes	0	Non-Hydric
90D	Palatine silt loam, 15 to 25 percent slopes	0	Non-Hydric
94B	Paxton fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
94C	Paxton fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
94D	Paxton fine sandy loam, 15 to 25 percent slopes	0	Non-Hydric
95B	Woodbridge loam, 3 to 8 percent slopes	0	Non-Hydric
96B	Ridgebury loam, 0 to 8 percent slopes	15	Predominantly Non-Hydric
99A	Timakwa muck, 0 to 2 percent slopes	100	Hydric
109A	Catden muck, 0 to 2 percent slopes	100	Hydric
112A	Scio-Urban land complex, 0 to 3 percent slopes	0	Non-Hydric
114B	Windsor-Urban land complex, 3 to 8 percent slopes	0	Non-Hydric
114C	Windsor-Urban land complex, 8 to 15 percent slopes	0	Non-Hydric
114D	Windsor-Urban land complex, 15 to 25 percent slopes	0	Non-Hydric
115B	Udipsamments, 0 to 8 percent slopes, smoothed	0	Non-Hydric
116	Urban land	0	Non-Hydric
117B	Broadalbin-Urban land complex, 3 to 8 percent slopes	0	Non-Hydric
117C	Broadalbin-Urban land complex, 8 to 15 percent slopes	0	Non-Hydric
130B	Hudson silty clay loam, 3 to 8 percent slopes	0	Non-Hydric
130C	Hudson silty clay loam, 8 to 15 percent slopes	0	Non-Hydric
134A	Rhinebeck silty clay loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
134B	Rhinebeck silty clay loam, 3 to 8 percent slopes	3	Predominantly Non-Hydric
135A	Churchville silty clay loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
135B	Churchville silty clay loam, 3 to 8 percent slopes	4	Predominantly Non-Hydric
137A	Madalin silty clay loam, 0 to 3 percent slopes	84	Predominantly Hydric
151B	Unadilla silt loam, 3 to 8 percent slopes	0	Non-Hydric
152A	Scio silt loam, 0 to 3 percent slopes	0	Non-Hydric
152B	Scio silt loam, 3 to 8 percent slopes	0	Non-Hydric
154A	Tonawanda silt loam, 0 to 3 percent slopes	8	Predominantly Non-Hydric
154B	Tonawanda silt loam, 3 to 8 percent slopes	2	Predominantly Non-Hydric
157A	Birdsall mucky silt loam, 0 to 3 percent slopes	97	Predominantly Hydric

Map Unit Symbol	Map Unit Name	Percent Hydric	Hydric Category
160A	Agawam fine sandy loam, 0 to 3 percent slopes	0	Non-Hydric
160B	Agawam fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
162B	Ninigret fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
165A	Stafford loamy fine sand, 0 to 3 percent slopes	3	Predominantly Non-Hydric
170B	Windsor loamy sand, 2 to 8 percent slopes	0	Non-Hydric
170C	Windsor loamy sand, 8 to 15 percent slopes	0	Non-Hydric
170D	Windsor loamy sand, 15 to 25 percent slopes	0	Non-Hydric
179A	Scarboro mucky loamy sand, 0 to 3 percent slopes	92	Predominantly Hydric
182A	Elmridge fine sandy loam, 0 to 3 percent slopes	0	Non-Hydric
182B	Elmridge fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
187A	Aeric Epiaquepts, 0 to 3 percent slopes	39	Partially Hydric
189A	Cheektowaga mucky very fine sandy loam, 0 to 3 percent slopes	90	Predominantly Hydric
197A	Fredon loam, 0 to 3 percent slopes	15	Predominantly Non-Hydric
201B	Alton gravelly loam, 3 to 8 percent slopes	0	Non-Hydric
201C	Alton gravelly loam, 8 to 15 percent slopes	0	Non-Hydric
201D	Alton gravelly loam, 15 to 25 percent slopes	0	Non-Hydric
210A	Merrimac fine sandy loam, 0 to 3 percent slopes	0	Non-Hydric
210B	Merrimac fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
210C	Merrimac fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
210D	Merrimac fine sandy loam, 15 to 25 percent slopes	0	Non-Hydric
211A	Burnt Vly-Humaquepts-Pleasant Lake complex, 0 to 2 percent slopes	88	Predominantly Hydric
212A	Hinckley gravelly loamy sand, 0 to 3 percent slopes	0	Non-Hydric
212B	Hinckley gravelly loamy sand, 3 to 8 percent slopes	0	Non-Hydric
212C	Hinckley gravelly loamy sand, 8 to 15 percent slopes	0	Non-Hydric
232A	Teel silt loam, 0 to 3 percent slopes	8	Predominantly Non-Hydric
244A	Darien silt loam, 0 to 3 percent slopes	5	Predominantly Non-Hydric
244B	Darien silt loam, 3 to 8 percent slopes	4	Predominantly Non-Hydric
363A	Adams loamy sand, 0 to 3 percent slopes	0	Non-Hydric
363B	Adams loamy sand, 3 to 15 percent slopes	0	Non-Hydric
363D	Adams loamy sand, 15 to 35 percent slopes	0	Non-Hydric
363F	Adams loamy sand, 35 to 60 percent slopes	0	Non-Hydric
365A	Naumburg-Croghan complex, 0 to 3 percent slopes	7	Predominantly Non-Hydric
368A	Searsport-Wonsqueak-Naumburg complex, 0 to 3 percent slopes	66	Partially Hydric
375A	Colton-Adams complex, 0 to 3 percent slopes	0	Non-Hydric
375C	Colton-Adams complex, 3 to 15 percent slopes	0	Non-Hydric
375D	Colton-Adams complex, 15 to 35 percent slopes	0	Non-Hydric
650C	Monadnock-Adams-Colton complex, 3 to 15 percent slopes, bouldery	0	Non-Hydric
650D	Monadnock-Adams-Colton complex 15 to 35 percent slopes, bouldery	0	Non-Hydric
651C	Monadnock-Tunbridge-Sabattis complex, rolling, rocky, very bouldery	17	Predominantly Non-Hydric
651D	Monadnock-Tunbridge complex, hilly, rocky, very bouldery	0	Non-Hydric

<b>Map Unit Symbol</b>	<b>Map Unit Name</b>	<b>Percent Hydric</b>	<b>Hydric Category</b>
651F	Monadnock-Tunbridge complex, very steep, rocky, very bouldery	0	Non-Hydric
653C	Monadnock fine sandy loam, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
653D	Monadnock fine sandy loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
708B	Adirondack-Sabattis-Tughill complex, 0 to 8 percent slopes, very bouldery	55	Partially Hydric
711C	Adirondack-Tunbridge-Burnt Vly, 3 to 15 percent slopes, very bouldery	20	Predominantly Non-Hydric
721C	Becket-Tunbridge-Skerry complex, 3 to 15 percent slopes, rocky, very bouldery	0	Non-Hydric
721D	Becket-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
721F	Becket-Tunbridge complex, 35 to 60 percent slopes, rocky, very bouldery	0	Non-Hydric
723C	Becket sandy loam, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
723D	Becket sandy loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
725B	Skerry-Becket complex, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
727B	Skerry-Adirondack complex, 0 to 8 percent slopes, very bouldery	11	Predominantly Non-Hydric
741C	Potsdam-Tunbridge complex, 3 to 15 percent slopes, rocky, very bouldery	0	Non-Hydric
741D	Potsdam-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
743C	Potsdam loam, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
743D	Potsdam loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
745C	Crary-Potsdam complex, 3 to 15 percent slopes, very bouldery	0	Non-Hydric
747B	Crary-Adirondack complex, 0 to 8 percent slopes, very bouldery	2	Predominantly Non-Hydric
831C	Tunbridge-Lyman complex, 3 to 15 percent slopes, very rocky, very bouldery	0	Non-Hydric
831D	Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
831F	Tunbridge-Lyman complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
833C	Tunbridge-Adirondack-Lyman complex, 0 to 25 percent slopes, rocky, very bouldery	4	Predominantly Non-Hydric
836C	Tunbridge-Wonsqueak-Knob Lock complex, 0 to 25 percent slopes, very rocky, very bouldery	24	Predominantly Non-Hydric
851C	Lyman-Knob Lock complex, 3 to 15 percent slopes, very rocky, very bouldery	0	Non-Hydric
851D	Lyman-Knob Lock complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
851F	Lyman-Knob Lock complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
931D	Mundalite-Rawsonville complex, 15 to 35 percent slopes, rocky, very bouldery	0	Non-Hydric
931F	Mundalite-Rawsonville complex, 35 to 60 percent slopes, rocky, very bouldery	0	Non-Hydric
941C	Rawsonville-Hogback complex, 3 to 15 percent slopes, very rocky, very bouldery	0	Non-Hydric
941D	Rawsonville-Hogback complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
941F	Rawsonville-Hogback complex, 35 to 60 percent slopes, very rocky, very bouldery	0	Non-Hydric
1018B	Colton sandy loam, 0 to 8 percent slopes	0	Non-Hydric
1018C	Colton sandy loam, 8 to 15 percent slopes	0	Non-Hydric
1018D	Colton sandy loam, 15 to 35 percent slopes	0	Non-Hydric
1022A	Croghan fine sandy loam, 0 to 5 percent slopes	0	Non-Hydric
1023A	Naumburg loamy fine sand, 0 to 3 percent slopes	7	Predominantly Non-Hydric
1024A	Searsport mucky loamy sand, 0 to 3 percent slopes	89	Predominantly Hydric
1025A	Adams loamy sand, 0 to 3 percent slopes	0	Non-Hydric
1025B	Adams loamy sand, 3 to 8 percent slopes	0	Non-Hydric

<b>Map Unit Symbol</b>	<b>Map Unit Name</b>	<b>Percent Hydric</b>	<b>Hydric Category</b>
1025C	Adams loamy sand, 8 to 15 percent slopes	0	Non-Hydric
1025E	Adams loamy sand, 15 to 35 percent slopes	0	Non-Hydric
1025F	Adams loamy sand, 35 to 70 percent slopes	0	Non-Hydric
1027B	Allagash fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
1027C	Allagash fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
1027E	Allagash fine sandy loam, 15 to 35 percent slopes	0	Non-Hydric
1070B	Berkshire loam, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
1070C	Berkshire loam, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
1070E	Berkshire loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
1075B	Potsdam loam, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
1075C	Potsdam loam, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
1078B	Crary loam, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
1080B	Becket sandy loam, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
1080C	Becket sandy loam, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
1080E	Becket sandy loam, 15 to 35 percent slopes, very bouldery	0	Non-Hydric
1081B	Skerry fine sandy loam, 3 to 8 percent slopes, very bouldery	0	Non-Hydric
1081C	Skerry fine sandy loam, 8 to 15 percent slopes, very bouldery	0	Non-Hydric
1091C	Lyman-Becket-Tunbridge complex, 8 to 15 percent slopes, very rocky, very bouldery	1	Predominantly Non-Hydric
1091E	Lyman-Becket-Tunbridge complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
1118C	Adams-Colton complex, 3 to 15 percent slopes	0	Non-Hydric
1118D	Adams-Colton complex, 15 to 35 percent slopes	0	Non-Hydric
1170B	Henniker fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
1170C	Henniker fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
1170E	Henniker fine sandy loam, 15 to 35 percent slopes	0	Non-Hydric
1171B	Metacomet fine sandy loam, 3 to 8 percent slopes	0	Non-Hydric
1171C	Metacomet fine sandy loam, 8 to 15 percent slopes	0	Non-Hydric
1172B	Pillsbury fine sandy loam, 3 to 8 percent slopes	10	Predominantly Non-Hydric
1178A	Adirondack fine sandy loam, 0 to 3 percent slopes, very bouldery	6	Predominantly Non-Hydric
1178B	Adirondack fine sandy loam, 3 to 8 percent slopes, very bouldery	5	Predominantly Non-Hydric
1185A	Wonsqueak mucky peat, 0 to 2 percent slopes	100	Hydric
1190C	Tunbridge-Lyman complex, 3 to 15 percent slopes, very rocky, very bouldery	0	Non-Hydric
1190E	Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric
1190F	Tunbridge-Lyman complex, 35 to 70 percent slopes, very rocky, very bouldery	0	Non-Hydric
1193A	Wonsqueak-Humaquepts complex, 0 to 3 percent slopes, frequently flooded	100	Hydric
1291C	Becket-Lyman-Tunbridge complex, 8 to 15 percent slopes, very rocky, very bouldery	1	Predominantly Non-Hydric
1291D	Becket-Lyman-Tunbridge complex, 15 to 35 percent slopes, very rocky, very bouldery	0	Non-Hydric

