

## Highly Erodible Soil Map Unit List - KANABEC COUNTY, MN

**C=.10**

**R=120**

This data is only to be used for HEL determinations. This is the "frozen list" based on 01/01/1990 information. Values other than 'HEL' should only be used for PHEL.

<b>musym</b>	<b>muname</b>	<b>HEL</b>	<b>T</b>	<b>K</b>	<b>I</b>	<b>slope_%</b>	<b>slope_l</b>	<b>LS</b>
1003B	Udorthents, loamy (cut and fill land), 0 to 6 percent slopes	NHEL						
1007	Udorthents, shallow (sanitary landfill)	NHEL						
1008B	Udipsamments (cut and fill land)	NHEL						
1013A	Seelyeville and Cathro soils, ponded, 0 to 1 percent slopes	NHEL	5	0	134	0.2	50	0.06
1017A	Fluvaquents, ponded, 0 to 1 percent slopes, frequently flooded	NHEL	5	.24	0	0.2	110	0.07
1020A	Bowstring muck and Fluvaquents, loamy, 0 to 1 percent slopes, frequently flooded	NHEL	4	.28	48	0.2	100	0.07
1023A	Seelyeville and Markey soils, ponded, 0 to 1 percent slopes	NHEL	4	0	134	0.2	125	0.07
1025A	Fluvaquents and Udifluents, loamy, 0 to 2 percent slopes, frequently flooded	NHEL	5	.24	56	1	100	0.13
1026A	Udifluents and Fluvaquents, loamy, 0 to 2 percent slopes, occasionally flooded	NHEL	5	.24	56	1	100	0.13
C1B	Milaca-Brennyville complex, 3 to 8 percent slopes, stony	NHEL	4	.24	86	4	80	0.59
C3B	Mora fine sandy loam, 3 to 6 percent slopes, stony	NHEL	4	.24	86	4	80	0.36
C5C	Milaca fine sandy loam, 8 to 15 percent slopes, stony	PHEL	4	.24	86	8	80	0.89
C5E	Milaca fine sandy loam, 15 to 30 percent slopes, stony	HEL	4	.24	86	20	80	3.50
C6A	Cebana silt loam, 0 to 2 percent slopes, stony	NHEL	4	.32	48	1	50	0.08
C9A	Mora, wet-Cebana complex, 0 to 3 percent slopes, stony	NHEL	4	.15	86	2	125	0.20
C10B	Brennyville complex, 1 to 6 percent slopes, stony	NHEL	4	.28	56	4	80	0.36
C11B	Mora-Brennyville, wet, complex, 1 to 6 percent slopes, stony	NHEL	4	.15	86	4	80	0.36
C12A	Brennyville, wet-Cebana complex, 0 to 4 percent slopes, stony	NHEL	4	.28	56	2	125	0.20
C15B	Brennyville-Mora complex, 3 to 6 percent slopes, stony	NHEL	4	.15	86	4	80	0.36
C16A	Mahtomedi-Chetek complex, 0 to 2 percent slopes	NHEL	3	.15	86	1	80	0.12
C16B	Mahtomedi-Chetek complex, 1 to 8 percent slopes	NHEL	3	.15	86	5	80	0.27
C16C	Mahtomedi-Chetek complex, 8 to 15 percent slopes	PHEL	3	0.24	86	8	80	0.89
C16E	Mahtomedi-Chetek complex, 15 to 30 percent slopes	HEL	5	.15	134	30	80	7.00
C17A	Rosholt-Chetek complex, 0 to 2 percent slopes	NHEL	3	.15	86	1	80	0.12
C17B	Rosholt-Chetek complex, 2 to 8 percent slopes	NHEL	3	.15	86	5	80	0.27
C17C	Rosholt-Chetek complex, 8 to 15 percent slopes	PHEL	4	0.24	86	8	80	0.89
C17E	Rosholt-Chetek complex, 15 to 40 percent slopes	HEL	3	0.24	86	20	80	3.50
C18B	Branstad loam, 2 to 6 percent slopes	NHEL	5	.24	56	3	80	0.27

## Highly Erodible Soil Map Unit List - KANABEC COUNTY, MN

**C=.10**

**R=120**

This data is only to be used for HEL determinations. This is the "frozen list" based on 01/01/1990 information. Values other than 'HELC' should only be used for PHEL.

<b>musym</b>	<b>muname</b>	<b>HELC</b>	<b>T</b>	<b>K</b>	<b>I</b>	<b>slope_%</b>	<b>slope_I</b>	<b>LS</b>
C19A	Longsiding-Grasston complex, 0 to 3 percent slopes	NHEL	5	.28	38	1	80	0.08
C21A	Quam mucky silty clay loam, depressional, MLRA 90, 0 to 1 percent slopes	NHEL	5	.20	48	0.5	80	0.08
C23B	Antigo-Chetek complex, 2 to 8 percent slopes	NHEL	3	.15	86	5	0.8	0.27
C24A	Billyboy-Ossmer complex, 0 to 3 percent slopes	NHEL	4	.32	56	1	125	0.20
C25A	Alstad loam, 1 to 3 percent slopes	NHEL	5	.37	56	1	80	0.12
C26A	Foglake silt loam, 0 to 2 percent slopes	NHEL	5	.24	48	1	100	0.13
C27A	Oesterle-Scott Lake complex, 0 to 3 percent slopes	NHEL	4	.24	56	1	100	0.12
C29D2	Debs silt loam, 12 to 18 percent slopes, eroded	HEL	4	0.24	86	16	80	2.60
C29E	Debs silt loam, 18 to 25 percent slopes	HEL	4	0.24	86	20	80	3.50
C31B	Grasston silt loam, 2 to 6 percent slopes	PHEL	3	.43	48	4	100	0.40
C31C2	Grasston silt loam, 6 to 12 percent slopes, eroded	HEL	3	.43	48	8	100	0.99
C33B	Seelyeville-Cathro complex, seep land, 1 to 5 percent slopes	NHEL	5	0	134	3	80	0.27
C35A	Ossmer-Billyboy complex, 0 to 3 percent slopes	NHEL	4	.32	56	1	80	0.13
C40A	Scott Lake fine sandy loam, 0 to 3 percent slopes	NHEL	4	.24	86	2	100	0.12
C44A	Wurtsmith-Grettum complex, 0 to 3 percent slopes	NHEL	5	.17	134	1	80	0.12
C49A	Antigo silt loam, 0 to 2 percent slopes	NHEL	4	.37	56	1	80	0.12
C53B	Pomroy loamy fine sand, 2 to 6 percent slopes	NHEL	4	.15	250	3	80	0.27
C53C	Pomroy loamy fine sand, 6 to 12 percent slopes	NHEL	4	.15	250	8	80	0.89
C61A	Cathro and Hassman soils, depressional, 0 to 1 percent slopes	NHEL	5	0	134	0.2	80	0.12
C75A	Seelyeville and Cathro (Milaca catena) soils, depressional, 0 to 1 percent slopes	NHEL	5	0	134	0.2	80	0.08
C85A	Brickton silt loam, 0 to 2 percent slopes	NHEL	3	.43	56	1	100	0.12
C86A	Aftad-Plover complex, 0 to 3 percent slopes	NHEL	4	.37	56	1	80	0.12
C87A	Plover fine sandy loam, 0 to 3 percent slopes	NHEL	4	.24	86	1	80	0.12
C88A	Fenander fine sandy loam, 0 to 2 percent slopes	NHEL	4	.32	56	1	80	0.12
C89A	Cathro (Grasston catena) and Seelyeville soils, depressional, 0 to 1 percent slopes	NHEL	5	0	134	0.2	80	0.08
C91B	Milaca, stony-Chetek complex, 3 to 8 percent slopes	NHEL	3	.24	86	3	80	0.27
C91C	Milaca, stony-Chetek complex, 8 to 15 percent slopes	PHEL	3	.24	86	8	80	0.89
C91E	Milaca, stony-Chetek complex, 15 to 30 percent slopes	HEL	3	.24	86	20	80	3.50

Highly Erodible Soil Map Unit List - **KANABEC COUNTY, MN**

**C=.10**

**R=120**

This data is only to be used for HEL determinations. This is the "frozen list" based on 01/01/1990 information. Values other than 'HELC' should only be used for PHEL.

<b>musym</b>	<b>muname</b>	<b>HELC</b>	<b>T</b>	<b>K</b>	<b>I</b>	<b>slope_%</b>	<b>slope_I</b>	<b>LS</b>
C92A	Cathro (Grasston catena) and Seelyeville soils, wooded, 0 to 1 percent slopes	NHEL	5	0	134	0.2	80	0.08
C93A	Greenwood mucky peat (Grasston catena), 0 to 1 percent slopes	NHEL	5	0	56	0.2	80	0.08
C95A	Seelyeville and Cathro (Milaca catena) soils, wooded, 0 to 1 percent slopes	NHEL	5	0	134	0.2	80	0.08
C96A	Cathro, Twig, and Giese, stony, soils, depressional, 0 to 1 percent slopes	NHEL	4	0	48	0.2	50	0.06
C97A	Cathro, sandy substratum, and Seelyeville soils, depressional, 0 to 1 percent slopes	NHEL	5	0	134	0.2	80	0.08
C101A	Greenwood mucky peat (Milaca catena), 0 to 1 percent slopes	NHEL	5	0	56	0.2	80	0.08
C102A	Cathro, sandy substratum, and Seelyeville soils, ponded , 0 to 1 percent slopes	NHEL	5	0	134	0.2	80	0.08
C103A	Cathro, sandy substratum, and Seelyeville soils, wooded, 0 to 1 percent slopes	NHEL	5	0	134	0.2	80	0.08
C105A	Dalbo, wet-Brickton complex, 0 to 2 percent slopes	NHEL	3	.43	48	1	100	0.13
C106B	Dalbo complex, 2 to 6 percent slopes	PHEL	3	.43	48	4	100	0.40
C107A	Fenander fine sandy loam, depressional, 0 to 1 percent slopes	NHEL	4	.32	56	1	80	0.12
C108A	Hulligan loam, 0 to 2 percent slopes	NHEL	4	.24	56	1	80	0.12
C109A	Lenroot loamy sand, 1 to 3 percent slopes	NHEL	5	.15	134	1	80	0.12
C110A	Annriver silt loam, 0 to 2 percent slopes	NHEL	4	.28	56	1	80	0.12
C111C2	Dalbo silt loam, 6 to 12 percent slopes, moderately eroded	HEL	3	.43	48	8	100	0.99
C111D2	Dalbo silt loam, 12 to 18 percent slopes, moderately eroded	HEL	4	0.24	86	16	80	2.60
C112A	Graycalm-Grayling complex, 0 to 2 percent slopes	NHEL	5	.15	134	1	80	0.12
C112B	Graycalm-Grayling complex, 2 to 8 percent slopes	NHEL	5	.15	134	3	80	0.27
C112C	Graycalm-Grayling complex, 8 to 15 percent slopes	PHEL	5	0.17	134	8	80	0.89
C112E	Graycalm-Grayling complex, 15 to 30 percent slopes	HEL	5	0.17	134	20	80	3.50
C113A	Meehan loamy sand, 0 to 2 percent slopes	NHEL	5	.17	134	1	80	0.12
C116B	Mora, stony-Brennyville, stony-Cathro complex, pitted, 0 to 6 percent slopes	NHEL	4	.37	56	3	80	0.27
C117A	Cebana, stony-Annriver complex, 0 to 2 percent slopes	NHEL	4	.28	56	1	80	0.12
C118C	Chetek-Emmert complex, 8 to 15 percent slopes	PHEL	3	0.24	86	8	80	0.89
C119A	Brennyville, stony-Cebana, stony-Cathro complex, pitted, 0 to 3 percent slopes	NHEL	4	.28	56	2	125	0.20
C122E	Emmert-Chetek complex, 15 to 45 percent slopes	HEL	2	.17	0	30	80	7.00
C123B	Milaca, stony-Mora, stony-Cathro complex, pitted, 0 to 8 percent slopes	NHEL	4	.24	86	4	80	0.59
C124A	Cebana, stony-Cathro complex, pitted, 0 to 2 percent slopes	NHEL	4	.32	48	1	50	0.08

Highly Erodible Soil Map Unit List - **KANABEC COUNTY, MN**

**C=.10**

**R=120**

This data is only to be used for HEL determinations. This is the "frozen list" based on 01/01/1990 information. Values other than 'HEL' should only be used for PHEL.

<b>musym</b>	<b>muname</b>	<b>HEL</b>	<b>T</b>	<b>K</b>	<b>I</b>	<b>slope_%</b>	<b>slope_I</b>	<b>LS</b>
C125A	Hulligan loam, depressional, 0 to 1 percent slopes	NHEL	4	.24	56	1	80	0.12
C126B	Balmlake-Rosy complex, 1 to 6 percent slopes	NHEL	4	.37	56	3	80	0.27
C127A	Whited silt loam, 0 to 2 percent slopes	NHEL	4	.28	48	1	80	0.12
C130B	Mora, stony-Chetek complex, 2 to 6 percent slopes	NHEL	3	.24	86	3	80	0.27
C133A	Brennyville, stony-Scottlake complex, 0 to 3 percent slopes	NHEL	4	.28	56	2	125	0.20
C134A	Rosy very fine sandy loam, 0 to 4 percent slopes	NHEL	5	.37	86	2	125	0.20
C135A	Lewis Lake silt loam, 1 to 3 percent slopes	NHEL	3	.43	48	1	100	0.13
C135B	Lewis Lake silt loam, 3 to 6 percent slopes	PHEL	3	.43	48	4	100	0.40
C135C2	Lewis Lake silt loam, 6 to 12 percent slopes, moderately eroded	HEL	3	.43	48	8	100	0.99
C138B	Grasston-Scott Lake complex, 2 to 6 percent slopes	PHEL	3	.43	48	4	100	0.40
C138C2	Grasston-Scott Lake complex, 6 to 12 percent slopes, moderately eroded	HEL	3	.43	48	8	100	0.99
C139A	Minocqua silt loam, depressional, thick solum, 0 to 1 percent slopes	NHEL	4	.32	56	1	80	0.12
C141C	Antigo-Rock outcrop complex, 3 to 15 percent slopes	PHEL	4	.37	56	8	80	0.89
C142A	Annrivier silt loam, 0 to 2 percent slopes, extremely stony	NHEL	4	.28	56	1	80	0.12
C143B	Alban fine sandy loam, 1 to 8 percent slopes	NHEL	5	.20	86	3	80	0.27
C144A	Coin silt loam, 0 to 2 percent slopes	NHEL	4	.28	48	1	80	0.12
C146A	Haybrook fine sandy loam, 0 to 2 percent slopes, stony	NHEL	4	.15	86	1	80	0.12
GP	Pits, gravel-Udipsamments complex	NHEL						
M-W	Water, miscellaneous	NHEL						
W	Water	NHEL						