

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ad	Adrian muck, drained	Adrian, drained	75	145	44	58	4.8	9.6
		Antung, drained	10	145	40	58	4.8	9.6
		Edwards, drained	6	135	33	54	4.5	9.0
		Houghton, drained	6	165	44	66	5.4	10.8
		Muskego, drained	3	135	33	54	4.5	9.0
Ah	Alganssee loamy sand, frequently flooded	Alganssee	90	80	21	0	0.0	0.0
		Cohoctah	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Bb	Barry loam	Barry	100	175	51	70	5.8	11.6
BlA	Blount loam, 0 to 2 percent slopes	Blount	85	140	46	63	4.6	9.2
		Pewamo	6	160	46	64	5.3	10.6
		Haskins	5	160	53	72	5.3	10.6
		Glynwood	4	130	46	59	4.3	8.6
Br	Brady sandy loam	Brady	90	125	37	63	4.1	8.2
		Gilford	4	150	42	60	5.0	10.0
		Brems	3	95	33	38	3.1	6.2
		Morocco	3	100	28	40	3.3	6.6
BsA	Branch loamy sand, 0 to 2 percent slopes	Branch	90	140	49	56	4.6	9.2
		Brady	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gilford	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BtA	Brems loamy sand, 0 to 3 percent slopes	Brems	80	95	33	38	3.1	6.2
		Morocco	8	105	30	42	3.5	7.0
		Osolo	6	80	28	32	2.6	5.2
		Bronson	3	120	42	48	4.0	8.0
		Oshtemo	3	110	39	55	3.6	7.2
ChB	Chelsea fine sand, 2 to 6 percent slopes	Chelsea	100	85	30	34	2.8	5.6
Co	Cohoctah fine sandy loam, occasionally flooded	Cohoctah	100	125	33	0	0.0	0.0
CrA	Crosier loam, 0 to 2 percent slopes	Crosier	85	155	51	70	5.1	10.2
		Brookston	5	175	51	70	5.8	11.6
		Selfridge	5	130	39	52	4.3	8.6
		Williamstown	3	145	51	65	4.8	9.6
		Baugo	2	160	53	72	5.3	10.6
Ed	Edwards muck, drained	Edwards, drained	80	135	33	54	4.5	9.0
		Madaus, drained	8	90	21	36	3.0	6.0
		Houghton, drained	7	165	44	66	5.4	10.8
		Adrian, drained	5	145	44	58	4.8	9.6
Gf	Gilford fine sandy loam, 0 to 2 percent slopes, gravelly subsoil	Gilford, gravelly subsoil	90	150	42	60	5.0	10.0
		Sebewa	5	160	46	64	5.3	10.6
		Brady	5	130	39	52	4.3	8.6
Gh	Gilford fine sandy loam, loamy substratum	Gilford	100	150	42	60	5.0	10.0
Hh	Histosols-Aquolls complex, ponded	Histosols, undrained	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Aquolls, undrained	30	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Hk	Homer fine sandy loam, 0 to 2 percent slopes	Homer	90	135	44	54	4.5	9.0
		Kosciusko	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sebewa	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Hm	Houghton muck, drained	Houghton, drained	75	165	44	66	5.4	10.8
		Adrian, drained	7	145	44	58	4.8	9.6
		Edwards, drained	7	135	33	54	4.5	9.0
		Muskego, drained	6	135	33	54	4.5	9.0
		Palms, drained	5	160	42	64	5.3	10.6
Ho	Houghton muck, disintegration moraine, 0 to 2 percent slopes	Houghton, undrained	85	0	0	0	0.0	0.0
		Muskego, undrained	7	0	0	0	0.0	0.0
		Palms, undrained	8	0	0	0	0.0	0.0
KoA	Kosciusko-Ormas complex, 0 to 2 percent slopes	Kosciusko	55	110	39	55	3.6	7.2
		Ormas	30	100	35	50	3.3	6.6
		Homer	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sebewa	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
KoB	Kosciusko-Ormas complex, 2 to 6 percent slopes	Kosciusko	55	110	39	55	3.6	7.2
		Ormas	30	100	35	50	3.3	6.6
		Homer	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sebewa	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
KoC	Kosciusko-Ormas complex, 6 to 12 percent slopes	Kosciusko	55	100	35	50	3.3	6.6
		Ormas	30	90	32	45	3.0	6.0
		Homer	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Sebewa	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MaA	Markton loamy sand, 0 to 2 percent slopes	Markton	90	130	39	52	4.3	8.6
		Metea	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gilford	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wawasee	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MeA	Metea loamy sand, 0 to 2 percent slopes	Metea	100	115	40	46	3.8	7.6
MeB	Metea loamy sand, 2 to 6 percent slopes	Metea	100	115	40	46	3.8	7.6
MeC	Metea loamy sand, 6 to 12 percent slopes	Metea	100	100	35	40	3.3	6.6
MrB2	Glynwood loam, 2 to 6 percent slopes, eroded	Glynwood	85	125	44	56	4.1	8.2
		Rawson	6	145	51	65	4.8	9.6
		Blount	5	140	46	63	4.6	9.2
		Pewamo	4	160	46	64	5.3	10.6
MsC3	Morley clay loam, 6 to 12 percent slopes, severely eroded	Morley, severely eroded	90	105	37	47	3.5	7.0
		Blount	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pewamo	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Mu	Morocco loamy sand	Morocco	85	100	28	40	3.3	6.6
		Gilford	5	150	42	60	5.0	10.0
		Maumee	5	135	37	54	4.5	9.0
		Osolo	5	80	28	32	2.6	5.2
Mx	Muskego muck, drained	Muskego, drained	75	135	33	54	4.5	9.0
		Houghton, drained	10	165	44	66	5.4	10.8
		Moston, drained	10	135	33	54	4.5	9.0
		Palms, drained	5	160	42	64	5.3	10.6
Ne	Newton fine sandy loam	Newton	100	115	30	46	3.8	7.6
OmA	Ormas loamy sand, 0 to 2 percent slopes	Ormas	90	100	35	50	3.3	6.6
		Brady	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Branch	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gilford	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OmB	Ormas loamy sand, 2 to 6 percent slopes	Ormas	90	100	35	50	3.3	6.6
		Brady	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Branch	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Gilford	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pe	Pewamo clay loam, 0 to 2 percent slopes	Pewamo	85	160	46	64	5.3	10.6
		Blount	8	140	46	63	4.6	9.2
		Brookston	4	175	51	70	5.8	11.6
		Palms	3	160	42	64	5.3	10.6

COMPONENT CROP YIELDS (RV)--Continued
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ek	Pits, gravel	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PlA	Plainfield sand, 0 to 2 percent slopes	Plainfield	95	75	26	30	2.5	5.0
		Brems	2	90	32	36	3.0	6.0
		Morocco	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Newton	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PlB	Plainfield sand, 2 to 6 percent slopes	Plainfield	95	75	26	30	2.5	5.0
		Brems	2	90	32	36	3.0	6.0
		Morocco	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Newton	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PlC	Plainfield sand, 6 to 12 percent slopes	Plainfield	95	65	23	26	2.1	4.2
		Brems	2	90	32	36	3.0	6.0
		Morocco	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Newton	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
R1A	Riddles fine sandy loam, 0 to 2 percent slopes	Riddles	100	140	49	56	4.6	9.2
R1B2	Riddles fine sandy loam, 2 to 6 percent slopes, eroded	Riddles	90	135	47	54	4.5	9.0
		Crosier	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Barry	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
R1C2	Riddles fine sandy loam, 6 to 12 percent slopes, eroded	Riddles	90	125	44	50	4.1	8.2
		Metea	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Barry	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Crosier	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Se	Sebewa sandy clay loam	Sebewa	100	160	46	64	5.3	10.6
Usl	Udorthents, rubbish	Udorthents, Rubbish	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wallkill silt loam	Wallkill	100	175	51	70	5.8	11.6
Wh	Washtenaw silt loam	Washtenaw	100	145	40	58	4.8	9.6
WkB	Wawasee fine sandy loam, 2 to 6 percent slopes	Wawasee	90	140	49	56	4.6	9.2
		Crosier	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Barry	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Metea	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WkC2	Wawasee fine sandy loam, 6 to 12 percent slopes, eroded	Wawasee	90	125	44	50	4.1	8.2
		Metea	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Barry	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Crosier	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WkD	Wawasee fine sandy loam, 12 to 18 percent slopes	Wawasee	90	115	40	46	3.8	7.6
		Metea	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Barry	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated