

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
Ad	Adrian muck, drained	145	42	58	4.8	9.6
Ah	Alganssee loamy sand, frequently flooded	80	21	0	0.0	0.0
Bb	Barry loam	175	51	70	5.8	11.6
BIA	Blount loam, 0 to 2 percent slopes	142	46	63	4.6	9.2
Br	Brady sandy loam	124	37	61	4.1	8.2
BsA	Branch loamy sand, 0 to 2 percent slopes	140	49	56	4.6	9.2
BtA	Brems loamy sand, 0 to 3 percent slopes	96	33	38	3.1	6.2
ChB	Chelsea fine sand, 2 to 6 percent slopes	85	30	34	2.8	5.6
Co	Cohoctah fine sandy loam, occasionally flooded	125	33	0	0.0	0.0
CrA	Crosier loam, 0 to 2 percent slopes	155	50	69	5.1	10.2
Ed	Edwards muck, drained	134	34	54	4.5	8.9
Gf	Gilford fine sandy loam, 0 to 2 percent slopes, gravelly subsoil	150	42	60	5.0	10.0
Gh	Gilford fine sandy loam, loamy substratum	150	42	60	5.0	10.0
Hh	Histosols-Aquolls complex, ponded	0	0	0	0.0	0.0
Hk	Homer fine sandy loam, 0 to 2 percent slopes	135	44	54	4.5	9.0
Hm	Houghton muck, drained	159	42	66	5.4	10.7
Ho	Houghton muck, disintegration moraine, 0 to 2 percent slopes	0	0	0	0.0	0.0
KoA	Kosciusko-Ormas complex, 0 to 2 percent slopes	110	39	55	3.6	7.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
KoB	Kosciusko-Ormas complex, 2 to 6 percent slopes	110	39	55	3.6	7.2
KoC	Kosciusko-Ormas complex, 6 to 12 percent slopes	100	35	50	3.3	6.6
MaA	Markton loamy sand, 0 to 2 percent slopes	130	39	52	4.3	8.6
MeA	Metea loamy sand, 0 to 2 percent slopes	115	40	46	3.8	7.6
MeB	Metea loamy sand, 2 to 6 percent slopes	115	40	46	3.8	7.6
MeC	Metea loamy sand, 6 to 12 percent slopes	100	35	40	3.3	6.6
MrB2	Glynwood loam, 2 to 6 percent slopes, eroded	128	44	56	4.1	8.2
MsC3	Morley clay loam, 6 to 12 percent slopes, severely eroded	105	37	47	3.5	7.0
Mu	Morocco loamy sand	103	29	40	3.3	6.6
Mx	Muskego muck, drained	139	35	54	4.5	9.1
Ne	Newton fine sandy loam	115	30	46	3.8	7.6
OmA	Ormas loamy sand, 0 to 2 percent slopes	100	35	50	3.3	6.6
OmB	Ormas loamy sand, 2 to 6 percent slopes	100	35	50	3.3	6.6
Pe	Pewamo clay loam, 0 to 2 percent slopes	159	46	65	5.3	10.6
Pk	Pits, gravel	0	0	0	0.0	0.0
PIA	Plainfield sand, 0 to 2 percent slopes	73	26	30	2.5	5.0
PIB	Plainfield sand, 2 to 6 percent slopes	73	26	30	2.5	5.0
PIC	Plainfield sand, 6 to 12 percent slopes	64	22	26	2.1	4.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Fulton County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
RIA	Riddles fine sandy loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
RIB2	Riddles fine sandy loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
RIC2	Riddles fine sandy loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
Se	Sebewa sandy clay loam	160	46	64	5.3	10.6
Usl	Udorthents, rubbish	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wa	Walkkill silt loam	175	51	70	5.8	11.6
Wh	Washtenaw silt loam	145	40	58	4.8	9.6
WkB	Wawasee fine sandy loam, 2 to 6 percent slopes	140	49	56	4.6	9.2
WkC2	Wawasee fine sandy loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
WkD	Wawasee fine sandy loam, 12 to 18 percent slopes	115	40	46	3.8	7.6